पावर सिस्टम ऑपरेशन कारपोरेशन लिमिटेड
(भारत सरकार का उद्यम)
POWER SYSTEM OPERATION CORPORATION LIMITED
(A Govt. of India Enterprise)
दक्षिण क्षेत्रीय भार प्रेषण केंद्र, 29, रेस कोर्स क्रास रोड, बेंगलूर - 560 009
दूरभाष : कार्यालय : 080-2225 0047, 2235 2850, 2225 4525, 2225 1169, 2225 5962 फैक्स : 080 2226 8725, 2225 9219
CIN No. : U40105DL2009GOI188682 Southern Regional Load Despatch Centre, 29 Race Course Cross Road, Bangalore - 560 009
Tel : Off : 080 2225 0047, 2235 2850, 2225 4525, 2225 1169, 2225 5962 Fax : 080 2226 8725, 2225 9219 Website : www.srldc.org / www.posoco.in

Ref: SRLDC/SO-2/2021/D-01/ Date:31.05.2021

सेवा में/To
As per the distribution list(Through mail).

विषय : दक्षिणी क्षेत्र के संचरण तत्वों का विवरण-2021
Sub: Details of Transmission Elements of Southern Region-2021

महोदय / Sir,

द.क्षे.भा.प्रे.के. ने, दक्षिणी क्षेत्र के उत्पादक स्टेशनों से एकत्र किया गया आंकडों के आधार पर दक्षिणी क्षेत्र की संचरण तत्वों का प्रलेखन संकलित किया है |

SRLDC has compiled the documentation on the Transmission Elements in the Southern Region based on the data collected from different constituents and generating stations of Southern Region.

आपको सूचित किया जता है की दक्षिणी क्षेत्र के संचरण तत्वों का विवरण-2021 वेब साइट https://www.srldc.in/ पर उपलब्ध है |

The soft copy of Details of Transmission Elements of Southern Region-2021 is available in the SRLDC website www.srldc.in/ for your information. The username and password for downloading the document may be collected by sending a mail to srldcreliability@posoco.in

धन्यवाद /Thanking you,

भवदीय /Yours faithfully,

मुख्य महाप्रबंधक / Chief General Manager(SO-2)
एस.आर.एल.डी.सी, बैंगलोर /SRLDC, Banaglore

Departmental Procedure

(Based on ISO 9001:2015)

Doc. Number :

SRLDC/SO-II/D-01/Transmission Elements

Prepared By:	*Checked By*	*Approved by:*	*Issued by:*
Dy. Manager (SO-2)	DGM (SO-2)	CGM (SO-2)	MR (SRLDC)

Document Management Information

Document Effective Date:	**1st June 2021**		
Classification	○ Public	◉ Internal	○ Confidential
	○ Secret		

Modification History

Sr. No	Description of Change	Date of Change	Version No.
1	Southern Region Transmission Elements-2021	31.05.2021	00



2021

Compendium of Southern Region Transmission Elements

Southern Regional Load Despatch Centre, POSOCO

Date: 31st May 2021

Contents

Owner Abbreviations 2

Summary 3

Transmission Line Details 5

Inter-Connecting Transformer Details 79

Reactive Compensation Details 92

HVDC and FACTS device Details 102

Spare Inter-Connecting Transformers and Reactors 104

Owner Abbreviations

Sno.	Owner	Owner Full Name
1	PGCIL	POWERGRID CORPORATION OF INDIA LIMITED
2	RSTCL	RAICHUR SHOLAPUR TRANSMISSION COMPANY LIMITED
3	KTL	KUDGI TRANSMISSION LIMITED
4	APTRANSCO	ANDHRA PRADESH TRANSMISSION CORPORATION
5	COASTAL	COASTAL ENERGEN PRIVATE LIMITED
6	KPTCL	KARNATAKA POWER TRANSMISSION CORPORATION LIMITED
7	KSEB	KERALA STATE ELECTRICITY BOARD
8	MTL	MAHESHWARAM TRANSMISSION LIMITED
9	NLC	NEYVELI LIGNITE CORPORATION
10	NTPC	NATIONAL THERMAL POWER CORPORATION
11	SEPL	SIMHAPURI ENERGY PRIVATE LIMITED
12	MEPL	MEENAKSHI ENERGY PRIVATE LIMITED
13	TANTRANSCO	TAMIL NADU TRANSMISSION CORPORATION
14	TSTRANSCO	TELANGANA TRANSMISSION CORPORATION
15	PONDY	PUDUCHERRY ELECTRICITY DEPARTMENT
16	APSPDCL	ANDHRA PRADESH SOLAR POWER DEVELOPMENT CORPORATION
17	KSPDCL	KARNATAKA SOLAR POWER DEVELOPMENT CORPORATION
18	NPCIL	NUCLEAR POWER CORPORATION OF INDIA LIMITED
19	NTPL	NLC TAMIL NADU POWER LIMITED
20	TSGENCO	TELANGANA GENERATION CORPORATION
21	APGENCO	ANDHRA PRADESH GENERATION CORPORATION
22	KPCL	KARNATAKA POWER CORPORATION LIMITED
23	SEIL-P1	SEMBCORP ENERGY INDIA - PROJECT 1
24	SEIL-P2	SEMBCORP ENERGY INDIA - PROJECT 2
25	TANGEDCO	TAMIL NADU GENERATION CORPORATION

Summary

Sno.	Owner	Line (ckt km)				ICT (MVA)		Reactor (MVAR)	
		765 kV	400 kV	220 kV	110 kV (ISTS)	765 kV	400 kV	765 kV	400 kV
1	PGCIL	7347	25073	1101	0	30000	41612	11370	9546
2	RSTCL	208	0	0	0	0	0	240	0
3	KTL	760	222	0	0	0	0	0	252
4	APTRANSCO	0	3906	12464	0	0	15155	0	1652
5	COASTAL	0	74	0	0	0	0	0	63
6	ILFS	0	92	0	0	0	0	0	80
7	KPTCL	0	2583	13740	0	0	11780	0	1024
8	KPTCL+PGCIL	0	67	0	0	0	0	0	0
9	KSEB	0	174	2364	0	0	945	0	0
10	LANCO	0	44	0	0	0	0	0	80
11	MTL	0	476	0	0	0	0	0	0
12	NLC	0	1	0	0	0	1500	0	206
13	NTPC	0	6	0	0	0	2330	0	376
14	SEPL+MEPL	0	5	0	0	0	0	0	80
15	TANTRANSCO	0	3705	13072	0	0	18225	0	681
16	TSTRANSCO	0	7630	8537	0	0	17415	0	1065
17	BETAM	0	0	18	0	0	0	0	0
18	MYTRAH	0	0	16	0	0	0	0	0
19	ORANGE	0	0	29	0	0	0	0	0
20	PONDY	0	0	7	0	0	0	0	0
21	SPRING-PGLR	0	0	34	0	0	0	0	0
22	TANTRANSCO+KSEB	0	0	240	5	0	0	0	0
23	APSPDCL	0	0	88	0	0	0	0	0
24	APTRANSCO+KPTCL	0	0	58	0	0	0	0	0
25	APTRANSCO+OPTCL	0	0	25	0	0	0	0	0

Sno.	Owner	Line (ckt km)				ICT (MVA)		Reactor (MVAR)	
		765 kV	400 kV	220 kV	110 kV (ISTS)	765 kV	400 kV	765 kV	400 kV
26	APTRANSCO+TANTRANSCO	0	0	78	0	0	0	0	0
27	APTRANSCO+TSTRANSCO	0	0	723	450	0	0	0	0
28	KPTCL+KSEB	0	0	119	16	0	0	0	0
29	KPTCL+TANTRANSCO	0	0	40	0	0	0	0	0
30	KSPDCL	0	0	79	0	0	0	0	0
31	MSETCL+KPTCL	0	0	114	0	0	0	0	0
32	TSTRANSCO+KPTCL	0	0	145	0	0	0	0	0
33	APTRANSCO+PONDY	0	0	0	12	0	0	0	0
34	KSEB+PONDY	0	0	0	4	0	0	0	0
35	TANTRANSCO+PONDY	0	0	0	60	0	0	0	0
36	NPCIL	0	0	0	0	0	1630	0	223
37	NTPL	0	0	0	0	0	630	0	0
38	TSGENCO	0	0	0	0	0	315	0	313
39	AP-IPP	0	0	0	0	0	0	0	80
40	APGENCO	0	0	0	0	0	0	0	160
41	KA-IPP	0	0	0	0	0	0	0	250
42	KPCL	0	0	0	0	0	0	0	63
43	SEIL-P1	0	0	0	0	0	0	0	125
44	SEIL-P2	0	0	0	0	0	0	0	125
45	TANGEDCO	0	0	0	0	0	0	0	126
	TOTAL	8315	44058	53091	547	30000	111537	11610	16570

Transmission Line Details

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1	PGCIL	765	ANGUL	SRIKAKULAM	1	D/C	HEXA ACSR ZEBRA	276
2	PGCIL	765	ANGUL	SRIKAKULAM	2	D/C	HEXA ACSR ZEBRA	276
3	PGCIL	765	CUDDAPAH	CHILKALURIPETA	1	D/C	HEXA ACSR ZEBRA	282
4	PGCIL	765	CUDDAPAH	CHILKALURIPETA	2	D/C	HEXA ACSR ZEBRA	282
5	PGCIL	765	CUDDAPAH	THIRUVALAM-PG	1	D/C	HEXA ACSR ZEBRA	245
6	PGCIL	765	CUDDAPAH	THIRUVALAM-PG	2	D/C	HEXA ACSR ZEBRA	245
7	PGCIL	765	KURNOOL	CUDDAPAH	1	D/C	HEXA ACSR ZEBRA	205
8	PGCIL	765	KURNOOL	CUDDAPAH	2	D/C	HEXA ACSR ZEBRA	205
9	PGCIL	765	KURNOOL	NELLORE-PS	1	D/C	HEXA ACSR ZEBRA	302
10	PGCIL	765	KURNOOL	NELLORE-PS	2	D/C	HEXA ACSR ZEBRA	302
11	PGCIL	765	KURNOOL	RAICHUR-PG	1	S/C	QUAD ACSR BERSIMIS	120
12	PGCIL	765	KURNOOL	RAICHUR-PG	2	S/C	QUAD ACSR BERSIMIS	118
13	PGCIL	765	NIZAMABAD	MAHESWARAM	1	D/C	HEXA ACSR ZEBRA	243
14	PGCIL	765	NIZAMABAD	MAHESWARAM	2	D/C	HEXA ACSR ZEBRA	243
15	PGCIL	765	SOLAPUR-PG	RAICHUR-PG	1	S/C	QUAD ACSR BERSIMIS	208
16	PGCIL	765	SRIKAKULAM	VEMAGIRI-PG	1	D/C	HEXA ACSR ZEBRA	334
17	PGCIL	765	SRIKAKULAM	VEMAGIRI-PG	2	D/C	HEXA ACSR ZEBRA	334
18	PGCIL	765	VEMAGIRI-PG	CHILKALURIPETA	1	D/C	HEXA ACSR ZEBRA	276
19	PGCIL	765	VEMAGIRI-PG	CHILKALURIPETA	2	D/C	HEXA ACSR ZEBRA	276
20	PGCIL	765	WARDHA	NIZAMABAD	1	D/C	HEXA ACSR ZEBRA	291
21	PGCIL	765	WARDHA	NIZAMABAD	2	D/C	HEXA ACSR ZEBRA	291
22	RSTCL	765	SOLAPUR-PG	RAICHUR-PG	2	S/C	QUAD ACSR BERSIMIS	208
23	KTL	765@400	TUMKUR-PG	KUDGI-PG	1	D/C	HEXA ACSR ZEBRA	380
24	KTL	765@400	TUMKUR-PG	KUDGI-PG	2	D/C	HEXA ACSR ZEBRA	380

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
25	PGCIL	765@400	DHARAMAPURI	NAGAPATINAM-PS	1	D/C	HEXA ACSR ZEBRA	204
26	PGCIL	765@400	DHARAMAPURI	NAGAPATINAM-PS	2	D/C	HEXA ACSR ZEBRA	204
27	PGCIL	765@400	DHARAMAPURI	TUTICORIN-PS	1	D/C	HEXA ACSR ZEBRA	369
28	PGCIL	765@400	DHARAMAPURI	TUTICORIN-PS	2	D/C	HEXA ACSR ZEBRA	369
29	PGCIL	765@400	KOLHAPUR-PG	KUDGI-PG	1	D/C	HEXA ACSR ZEBRA	190
30	PGCIL	765@400	KOLHAPUR-PG	KUDGI-PG	2	D/C	HEXA ACSR ZEBRA	190
31	PGCIL	765@400	TUMKUR-PG	DHARAMAPURI	1	S/C	QUAD ACSR MOOSE	245
32	PGCIL	765@400	TUMKUR-PG	DHARAMAPURI	2	S/C	QUAD ACSR MOOSE	222
33	APTRANSCO	400	CHITTOOR	KALIKIRI	1	D/C	TWIN ACSR MOOSE	97
34	APTRANSCO	400	CHITTOOR	KALIKIRI	2	D/C	TWIN ACSR MOOSE	97
35	APTRANSCO	400	CHITTOOR	RACHAGUNNERI	1	D/C	QUAD ACSR MOOSE	100
36	APTRANSCO	400	CHITTOOR	RACHAGUNNERI	2	D/C	QUAD ACSR MOOSE	100
37	APTRANSCO	400	GAZUWAKA-PG	KALPAKKA	1	D/C	TWIN ACSR MOOSE	3
38	APTRANSCO	400	GAZUWAKA-PG	KALPAKKA	2	D/C	TWIN ACSR MOOSE	3
39	APTRANSCO	400	HNPCL	KV KOTA	1	D/C	TWIN ACSR MOOSE	246
40	APTRANSCO	400	HNPCL	KV KOTA	2	D/C	TWIN ACSR MOOSE	246
41	APTRANSCO	400	JAMALAMADUGU	TALARICHERVU	1	D/C	QUAD ACSR MOOSE	27
42	APTRANSCO	400	JAMALAMADUGU	TALARICHERVU	2	D/C	QUAD ACSR MOOSE	27
43	APTRANSCO	400	KALPAKKA	HNPCL	1	D/C	TWIN ACSR MOOSE	7
44	APTRANSCO	400	KALPAKKA	HNPCL	2	D/C	TWIN ACSR MOOSE	7
45	APTRANSCO	400	KALPAKKA	MARADAM	1	D/C	QUAD ACSR MOOSE	113
46	APTRANSCO	400	KALPAKKA	MARADAM	2	D/C	QUAD ACSR MOOSE	113
47	APTRANSCO	400	KALPAKKA	SIMHADRI	2	D/C	TWIN ACSR MOOSE	4
48	APTRANSCO	400	KALPAKKA	SIMHADRI	3	D/C	TWIN ACSR MOOSE	4
49	APTRANSCO	400	KALPAKKA	SIMHADRI	4	D/C	TWIN ACSR MOOSE	4
50	APTRANSCO	400	KALPAKKA	VEMAGIRI	1	D/C	TWIN ACSR MOOSE	167
51	APTRANSCO	400	NARNOOR	GANI	1	D/C	QUAD ACSR MOOSE	16
52	APTRANSCO	400	NARNOOR	GANI	2	D/C	QUAD ACSR MOOSE	16

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
53	APTRANSCO	400	NARNOOR	JAMALAMADUGU	1	D/C	QUAD ACSR MOOSE	101
54	APTRANSCO	400	NARNOOR	JAMALAMADUGU	2	D/C	QUAD ACSR MOOSE	101
55	APTRANSCO	400	NELLORE-AP	SDSTPS	1	D/C	QUAD ACSR MOOSE	18
56	APTRANSCO	400	NELLORE-AP	SDSTPS	2	D/C	QUAD ACSR MOOSE	18
57	APTRANSCO	400	NUNNA	SATTENAPALLI	1	D/C	TWIN ACSR MOOSE	116
58	APTRANSCO	400	NUNNA	VEMAGIRI	3	D/C	TWIN ACSR MOOSE	192
59	APTRANSCO	400	NUNNA	VTPS	1	D/C	TWIN ACSR MOOSE	19
60	APTRANSCO	400	RYTPP	KALIKIRI	1	D/C	TWIN ACSR MOOSE	157
61	APTRANSCO	400	RYTPP	KALIKIRI	2	D/C	TWIN ACSR MOOSE	157
62	APTRANSCO	400	SATTENAPALLI	PODILI	1	D/C	TWIN ACSR MOOSE	108
63	APTRANSCO	400	SATTENAPALLI	PODILI	2	D/C	TWIN ACSR MOOSE	108
64	APTRANSCO	400	SDSTPS	RACHAGUNNERI	1	D/C	QUAD ACSR MOOSE	150
65	APTRANSCO	400	SDSTPS	RACHAGUNNERI	2	D/C	QUAD ACSR MOOSE	150
66	APTRANSCO	400	SIMHADRI	VEMAGIRI	1	D/C	TWIN ACSR MOOSE	169
67	APTRANSCO	400	URAVAKONDA	HINDUPUR	1	D/C	QUAD ACSR MOOSE	126
68	APTRANSCO	400	URAVAKONDA	HINDUPUR	2	D/C	QUAD ACSR MOOSE	126
69	APTRANSCO	400	URAVAKONDA	TALARICHERVU	1	D/C	QUAD ACSR MOOSE	98
70	APTRANSCO	400	URAVAKONDA	TALARICHERVU	2	D/C	QUAD ACSR MOOSE	98
71	APTRANSCO	400	VEMAGIRI	GAUTHAMI	1	D/C	TWIN ACSR MOOSE	40
72	APTRANSCO	400	VEMAGIRI	GAUTHAMI	2	D/C	TWIN ACSR MOOSE	40
73	APTRANSCO	400	VEMAGIRI	GMR	1	D/C	TWIN ACSR MOOSE	2
74	APTRANSCO	400	VEMAGIRI	GMR	2	D/C	TWIN ACSR MOOSE	2
75	APTRANSCO	400	VEMAGIRI	GVK-II	1	D/C	TWIN ACSR MOOSE	6
76	APTRANSCO	400	VEMAGIRI	GVK-II	2	D/C	TWIN ACSR MOOSE	6
77	APTRANSCO	400	VEMAGIRI	KONASEEMA	1	D/C	TWIN ACSR MOOSE	26
78	APTRANSCO	400	VEMAGIRI	KONASEEMA	2	D/C	TWIN ACSR MOOSE	26
79	APTRANSCO	400	VEMAGIRI	SATTENAPALLI	1	D/C	TWIN ACSR MOOSE	245
80	APTRANSCO	400	VTPS	SATTENAPALLI	1	D/C	TWIN ACSR MOOSE	52

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
81	APTRANSCO	400	VTPS	SATTENAPALLI	2	D/C	TWIN ACSR MOOSE	52
82	COASTAL	400	COASTAL	TUTICORIN-PS	1	D/C	QUAD ACSR MOOSE	37
83	COASTAL	400	COASTAL	TUTICORIN-PS	2	D/C	QUAD ACSR MOOSE	37
84	ILFS	400	ILFS	NAGAPATINAM-PS	1	D/C	QUAD ACSR MOOSE	46
85	ILFS	400	ILFS	NAGAPATINAM-PS	2	D/C	QUAD ACSR MOOSE	46
86	KPTCL	400	BPS	JAGALUR	1	D/C	QUAD ACSR MOOSE	108
87	KPTCL	400	BPS	JAGALUR	2	D/C	QUAD ACSR MOOSE	108
88	KPTCL	400	BTPS	GUTTUR	1	D/C	TWIN ACSR MOOSE	138
89	KPTCL	400	BTPS	HIRIYUR-PG	1	D/C	TWIN ACSR MOOSE	156
90	KPTCL	400	BTPS	HIRIYUR-PG	2	D/C	TWIN ACSR MOOSE	156
91	KPTCL	400	GUTTUR	DONI	1	D/C	TWIN ACSR MOOSE	27
92	KPTCL	400	GUTTUR	HIRIYUR-PG	1	D/C	TWIN ACSR MOOSE	100
93	KPTCL	400	GUTTUR	HIRIYUR-PG	2	D/C	TWIN ACSR MOOSE	100
94	KPTCL	400	HASSAN-PG	UPCL	1	D/C	QUAD ACSR MOOSE	178
95	KPTCL	400	HASSAN-PG	UPCL	2	D/C	QUAD ACSR MOOSE	178
96	KPTCL	400	HOODY	DEVANAHALLI	1	D/C	TWIN ACSR MOOSE	18
97	KPTCL	400	HOODY	DEVANAHALLI	2	D/C	TWIN ACSR MOOSE	18
98	KPTCL	400	JSW	BPS	3	D/C	QUAD ACSR MOOSE	9
99	KPTCL	400	JSW	BPS	4	D/C	QUAD ACSR MOOSE	9
100	KPTCL	400	MUNIRABAD-PG	DONI	1	D/C	TWIN ACSR MOOSE	95
101	KPTCL	400	NELAMANGALA	DEVANAHALLI	1	D/C	TWIN ACSR MOOSE	51
102	KPTCL	400	NELAMANGALA	HIRIYUR-PG	1	D/C	TWIN ACSR MOOSE	160
103	KPTCL	400	NELAMANGALA	HIRIYUR-PG	2	D/C	TWIN ACSR MOOSE	160
104	KPTCL	400	NELAMANGALA	TALAGUPPA	1	D/C	TWIN ACSR MOOSE	354
105	KPTCL	400	RTPS	BTPS	1	D/C	TWIN ACSR MOOSE	156
106	KPTCL	400	YTPS	BPS	1	D/C	QUAD ACSR MOOSE	152
107	KPTCL	400	YTPS	BPS	2	D/C	QUAD ACSR MOOSE	152
108	KPTCL+PGCIL	400	NELAMANGALA	YELAHANKA-PG	1	D/C	TWIN ACSR MOOSE	39

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
109	KPTCL+PGCIL	400	YELAHANKA-PG	DEVANAHALLI	1	D/C	TWIN ACSR MOOSE	28
110	KSEB	400	MADAKATHARA	KOZHIKODE-PG	1	M/C	TWIN ACSS GREAT HORNBILL	87
111	KSEB	400	MADAKATHARA	KOZHIKODE-PG	2	M/C	TWIN ACSS GREAT HORNBILL	87
112	KTL	400	BIDADI-PG	TUMKUR-PG	1	D/C	QUAD ACSR MOOSE	93
113	KTL	400	BIDADI-PG	TUMKUR-PG	2	D/C	QUAD ACSR MOOSE	93
114	KTL	400	KUDGI-PG	KUDGI NTPC	1	D/C	QUAD ACSR MOOSE	9
115	KTL	400	KUDGI-PG	KUDGI NTPC	2	D/C	QUAD ACSR MOOSE	9
116	KTL	400	KUDGI-PG	KUDGI NTPC	3	D/C	QUAD ACSR MOOSE	9
117	KTL	400	KUDGI-PG	KUDGI NTPC	4	D/C	QUAD ACSR MOOSE	9
118	LANCO	400	NUNNA	LANCO	1	D/C	TWIN ACSR MOOSE	22
119	LANCO	400	NUNNA	LANCO	2	D/C	TWIN ACSR MOOSE	22
120	MTL	400	SHANKARPALLI	NIZAMABAD	1	D/C	TWIN ACSR MOOSE	139
121	MTL	400	SHANKARPALLI	NIZAMABAD	2	D/C	TWIN ACSR MOOSE	139
122	MTL	400	VELTOOR	MAHESWARAM 765/400	1	D/C	TWIN ACSR MOOSE	99
123	MTL	400	VELTOOR	MAHESWARAM 765/400	2	D/C	TWIN ACSR MOOSE	99
124	NLC	400	NLC STG2	NLC STG2 EXP	1	D/C	TWIN ACSR MOOSE	1
125	NTPC	400	RAMAGUNDAM NTPC	TSTPP NTPC	1	D/C	QUAD ACSR MOOSE	3
126	NTPC	400	RAMAGUNDAM NTPC	TSTPP NTPC	2	D/C	QUAD ACSR MOOSE	3
127	PGCIL	400	ALAMATHI	THIRUVALAM-TN 400/230	1	D/C	TWIN ACSR MOOSE	112
128	PGCIL	400	ALAMATHI	THIRUVALAM-TN 400/230	2	D/C	TWIN ACSR MOOSE	112
129	PGCIL	400	ALAMATHI	VALLUR	1	M/C	TWIN ACSR MOOSE	36
130	PGCIL	400	ALAMATHI	VALLUR	2	M/C	TWIN ACSR MOOSE	36
131	PGCIL	400	ARASUR-PG	PUGALUR HVDC	1	D/C	QUAD ACSR MOOSE	65
132	PGCIL	400	ARASUR-PG	PUGALUR HVDC	2	D/C	QUAD ACSR MOOSE	65
133	PGCIL	400	CHITTOOR	CUDDAPAH	1	S/C	TWIN ACSR MOOSE	147

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
134	PGCIL	400	CHITTOOR	SRIPERUMBUDUR	1	S/C	TWIN ACSR MOOSE	95
135	PGCIL	400	CHITTOOR	THIRUVALAM-PG	1	D/C	QUAD ACSR MOOSE	21
136	PGCIL	400	CHITTOOR	THIRUVALAM-PG	2	D/C	QUAD ACSR MOOSE	21
137	PGCIL	400	CUDDAPAH	KOLAR-PG	1	S/C	TWIN ACSR MOOSE	192
138	PGCIL	400	CUDDAPAH	TALLAPALLI	1	S/C	TWIN ACSR MOOSE	277
139	PGCIL	400	CUDDAPAH	TALLAPALLI	2	S/C	TWIN ACSR MOOSE	279
140	PGCIL	400	CUDDAPAH	TUMKUR-PG	1	D/C	QUAD ACSR MOOSE	234
141	PGCIL	400	CUDDAPAH	TUMKUR-PG	2	D/C	QUAD ACSR MOOSE	234
142	PGCIL	400	DICHIPALLI	NIZAMABAD	1	D/C	TWIN HTLS INVAR	4
143	PGCIL	400	DICHIPALLI	NIZAMABAD	2	D/C	TWIN HTLS INVAR	4
144	PGCIL	400	GAZUWAKA-PG	SIMHADRI	1	D/C	TWIN ACSR MOOSE	13
145	PGCIL	400	GAZUWAKA-PG	SIMHADRI	2	D/C	TWIN ACSR MOOSE	13
146	PGCIL	400	GAZUWAKA-PG	VEMAGIRI-PG	1	S/C	TWIN ACSR MOOSE	165
147	PGCIL	400	GOOTY-PG	KURNOOL-PG	1	S/C	TWIN ACSR MOOSE	112
148	PGCIL	400	GOOTY-PG	NARNOOR	1	S/C	TWIN ACSR MOOSE	84
149	PGCIL	400	GOOTY-PG	NELAMANGALA	1	S/C	TWIN ACSR MOOSE	256
150	PGCIL	400	GOOTY-PG	NELLORE-PS	1	D/C	QUAD ACSR MOOSE	289
151	PGCIL	400	GOOTY-PG	NELLORE-PS	2	D/C	QUAD ACSR MOOSE	289
152	PGCIL	400	GOOTY-PG	PAVAGADA-PG	1	D/C	TWIN ACSR MOOSE	104
153	PGCIL	400	GOOTY-PG	PAVAGADA-PG	2	D/C	TWIN ACSR MOOSE	104
154	PGCIL	400	GOOTY-PG	RAICHUR-PG	1	D/C	QUAD ACSR MOOSE	129
155	PGCIL	400	GOOTY-PG	RAICHUR-PG	2	D/C	QUAD ACSR MOOSE	129
156	PGCIL	400	GOOTY-PG	SOMANAHALLI-PG	1	S/C	TWIN ACSR MOOSE	301
157	PGCIL	400	GUTTUR	KAIGA	1	D/C	TWIN ACSR MOOSE	163
158	PGCIL	400	GUTTUR	KAIGA	2	D/C	TWIN ACSR MOOSE	163
159	PGCIL	400	GUTTUR	NARENDRA-PG	1	D/C	TWIN ACSR MOOSE	156
160	PGCIL	400	GUTTUR	NARENDRA-PG	2	D/C	TWIN ACSR MOOSE	156
161	PGCIL	400	HASSAN-PG	MYSORE-PG	1	D/C	TWIN ACSR MOOSE	96

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
162	PGCIL	400	HASSAN-PG	MYSORE-PG	2	D/C	TWIN ACSR MOOSE	96
163	PGCIL	400	HASSAN-PG	TALAGUPPA	1	D/C	TWIN ACSR MOOSE	284
164	PGCIL	400	HIRIYUR-PG	MYSORE-PG	1	D/C	TWIN ACSR MOOSE	207
165	PGCIL	400	HIRIYUR-PG	PAVAGADA-PG	1	D/C	TWIN ACSR MOOSE	109
166	PGCIL	400	HOODY	KOLAR-PG	1	D/C	QUAD ACSR BERSIMIS	51
167	PGCIL	400	HOODY	KOLAR-PG	2	D/C	QUAD ACSR BERSIMIS	51
168	PGCIL	400	HYDERABAD	GAJWEL	1	D/C	TWIN ACSR MOOSE	73
169	PGCIL	400	HYDERABAD	MAHESWARAM 765/400	1	S/C	TWIN ACSR MOOSE	56
170	PGCIL	400	HYDERABAD	MALKARAM	1	D/C	TWIN ACSR MOOSE	55
171	PGCIL	400	KAIGA	NARENDRA-PG	1	D/C	TWIN AAAC MOOSE	107
172	PGCIL	400	KAIGA	NARENDRA-PG	2	D/C	TWIN AAAC MOOSE	107
173	PGCIL	400	KALIVANTHAPATU	NNTPP	1	D/C	TWIN ACSR MOOSE	259
174	PGCIL	400	KALIVANTHAPATU	THIRUVALAM-PG	1	D/C	TWIN ACSR MOOSE	114
175	PGCIL	400	KALIVANTHAPATU	THIRUVALAM-PG	2	D/C	TWIN ACSR MOOSE	114
176	PGCIL	400	KALIVANTHAPATU	VALLUR	1	D/C	TWIN ACSR MOOSE	134
177	PGCIL	400	KALIVANTHAPATU	VALLUR	2	D/C	TWIN ACSR MOOSE	134
178	PGCIL	400	KHAMMAM	WARANGAL	1	S/C	TWIN ACSR MOOSE	117
179	PGCIL	400	KKNPP	TUTICORIN-PS	2	D/C	QUAD ACSR MOOSE	144
180	PGCIL	400	KOLAR-PG	HOSUR-PG	1	D/C	TWIN ACSR MOOSE	69
181	PGCIL	400	KOLAR-PG	HOSUR-PG	2	D/C	TWIN ACSR MOOSE	69
182	PGCIL	400	KOLAR-PG	MYLASANDRA	1	S/C	TWIN ACSR MOOSE	83
183	PGCIL	400	KOLAR-PG	THIRUVALAM-PG	1	S/C	TWIN ACSR MOOSE	153
184	PGCIL	400	MADURAI-PG	KARAIKUDI-PG	1	D/C	TWIN ACSR MOOSE	130
185	PGCIL	400	MADURAI-PG	PUGALUR-PG	1	D/C	TWIN ACSR MOOSE	124
186	PGCIL	400	MADURAI-PG	PUGALUR-PG	2	D/C	TWIN ACSR MOOSE	124
187	PGCIL	400	MADURAI-PG	TUTICORIN-PS	1	D/C	QUAD ACSR MOOSE	95
188	PGCIL	400	MADURAI-PG	TUTICORIN-PS	2	D/C	QUAD ACSR MOOSE	95
189	PGCIL	400	MYSORE-PG	KOZHIKODE-PG	1	D/C	TWIN ACSR MOOSE	216

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
190	PGCIL	400	MYSORE-PG	KOZHIKODE-PG	2	D/C	TWIN ACSR MOOSE	216
191	PGCIL	400	MYSORE-PG	PAVAGADA-PG	1	D/C	TWIN ACSR MOOSE	314
192	PGCIL	400	MYWADI	ARASUR-PG	1	D/C	TWIN ACSR MOOSE	65
193	PGCIL	400	MYWADI	ARASUR-PG	2	D/C	TWIN ACSR MOOSE	65
194	PGCIL	400	MYWADI	MADURAI-PG	1	S/C	TWIN ACSR MOOSE	127
195	PGCIL	400	MYWADI	PALAKKAD-PG	1	D/C	TWIN ACSR MOOSE	96
196	PGCIL	400	MYWADI	PALAKKAD-PG	2	D/C	TWIN ACSR MOOSE	96
197	PGCIL	400	MYWADI	TIRUNELVELI-PG	1	D/C	TWIN ACSR MOOSE	265
198	PGCIL	400	MYWADI	TIRUNELVELI-PG	2	D/C	TWIN ACSR MOOSE	265
199	PGCIL	400	NARENDRA-PG	KUDGI-PG	1	D/C	QUAD ACSR MOOSE	176
200	PGCIL	400	NARENDRA-PG	KUDGI-PG	2	D/C	QUAD ACSR MOOSE	176
201	PGCIL	400	NARNOOR	KURNOOL-PG	1	D/C	QUAD ACSR MOOSE	10
202	PGCIL	400	NARNOOR	KURNOOL-PG	2	D/C	QUAD ACSR MOOSE	10
203	PGCIL	400	NARNOOR	MAHESWARAM 765/400	1	S/C	TWIN ACSR MOOSE	175
204	PGCIL	400	NELAMANGALA	BIDADI-PG	1	D/C	TWIN ACSR MOOSE	35
205	PGCIL	400	NELAMANGALA	BIDADI-PG	2	D/C	TWIN ACSR MOOSE	35
206	PGCIL	400	NELAMANGALA	HASSAN-PG	1	D/C	TWIN ACSR MOOSE	213
207	PGCIL	400	NELAMANGALA	MYSORE-PG	1	D/C	TWIN ACSR MOOSE	133
208	PGCIL	400	NELAMANGALA	MYSORE-PG	2	D/C	TWIN ACSR MOOSE	133
209	PGCIL	400	NELLORE-PG	NUNNA	1	D/C	TWIN ACSR MOOSE	341
210	PGCIL	400	NELLORE-PG	NUNNA	2	D/C	TWIN ACSR MOOSE	341
211	PGCIL	400	NELLORE-PG	SRIPERUMBUDUR	1	D/C	TWIN ACSR MOOSE	189
212	PGCIL	400	NELLORE-PG	SRIPERUMBUDUR	2	D/C	TWIN ACSR MOOSE	189
213	PGCIL	400	NELLORE-PG	THIRUVALAM-PG	1	D/C	QUAD ACSR MOOSE	173
214	PGCIL	400	NELLORE-PG	THIRUVALAM-PG	2	D/C	QUAD ACSR MOOSE	173
215	PGCIL	400	NELLORE-PS	MEPL	1	D/C	QUAD ACSR MOOSE	27
216	PGCIL	400	NELLORE-PS	NELLORE-PG	1	D/C	QUAD AAAC MOOSE	6
217	PGCIL	400	NELLORE-PS	NELLORE-PG	2	D/C	QUAD AAAC MOOSE	6

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
218	PGCIL	400	NELLORE-PS	SEIL-P1	1	D/C	QUAD ACSR MOOSE	32
219	PGCIL	400	NELLORE-PS	SEIL-P1	2	D/C	QUAD ACSR MOOSE	32
220	PGCIL	400	NELLORE-PS	SEIL-P2	1	D/C	QUAD ACSR MOOSE	33
221	PGCIL	400	NELLORE-PS	SEIL-P2	2	D/C	QUAD ACSR MOOSE	33
222	PGCIL	400	NLC STG1 EXP	NAGAPATINAM-PS	1	D/C	TWIN ACSR MOOSE	57
223	PGCIL	400	NLC STG1 EXP	NLC STG2	1	D/C	TWIN ACSR MOOSE	14
224	PGCIL	400	NLC STG2	NAGAPATINAM-PS	1	D/C	TWIN ACSR MOOSE	49
225	PGCIL	400	NLC STG2	PUGALUR-PG	1	D/C	TWIN ACSR MOOSE	198
226	PGCIL	400	NNTPP	PONDY	1	S/C	TWIN ACSR MOOSE	66
227	PGCIL	400	NP KUNTA	CUDDAPAH	1	D/C	QUAD ACSR MOOSE	69
228	PGCIL	400	NP KUNTA	CUDDAPAH	2	D/C	QUAD ACSR MOOSE	69
229	PGCIL	400	NP KUNTA	HINDUPUR	1	D/C	QUAD ACSR MOOSE	120
230	PGCIL	400	NP KUNTA	HINDUPUR	2	D/C	QUAD ACSR MOOSE	120
231	PGCIL	400	NTPL	TUTICORIN-PS	1	D/C	QUAD ACSR MOOSE	62
232	PGCIL	400	NTPL	TUTICORIN-PS	2	D/C	QUAD ACSR MOOSE	62
233	PGCIL	400	NUNNA	KHAMMAM	1	S/C	TWIN ACSR MOOSE	115
234	PGCIL	400	NUNNA	NELLORE-AP	3	D/C	TWIN ACSR MOOSE	348
235	PGCIL	400	NUNNA	VEMAGIRI-PG	1	S/C	TWIN ACSR MOOSE	188
236	PGCIL	400	NUNNA	VEMAGIRI-PG	2	D/C	TWIN ACSR MOOSE	184
237	PGCIL	400	NUNNA	VEMAGIRI-PG	3	D/C	TWIN ACSR MOOSE	184
238	PGCIL	400	PAVAGADA-PG	BPS	1	D/C	QUAD ACSR MOOSE	176
239	PGCIL	400	PAVAGADA-PG	BPS	2	D/C	QUAD ACSR MOOSE	176
240	PGCIL	400	PAVAGADA-PG	DEVANAHALLI	1	D/C	QUAD ACSR MOOSE	156
241	PGCIL	400	PAVAGADA-PG	DEVANAHALLI	2	D/C	QUAD ACSR MOOSE	156
242	PGCIL	400	PUGALUR-PG	NLC STG2 EXP	1	D/C	TWIN ACSR MOOSE	200
243	PGCIL	400	PUGALUR-PG	NNTPP	1	D/C	TWIN ACSR MOOSE	258
244	PGCIL	400	PUGALUR-PG	PUGALUR HVDC	1	D/C	QUAD ACSR MOOSE	49
245	PGCIL	400	PUGALUR-PG	PUGALUR HVDC	2	D/C	QUAD ACSR MOOSE	49

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
246	PGCIL	400	RAMAGUNDAM NTPC	BHADRAVATI	1	D/C	TWIN ACSR MOOSE	178
247	PGCIL	400	RAMAGUNDAM NTPC	BHADRAVATI	2	D/C	TWIN ACSR MOOSE	178
248	PGCIL	400	RAMAGUNDAM NTPC	GAJWEL	1	D/C	TWIN ACSR MOOSE	135
249	PGCIL	400	RAMAGUNDAM NTPC	HYDERABAD	3	D/C	TWIN ACSR MOOSE	201
250	PGCIL	400	RAMAGUNDAM NTPC	HYDERABAD	4	D/C	TWIN ACSR MOOSE	201
251	PGCIL	400	RAMAGUNDAM NTPC	MALKARAM	2	D/C	TWIN ACSR MOOSE	192
252	PGCIL	400	RAMAGUNDAM NTPC	WARANGAL	1	S/C	TWIN ACSR MOOSE	99
253	PGCIL	400	RTPS	MUNIRABAD-PG	1	S/C	TWIN ACSR MOOSE	172
254	PGCIL	400	RTPS	RAICHUR-PG	1	D/C	QUAD ACSR MOOSE	22
255	PGCIL	400	RTPS	RAICHUR-PG	2	D/C	QUAD ACSR MOOSE	22
256	PGCIL	400	S V CHATHRAM	PONDY	1	S/C	TWIN ACSR MOOSE	129
257	PGCIL	400	SALEM-PG	DHARAMAPURI	1	D/C	QUAD ACSR MOOSE	59
258	PGCIL	400	SALEM-PG	DHARAMAPURI	2	D/C	QUAD ACSR MOOSE	59
259	PGCIL	400	SALEM-PG	HOSUR-PG	1	S/C	TWIN ACSR MOOSE	126
260	PGCIL	400	SALEM-PG	HOSUR-PG	2	S/C	TWIN ACSR MOOSE	125
261	PGCIL	400	SALEM-PG	MYWADI	1	S/C	TWIN ACSR MOOSE	150
262	PGCIL	400	SALEM-PG	MYWADI	2	S/C	TWIN ACSR MOOSE	150
263	PGCIL	400	SALEM-PG	NLC STG2	2	S/C	TWIN ACSR MOOSE	175
264	PGCIL	400	SALEM-PG	NNTPP	1	S/C	TWIN ACSR MOOSE	179
265	PGCIL	400	SATTENAPALLI	CHILKALURIPETA	1	D/C	QUAD ACSR MOOSE	30
266	PGCIL	400	SATTENAPALLI	CHILKALURIPETA	2	D/C	QUAD ACSR MOOSE	30
267	PGCIL	400	SEPL	NELLORE-PS	1	D/C	QUAD ACSR MOOSE	27
268	PGCIL	400	SIMHADRI	VEMAGIRI-PG	1	D/C	TWIN ACSR MOOSE	181
269	PGCIL	400	SIMHADRI	VEMAGIRI-PG	2	D/C	TWIN ACSR MOOSE	181
270	PGCIL	400	SOMANAHALLI-PG	BIDADI-PG	1	D/C	TWIN ACSR MOOSE	17
271	PGCIL	400	SOMANAHALLI-PG	BIDADI-PG	2	D/C	TWIN ACSR MOOSE	17
272	PGCIL	400	SOMANAHALLI-PG	DHARAMAPURI	1	D/C	QUAD ACSR MOOSE	121
273	PGCIL	400	SOMANAHALLI-PG	DHARAMAPURI	2	D/C	QUAD ACSR MOOSE	121

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
274	PGCIL	400	SOMANAHALLI-PG	HOSUR-PG	1	S/C	TWIN ACSR MOOSE	80
275	PGCIL	400	SOMANAHALLI-PG	MYLASANDRA	1	S/C	TWIN ACSR MOOSE	16
276	PGCIL	400	SRIKAKULAM	MARADAM	1	D/C	QUAD ACSR MOOSE	144
277	PGCIL	400	SRIKAKULAM	MARADAM	2	D/C	QUAD ACSR MOOSE	144
278	PGCIL	400	SRIPERUMBUDUR	S V CHATHRAM	1	S/C	TWIN ACSR MOOSE	10
279	PGCIL	400	SRIPERUMBUDUR	THIRUVALAM-PG	1	S/C	TWIN ACSR MOOSE	85
280	PGCIL	400	TALLAPALLI	HYDERABAD	1	S/C	TWIN ACSR MOOSE	155
281	PGCIL	400	TALLAPALLI	KHAMMAM	1	S/C	TWIN ACSR MOOSE	145
282	PGCIL	400	TALLAPALLI	KHAMMAM	2	D/C	TWIN ACSR MOOSE	145
283	PGCIL	400	TALLAPALLI	KHAMMAM	3	D/C	TWIN ACSR MOOSE	145
284	PGCIL	400	TALLAPALLI	KURNOOL-PG	1	S/C	TWIN ACSR MOOSE	264
285	PGCIL	400	TALLAPALLI	RAMAGUNDAM NTPC	1	D/C	TWIN ACSR MOOSE	267
286	PGCIL	400	TALLAPALLI	RAMAGUNDAM NTPC	2	D/C	TWIN ACSR MOOSE	267
287	PGCIL	400	TALLAPALLI	VELTOOR	1	S/C	TWIN ACSR MOOSE	185
288	PGCIL	400	THIRUVALAM-PG	PUGALUR HVDC	1	D/C	QUAD ACSR MOOSE	390
289	PGCIL	400	THIRUVALAM-PG	PUGALUR HVDC	2	D/C	QUAD ACSR MOOSE	390
290	PGCIL	400	TIRUNELVELI-PG	KKNPP	1	D/C	QUAD ACSR MOOSE	72
291	PGCIL	400	TIRUNELVELI-PG	KKNPP	2	D/C	QUAD ACSR MOOSE	72
292	PGCIL	400	TIRUNELVELI-PG	KKNPP	3	D/C	QUAD ACSR MOOSE	80
293	PGCIL	400	TIRUNELVELI-PG	KOCHI-PG	1	D/C	QUAD ACSR MOOSE	229
294	PGCIL	400	TIRUNELVELI-PG	KOCHI-PG	2	D/C	QUAD ACSR MOOSE	229
295	PGCIL	400	TIRUNELVELI-PG	MADURAI-PG	1	D/C	TWIN ACSR MOOSE	162
296	PGCIL	400	TIRUNELVELI-PG	MADURAI-PG	2	D/C	TWIN ACSR MOOSE	162
297	PGCIL	400	TIRUNELVELI-PG	TRIVANDRUM-PG	1	D/C	TWIN ACSR MOOSE	160
298	PGCIL	400	TIRUNELVELI-PG	TRIVANDRUM-PG	2	D/C	TWIN ACSR MOOSE	160
299	PGCIL	400	TIRUNELVELI-PG	TUTICORIN-PS	1	D/C	QUAD ACSR MOOSE	68
300	PGCIL	400	TRICHUR HVDC	KOCHI-PG	1	D/C	QUAD ACSR MOOSE	78
301	PGCIL	400	TRICHUR HVDC	KOCHI-PG	2	D/C	QUAD ACSR MOOSE	78

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
302	PGCIL	400	TRICHUR-PG	PALAKKAD-PG	1	D/C	TWIN ACSR MOOSE	85
303	PGCIL	400	TRICHUR-PG	PALAKKAD-PG	2	D/C	TWIN ACSR MOOSE	85
304	PGCIL	400	TRICHUR-PG	TRICHUR HVDC	1	D/C	QUAD ACSR MOOSE	2
305	PGCIL	400	TRICHUR-PG	TRICHUR HVDC	2	D/C	QUAD ACSR MOOSE	2
306	PGCIL	400	TRICHY-PG	KARAIKUDI-PG	1	D/C	TWIN ACSR MOOSE	98
307	PGCIL	400	TRICHY-PG	MADURAI-PG	1	D/C	TWIN ACSR MOOSE	130
308	PGCIL	400	TRICHY-PG	NAGAPATINAM-PS	1	D/C	TWIN ACSR MOOSE	159
309	PGCIL	400	TRICHY-PG	NAGAPATINAM-PS	2	D/C	TWIN ACSR MOOSE	159
310	PGCIL	400	TUMKUR-PG	PAVAGADA-PG	1	D/C	QUAD ACSR MOOSE	158
311	PGCIL	400	TUMKUR-PG	PAVAGADA-PG	2	D/C	QUAD ACSR MOOSE	158
312	PGCIL	400	TUMKUR-PG	PAVAGADA-PG	3	D/C	TWIN ACSR MOOSE	104
313	PGCIL	400	TUMKUR-PG	PAVAGADA-PG	4	D/C	TWIN ACSR MOOSE	104
314	PGCIL	400	TUMKUR-PG	YELAHANKA-PG	1	D/C	QUAD ACSR MOOSE	73
315	PGCIL	400	TUMKUR-PG	YELAHANKA-PG	2	D/C	QUAD ACSR MOOSE	73
316	PGCIL	400	TUTICORIN-PS	TTGS	1	D/C	QUAD ACSR MOOSE	12
317	PGCIL	400	TUTICORIN-PS	TTGS	2	D/C	QUAD ACSR MOOSE	12
318	PGCIL	400	TUTICORIN-PS	TTGS	3	D/C	QUAD ACSR MOOSE	12
319	PGCIL	400	TUTICORIN-PS	TTGS	4	D/C	QUAD ACSR MOOSE	12
320	PGCIL	400	VELTOOR	RTPS	1	S/C	TWIN ACSR MOOSE	74
321	PGCIL	400	VEMAGIRI	VEMAGIRI-PG	1	D/C	TWIN ACSR MOOSE	38
322	PGCIL	400	VEMAGIRI	VEMAGIRI-PG	2	D/C	TWIN ACSR MOOSE	38
323	PGCIL	400	VTPS	NELLORE-AP	2	D/C	TWIN ACSR MOOSE	331
324	SEPL+MEPL	400	SEPL	MEPL	1	D/C	QUAD ACSR MOOSE	5
325	TANTRANSCO	400	ALAMATHI	MANALI	1	D/C	TWIN ACSR MOOSE	35
326	TANTRANSCO	400	ALAMATHI	NCTPS STG2	2	D/C	TWIN ACSR MOOSE	34
327	TANTRANSCO	400	ALAMATHI	S V CHATHRAM	1	M/C	TWIN ACSR MOOSE	47
328	TANTRANSCO	400	ALAMATHI	S V CHATHRAM	2	M/C	TWIN ACSR MOOSE	47
329	TANTRANSCO	400	ANAIKADAVU	THAPAKUNDU	1	D/C	TWIN ACSR MOOSE	179

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
330	TANTRANSCO	400	ANAIKADAVU	THAPAKUNDU	2	D/C	TWIN ACSR MOOSE	179
331	TANTRANSCO	400	ARASUR-PG	KARAMADAI	1	D/C	TWIN ACSR MOOSE	46
332	TANTRANSCO	400	ARASUR-PG	KARAMADAI	2	D/C	TWIN ACSR MOOSE	46
333	TANTRANSCO	400	KALIVANTHAPATU	PUGALUR-PG	2	D/C	QUAD ACSR MOOSE	369
334	TANTRANSCO	400	KALIVANTHAPATU	SHOLINGANALLUR	1	D/C	TWIN ACSR MOOSE	27
335	TANTRANSCO	400	KALIVANTHAPATU	SHOLINGANALLUR	2	D/C	TWIN ACSR MOOSE	27
336	TANTRANSCO	400	KARAIKUDI-PG	KAMUTHI	1	D/C	QUAD ACSR MOOSE	112
337	TANTRANSCO	400	KARAIKUDI-PG	KAMUTHI	2	D/C	QUAD ACSR MOOSE	112
338	TANTRANSCO	400	KARAIKUDI-PG	KAYATHAR 400/230/110	1	D/C	QUAD ACSR MOOSE	195
339	TANTRANSCO	400	KARAIKUDI-PG	KAYATHAR 400/230/110	2	D/C	QUAD ACSR MOOSE	195
340	TANTRANSCO	400	KARAIKUDI-PG	PUGALUR-PG	1	D/C	QUAD ACSR MOOSE	160
341	TANTRANSCO	400	KARAIKUDI-PG	PUGALUR-PG	2	D/C	QUAD ACSR MOOSE	160
342	TANTRANSCO	400	KAYATHAR 400/230/110	KANARPATTI	1	D/C	TWIN ACSR MOOSE	13
343	TANTRANSCO	400	KAYATHAR 400/230/110	KANARPATTI	2	D/C	TWIN ACSR MOOSE	13
344	TANTRANSCO	400	KAYATHAR 400/230/110	THENAMPATTY	1	D/C	TWIN ACSR MOOSE	24
345	TANTRANSCO	400	KAYATHAR 400/230/110	THENAMPATTY	2	D/C	TWIN ACSR MOOSE	24
346	TANTRANSCO	400	MTPS-3	KARAMADAI	1	D/C	TWIN ACSR MOOSE	126
347	TANTRANSCO	400	MTPS-3	KARAMADAI	2	D/C	TWIN ACSR MOOSE	126
348	TANTRANSCO	400	MTPS-3	PALAVADI	1	D/C	QUAD ACSR MOOSE	61
349	TANTRANSCO	400	MTPS-3	PALAVADI	2	D/C	QUAD ACSR MOOSE	61
350	TANTRANSCO	400	NCTPS STG2	MANALI	1	D/C	TWIN ACSR MOOSE	66
351	TANTRANSCO	400	PALAVADI	RASIPALAYAM	1	D/C	QUAD ACSR MOOSE	194
352	TANTRANSCO	400	PALAVADI	RASIPALAYAM	2	D/C	QUAD ACSR MOOSE	194
353	TANTRANSCO	400	RASIPALAYAM	ANAIKADAVU	1	D/C	TWIN ACSR MOOSE	45
354	TANTRANSCO	400	RASIPALAYAM	ANAIKADAVU	2	D/C	TWIN ACSR MOOSE	45

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
355	TANTRANSCO	400	S V CHATHRAM	NCTPS STG2	1	M/C	TWIN ACSR MOOSE	95
356	TANTRANSCO	400	S V CHATHRAM	NCTPS STG2	2	M/C	TWIN ACSR MOOSE	95
357	TANTRANSCO	400	THENAMPATTY	SEPC	1	D/C	TWIN ACSR MOOSE	52
358	TANTRANSCO	400	THENAMPATTY	SEPC	2	D/C	TWIN ACSR MOOSE	52
359	TANTRANSCO	400	THIRUVALAM-TN 400/230	PALAVADI	1	D/C	QUAD ACSR MOOSE	210
360	TANTRANSCO	400	THIRUVALAM-TN 400/230	PALAVADI	2	D/C	QUAD ACSR MOOSE	210
361	TANTRANSCO	400	TIRUNELVELI-PG	KANARPATTI	1	S/C	QUAD ACSR MOOSE	15
362	TANTRANSCO	400	VALLUR	NCTPS STG2	1	D/C	TWIN ACSR MOOSE	7
363	TANTRANSCO	400	VALLUR	NCTPS STG2	2	D/C	TWIN ACSR MOOSE	7
364	TSTRANSCO	400	CHANDULAPUR	TIPPAPUR	1	D/C	QUAD ACSR MOOSE	19
365	TSTRANSCO	400	CHANDULAPUR	TIPPAPUR	2	D/C	QUAD ACSR MOOSE	19
366	TSTRANSCO	400	CHANDULAPUR	TUKKAPUR	1	D/C	TWIN ACSR MOOSE	24
367	TSTRANSCO	400	CHANDULAPUR	TUKKAPUR	2	D/C	TWIN ACSR MOOSE	24
368	TSTRANSCO	400	DICHIPALLI	NIRMAL 400/220	1	D/C	QUAD ACSR MOOSE	60
369	TSTRANSCO	400	DICHIPALLI	NIRMAL 400/220	2	D/C	QUAD ACSR MOOSE	60
370	TSTRANSCO	400	DINDI	MAHESWARAM 400/220	1	D/C	TWIN ACSR MOOSE	61
371	TSTRANSCO	400	DINDI	MAHESWARAM 400/220	2	D/C	TWIN ACSR MOOSE	61
372	TSTRANSCO	400	GAJWEL	CHANDULAPUR	1	D/C	TWIN ACSR MOOSE	60
373	TSTRANSCO	400	GAJWEL	CHANDULAPUR	2	D/C	TWIN ACSR MOOSE	60
374	TSTRANSCO	400	GAJWEL	NARSARPUR	1	D/C	TWIN ACSR MOOSE	52
375	TSTRANSCO	400	GAJWEL	NARSARPUR	2	D/C	TWIN ACSR MOOSE	52
376	TSTRANSCO	400	GAJWEL	RAMADUGU	1	D/C	QUAD ACSR MOOSE	130
377	TSTRANSCO	400	GAJWEL	RAMADUGU	2	D/C	QUAD ACSR MOOSE	130
378	TSTRANSCO	400	HYDERABAD	MAMIDIPALLI	1	S/C	TWIN ACSR MOOSE	46
379	TSTRANSCO	400	JULURUPADU	BHADRADRI TPS	1	D/C	QUAD ACSR MOOSE	112
380	TSTRANSCO	400	JULURUPADU	BHADRADRI TPS	2	D/C	QUAD ACSR MOOSE	112

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
381	TSTRANSCO	400	JULURUPADU	JANGOAN	1	D/C	QUAD ACSR MOOSE	175
382	TSTRANSCO	400	JULURUPADU	JANGOAN	2	D/C	QUAD ACSR MOOSE	175
383	TSTRANSCO	400	JULURUPADU	KAMALAPURAM	1	D/C	TWIN ACSR MOOSE	40
384	TSTRANSCO	400	JULURUPADU	KAMALAPURAM	2	D/C	TWIN ACSR MOOSE	40
385	TSTRANSCO	400	JULURUPADU	KTPS-VII	1	D/C	QUAD ACSR MOOSE	39
386	TSTRANSCO	400	JULURUPADU	KTPS-VII	2	D/C	QUAD ACSR MOOSE	39
387	TSTRANSCO	400	KAKATIYA	CHANDULAPUR	1	D/C	TWIN ACSR MOOSE	122
388	TSTRANSCO	400	KAKATIYA	CHANDULAPUR	2	D/C	TWIN ACSR MOOSE	122
389	TSTRANSCO	400	KAKATIYA	WARANGAL	1	D/C	TWIN ACSR MOOSE	46
390	TSTRANSCO	400	KAKATIYA	WARANGAL	2	D/C	TWIN ACSR MOOSE	46
391	TSTRANSCO	400	KALPAKKA	ASUPAKA	1	D/C	TWIN ACSR MOOSE	267
392	TSTRANSCO	400	KALPAKKA	KHAMMAM	2	D/C	TWIN ACSR MOOSE	364
393	TSTRANSCO	400	KHAMMAM	ASUPAKA	1	D/C	TWIN ACSR MOOSE	131
394	TSTRANSCO	400	KHAMMAM	KTPS-VI	1	D/C	TWIN ACSR MOOSE	68
395	TSTRANSCO	400	KHAMMAM	KTPS-VII	1	D/C	TWIN ACSR MOOSE	68
396	TSTRANSCO	400	KHAMMAM	MAMIDIPALLI	1	D/C	TWIN ACSR MOOSE	198
397	TSTRANSCO	400	KHAMMAM	MAMIDIPALLI	2	D/C	TWIN ACSR MOOSE	198
398	TSTRANSCO	400	KTPS-VI	KTPS-VII	1	D/C	TWIN ACSR MOOSE	5
399	TSTRANSCO	400	KV KOTA	SURYAPET	1	D/C	QUAD ACSR MOOSE	175
400	TSTRANSCO	400	KV KOTA	SURYAPET	2	D/C	QUAD ACSR MOOSE	175
401	TSTRANSCO	400	MAHESWARAM 765/400	MAHESWARAM 400/220	1	D/C	QUAD ACSR MOOSE	2
402	TSTRANSCO	400	MAHESWARAM 765/400	MAHESWARAM 400/220	2	D/C	QUAD ACSR MOOSE	2
403	TSTRANSCO	400	MALKARAM	SURYAPET	1	D/C	TWIN ACSR MOOSE	139
404	TSTRANSCO	400	MALKARAM	SURYAPET	2	D/C	TWIN ACSR MOOSE	136
405	TSTRANSCO	400	MAMIDIPALLI	MAHESWARAM 400/220	1	D/C	TWIN ACSR MOOSE	24
406	TSTRANSCO	400	MAMIDIPALLI	MAHESWARAM 400/220	2	D/C	TWIN ACSR MOOSE	24

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
407	TSTRANSCO	400	NARNOOR	SRISAILAM	1	D/C	TWIN ACSR MOOSE	105
408	TSTRANSCO	400	NARSARPUR	TSTPP NTPC	1	D/C	QUAD ACSR MOOSE	177
409	TSTRANSCO	400	NARSARPUR	TSTPP NTPC	2	D/C	QUAD ACSR MOOSE	177
410	TSTRANSCO	400	NARSARPUR	TUKKAPUR	1	D/C	TWIN ACSR MOOSE	55
411	TSTRANSCO	400	NARSARPUR	TUKKAPUR	2	D/C	TWIN ACSR MOOSE	55
412	TSTRANSCO	400	RAMADUGU	MEDARAM	1	D/C	QUAD ACSR MOOSE	20
413	TSTRANSCO	400	RAMADUGU	MEDARAM	2	D/C	QUAD ACSR MOOSE	20
414	TSTRANSCO	400	RAMADUGU	TIPPAPUR	1	D/C	QUAD ACSR MOOSE	46
415	TSTRANSCO	400	RAMADUGU	TIPPAPUR	2	D/C	QUAD ACSR MOOSE	46
416	TSTRANSCO	400	RAMADUGU	TSTPP NTPC	1	D/C	QUAD ACSR MOOSE	67
417	TSTRANSCO	400	RAMADUGU	TSTPP NTPC	2	D/C	QUAD ACSR MOOSE	67
418	TSTRANSCO	400	RAMAGUNDAM NTPC	DICHIPALLI	1	S/C	TWIN ACSR MOOSE	148
419	TSTRANSCO	400	SATTENAPALLI	SRISAILAM	1	D/C	TWIN ACSR MOOSE	162
420	TSTRANSCO	400	SATTENAPALLI	SRISAILAM	2	D/C	TWIN ACSR MOOSE	162
421	TSTRANSCO	400	SHANKARPALLI	KETHIREDDYPALLI	1	D/C	QUAD ACSR MOOSE	51
422	TSTRANSCO	400	SHANKARPALLI	KETHIREDDYPALLI	2	D/C	QUAD ACSR MOOSE	51
423	TSTRANSCO	400	SHANKARPALLI	MAHESWARAM 400/220	1	D/C	TWIN ACSR MOOSE	84
424	TSTRANSCO	400	SHANKARPALLI	MAHESWARAM 400/220	2	D/C	TWIN ACSR MOOSE	84
425	TSTRANSCO	400	SHANKARPALLI	NARSARPUR	1	D/C	TWIN ACSR MOOSE	61
426	TSTRANSCO	400	SHANKARPALLI	NARSARPUR	2	D/C	TWIN ACSR MOOSE	61
427	TSTRANSCO	400	SINGARENI	RAMADUGU	1	D/C	QUAD ACSR MOOSE	69
428	TSTRANSCO	400	SINGARENI	RAMADUGU	2	D/C	QUAD ACSR MOOSE	69
429	TSTRANSCO	400	SINGARENI	SUNDILLA	1	D/C	QUAD ACSR MOOSE	28
430	TSTRANSCO	400	SINGARENI	SUNDILLA	2	D/C	QUAD ACSR MOOSE	28
431	TSTRANSCO	400	SRISAILAM	DINDI	1	D/C	TWIN ACSR MOOSE	73
432	TSTRANSCO	400	SRISAILAM	DINDI	2	D/C	TWIN ACSR MOOSE	73
433	TSTRANSCO	400	SUNDILLA	NIRMAL 400/220	1	D/C	QUAD ACSR MOOSE	122
434	TSTRANSCO	400	SUNDILLA	NIRMAL 400/220	2	D/C	QUAD ACSR MOOSE	122

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
435	TSTRANSCO	400	SURYAPET	JULURUPADU	1	D/C	QUAD ACSR MOOSE	110
436	TSTRANSCO	400	SURYAPET	JULURUPADU	2	D/C	QUAD ACSR MOOSE	110
437	TSTRANSCO	400	SURYAPET	KETHIREDDYPALLI	1	D/C	QUAD ACSR MOOSE	221
438	TSTRANSCO	400	SURYAPET	KETHIREDDYPALLI	2	D/C	QUAD ACSR MOOSE	221
439	TSTRANSCO	400	TIPPAPUR	JANGOAN	1	D/C	QUAD ACSR MOOSE	69
440	TSTRANSCO	400	TIPPAPUR	JANGOAN	2	D/C	QUAD ACSR MOOSE	69
441	TSTRANSCO	400	URAVAKONDA	VELTOOR	1	D/C	QUAD ACSR MOOSE	198
442	TSTRANSCO	400	URAVAKONDA	VELTOOR	2	D/C	QUAD ACSR MOOSE	198
443	TSTRANSCO	400	VTPS	SURYAPET	1	D/C	TWIN ACSR MOOSE	126
444	TSTRANSCO	400	VTPS	SURYAPET	2	D/C	TWIN ACSR MOOSE	123
445	PGCIL	400@220	ABISHEKAPATTI	EDAMON	1	D/C	TWIN ACSR MOOSE	82
446	PGCIL	400@220	ABISHEKAPATTI	EDAMON	2	D/C	TWIN ACSR MOOSE	82
447	BETAM	230	TTGS	BETAM	1	S/C	SINGLE ACSR ZEBRA	18
448	MYTRAH	230	TTGS	MYTRAH	1	D/C	SINGLE ACSR ZEBRA	8
449	MYTRAH	230	TTGS	MYTRAH	2	D/C	SINGLE ACSR ZEBRA	8
450	NLC	230	NLC STG2	NLC MINES1	1	S/C	SINGLE ACSR KUNDAH	0
451	NLC	230	NLC STG2	NLC MINES2	1	S/C	SINGLE ACSR KUNDAH	0
452	NLC	230	NLC STG2	NLC MINES3	1	S/C	SINGLE ACSR KUNDAH	0
453	NLC	230	NLC STG2	NLC MINES4	1	S/C	SINGLE ACSR KUNDAH	0
454	ORANGE	230	TTGS	ORANGE	1	S/C	SINGLE ACSR ZEBRA	29
455	PGCIL	230	ARANI	BHAVINI	1	D/C	SINGLE AAAC ZEBRA	106
456	PGCIL	230	ARANI	BHAVINI	2	D/C	SINGLE AAAC ZEBRA	106
457	PGCIL	230	BAHOUR	KARAIKAL	2	D/C	SINGLE ACSR ZEBRA	124
458	PGCIL	230	BHAVINI	KANCHIPURAM	1	D/C	SINGLE AAAC ZEBRA	80
459	PGCIL	230	BHAVINI	KANCHIPURAM	2	D/C	SINGLE AAAC ZEBRA	80
460	PGCIL	230	MAPS	BHAVINI	1	S/C	1200SQMM UGC	0
461	PGCIL	230	NLC STG2	KARAIKAL	1	D/C	SINGLE ACSR ZEBRA	118
462	PGCIL	230	NLC STG2	VILLIANUR	1	D/C	SINGLE ACSR KUNDAH	63

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
463	PGCIL	230	SIRUSERI	BHAVINI	1	D/C	SINGLE AAAC ZEBRA	36
464	PGCIL	230	SIRUSERI	BHAVINI	2	D/C	SINGLE AAAC ZEBRA	36
465	PONDY	230	PONDY	THONDAMANATHAM	1	D/C	SINGLE ACSR KUNDAH	4
466	PONDY	230	PONDY	THONDAMANATHAM	2	D/C	SINGLE ACSR KUNDAH	3
467	SPRING-PGLR	230	PARAMATHY	SPRING-PGLR	1	S/C	SINGLE ACSR MOOSE	34
468	TANTRANSCO	230	ABISHEKAPATTI	KAYATHAR 230/110	1	S/C	SINGLE ACSR ZEBRA	29
469	TANTRANSCO	230	ABISHEKAPATTI	SANGANERI	1	S/C	SINGLE ACSR ZEBRA	114
470	TANTRANSCO	230	ABISHEKAPATTI	UDAYATHUR	1	S/C	SINGLE ACSR ZEBRA	69
471	TANTRANSCO	230	ABISHEKAPATTI	VEERANAM	1	D/C	SINGLE ACSR ZEBRA	31
472	TANTRANSCO	230	ABISHEKAPATTI	VEERANAM	2	D/C	SINGLE ACSR ZEBRA	31
473	TANTRANSCO	230	ACHARAPAKKAM	MAPS	1	S/C	SINGLE ACSR KUNDAH	52
474	TANTRANSCO	230	ACHARAPAKKAM	VILLUPURAM	1	S/C	SINGLE ACSR KUNDAH	72
475	TANTRANSCO	230	ALAGAR KOVIL	MANDIPATTI	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	105
476	TANTRANSCO	230	ALAGAR KOVIL	SAMAYANALLUR	1	S/C	SINGLE ACSR KUNDAH	29
477	TANTRANSCO	230	ALAGAR KOVIL	VALATHUR	1	S/C	SINGLE ACSR ZEBRA	162
478	TANTRANSCO	230	ALAMATHI	KOYAMBEDU	1	S/C	1200SQMM UGC + SINGLE ACSR ZEBRA	33
479	TANTRANSCO	230	ALAMATHI	MANALI	1	D/C	SINGLE ACSR ZEBRA	23
480	TANTRANSCO	230	ALAMATHI	MANALI	2	D/C	SINGLE ACSR ZEBRA	23
481	TANTRANSCO	230	ALAMATHI	MOSUR	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	52
482	TANTRANSCO	230	ALAMATHI	NCTPS STG1	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	35
483	TANTRANSCO	230	ALAMATHI	OPG	1	D/C	SINGLE ACSR ZEBRA	40
484	TANTRANSCO	230	ALAMATHI	OPG	2	D/C	SINGLE ACSR ZEBRA	40
485	TANTRANSCO	230	ALAMATHI	TIRUVERKADU	1	S/C	1200SQMM UGC + SINGLE ACSR ZEBRA	25

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
486	TANTRANSCO	230	ALANDUR CMRL	GUINDY	1	S/C	1200SQMM UGC	2
487	TANTRANSCO	230	ALUNDUR	MANDIPATTI	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	28
488	TANTRANSCO	230	ALUNDUR	PARAMATHY	1	S/C	SINGLE ACSR KUNDAH	99
489	TANTRANSCO	230	ALUNDUR	PUDUKOTAI	1	S/C	SINGLE ACSR ZEBRA	43
490	TANTRANSCO	230	ALUNDUR	THANJAVUR	1	D/C	SINGLE ACSR ZEBRA	62
491	TANTRANSCO	230	ALUNDUR	THANJAVUR	2	D/C	SINGLE ACSR ZEBRA	62
492	TANTRANSCO	230	ALUNDUR	TRICHY	1	D/C	SINGLE ACSR KUNDAH	30
493	TANTRANSCO	230	ALUNDUR	TRICHY	2	D/C	SINGLE ACSR KUNDAH	15
494	TANTRANSCO	230	AMUDHAPURAM	CHECKANURANI	1	S/C	SINGLE ACSR ZEBRA	112
495	TANTRANSCO	230	AMUDHAPURAM	KODIKURCHI	1	D/C	SINGLE ACSR ZEBRA	30
496	TANTRANSCO	230	AMUDHAPURAM	KODIKURCHI	2	D/C	SINGLE ACSR ZEBRA	30
497	TANTRANSCO	230	AMUDHAPURAM	NALLAMANAICKENPATTI	2	S/C	SINGLE ACSR ZEBRA	44
498	TANTRANSCO	230	ANAIKADAVU	PERIYAPATTI	1	S/C	SINGLE ACSR ZEBRA	18
499	TANTRANSCO	230	ANAIKADAVU	REGEN	2	S/C	SINGLE ACSR ZEBRA	10
500	TANTRANSCO	230	ANUPANKULAM	KAYATHAR 400/230/110	1	S/C	SINGLE ACSR KUNDAH	62
501	TANTRANSCO	230	ANUPANKULAM	PASUMALAI	1	S/C	SINGLE ACSR KUNDAH	75
502	TANTRANSCO	230	ANUPANKULAM	STERLITE	1	S/C	SINGLE ACSR KUNDAH	93
503	TANTRANSCO	230	ARANI	ECHUR	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	46
504	TANTRANSCO	230	ARANI	KANCHIPURAM	2	S/C	SINGLE ACSR KUNDAH	63
505	TANTRANSCO	230	ARANI	SINGARAPET	1	S/C	SINGLE ACSR KUNDAH	98
506	TANTRANSCO	230	ARASUR	ARASUR	1	D/C	SINGLE ACSR ZEBRA	17
507	TANTRANSCO	230	ARASUR	ARASUR	2	D/C	SINGLE ACSR ZEBRA	17
508	TANTRANSCO	230	ARASUR	GOBI	1	S/C	SINGLE ACSR KUNDAH	80
509	TANTRANSCO	230	ARASUR	KARUVALUR	1	S/C	SINGLE ACSR ZEBRA	20
510	TANTRANSCO	230	ARASUR	KUNDAH2	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	60

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
511	TANTRANSCO	230	ARASUR	PUSHEP	1	S/C	SINGLE ACSR KUNDAH	86
512	TANTRANSCO	230	ARASUR	SHENBAGAPUDUR	1	S/C	SINGLE ACSR ZEBRA	66
513	TANTRANSCO	230	ARASUR	THIRUPUR	1	S/C	SINGLE ACSR ZEBRA	23
514	TANTRANSCO	230	ATHIPATU	NCTPS STG2	1	S/C	SINGLE ACSR ZEBRA	4
515	TANTRANSCO	230	BASIN BRIDGE	MANALI	1	S/C	1200SQMM UGC + SINGLE ACSR ZEBRA	14
516	TANTRANSCO	230	BASIN BRIDGE	MYLAPORE-GIS	1	S/C	1200SQMM UGC	12
517	TANTRANSCO	230	BASIN BRIDGE	TONDIARPET	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	4
518	TANTRANSCO	230	BASIN BRIDGE	VYSARPADI	1	S/C	1200SQMM UGC	1
519	TANTRANSCO	230	CHECKANURANI	IND BHARATH 2	1	S/C	SINGLE ACSR ZEBRA	134
520	TANTRANSCO	230	CHECKANURANI	KAYATHAR 230/110	1	D/C	SINGLE ACSR ZEBRA	148
521	TANTRANSCO	230	CHECKANURANI	KINNIMANGALAM	2	D/C	SINGLE ACCC DRAKE	2
522	TANTRANSCO	230	CHECKANURANI	NALLAMANAICKENPATTI	2	S/C	SINGLE ACSR ZEBRA	85
523	TANTRANSCO	230	CHECKANURANI	PASUMALAI	1	S/C	SINGLE ACSR KUNDAH	16
524	TANTRANSCO	230	CHECKANURANI	RENGANATHAPURAM	1	S/C	SINGLE ACSR KUNDAH	105
525	TANTRANSCO	230	CHECKANURANI	SAVASPURAM	1	S/C	SINGLE ACSR ZEBRA	68
526	TANTRANSCO	230	CHECKANURANI	SEMPATTI	1	S/C	SINGLE ACSR KUNDAH	65
527	TANTRANSCO	230	CHECKANURANI	TTPS	2	D/C	SINGLE ACSR KUNDAH	148
528	TANTRANSCO	230	CMRL CENTRAL	TNEB HQ	1	S/C	1200SQMM UGC	7
529	TANTRANSCO	230	CUDDALORE	NLC TNEB	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	36
530	TANTRANSCO	230	CUDDALORE	STCMS	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	55
531	TANTRANSCO	230	CUDDALORE	ULUNDURPET	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	83
532	TANTRANSCO	230	CUDDALORE	VEERAPURAM	1	D/C	SINGLE ACSR ZEBRA	178
533	TANTRANSCO	230	CUDDALORE	VEERAPURAM	2	D/C	SINGLE ACSR ZEBRA	178

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
534	TANTRANSCO	230	CUDDALORE	VILLUPURAM	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	65
535	TANTRANSCO	230	DEVIYAKURICHI	SINGIPURAM	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	43
536	TANTRANSCO	230	DEVIYAKURICHI	STCMS	1	S/C	SINGLE ACSR KUNDAH	90
537	TANTRANSCO	230	DEVIYAKURICHI	VALAYAPATTY	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	111
538	TANTRANSCO	230	EACHANGADU	NLC TNEB	1	S/C	SINGLE ACSR KUNDAH	45
539	TANTRANSCO	230	EACHANGADU	POIYUR	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	52
540	TANTRANSCO	230	ETPS	MANALI	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	7
541	TANTRANSCO	230	ETPS	NCTPS STG1	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	9
542	TANTRANSCO	230	ETPS	TONDIARPET	1	S/C	SINGLE ACSR ZEBRA	8
543	TANTRANSCO	230	GOBI	ANTHIYUR	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	36
544	TANTRANSCO	230	GOBI	ARASUR	1	S/C	SINGLE ACSR ZEBRA	55
545	TANTRANSCO	230	GOBI	MTPS STG3	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	80
546	TANTRANSCO	230	GOBI	PALKAPALYAM	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	37
547	TANTRANSCO	230	GUINDY	PORUR	1	S/C	1200SQMM UGC	8
548	TANTRANSCO	230	GUINDY	RA PURAM	1	S/C	1200SQMM UGC	8
549	TANTRANSCO	230	GUMMIDIPOONDI	ARS	1	S/C	SINGLE ACSR ZEBRA	6
550	TANTRANSCO	230	GUMMIDIPOONDI	CAUVERY	1	S/C	SINGLE ACSR ZEBRA	4
551	TANTRANSCO	230	GUMMIDIPOONDI	KAMACHI	1	S/C	SINGLE ACSR ZEBRA	5
552	TANTRANSCO	230	GUMMIDIPOONDI	NCTPS STG1	1	S/C	SINGLE ACSR KUNDAH	37

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
553	TANTRANSCO	230	GUMMIDIPOONDI	SURYA DEV	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	13
554	TANTRANSCO	230	GUMMIDIPOONDI	THERVOI KANDIGAI	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	23
555	TANTRANSCO	230	GURUPARAPALLY	PALAVADI	2	S/C	SINGLE ACSR ZEBRA	58
556	TANTRANSCO	230	HOSUR	METTUR AUTO	1	S/C	SINGLE ACSR ZEBRA	135
557	TANTRANSCO	230	HOSUR	SHOOLAGIRI	1	D/C	SINGLE ACSR KUNDAH	24
558	TANTRANSCO	230	HOSUR	SHOOLAGIRI	1	D/C	SINGLE ACSR ZEBRA	38
559	TANTRANSCO	230	HYUNDAI	SRIPERUMBUDUR	1	S/C	SINGLE ACSR KUNDAH	5
560	TANTRANSCO	230	IND BHARATH	MILAVITTAN	1	D/C	SINGLE ACSR KUNDAH	14
561	TANTRANSCO	230	IND BHARATH	MILAVITTAN	2	D/C	SINGLE ACSR KUNDAH	14
562	TANTRANSCO	230	INGUR	KARAMADAI	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	67
563	TANTRANSCO	230	INGUR	MTPS	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	69
564	TANTRANSCO	230	INGUR	THINGALUR	1	S/C	SINGLE ACSR ZEBRA	31
565	TANTRANSCO	230	K R THOPPUR	PALKAPALYAM	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	64
566	TANTRANSCO	230	K R THOPPUR	SAIL	1	D/C	SINGLE ACSR KUNDAH	4
567	TANTRANSCO	230	K R THOPPUR	SAIL	2	D/C	SINGLE ACSR KUNDAH	4
568	TANTRANSCO	230	K R THOPPUR	SINGIPURAM	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	73
569	TANTRANSCO	230	K R THOPPUR	THINGALUR	1	S/C	SINGLE ACSR ZEBRA	79
570	TANTRANSCO	230	K R THOPPUR	UNJANAI	1	S/C	SINGLE ACSR KUNDAH	52
571	TANTRANSCO	230	KADALANGUDY	KUMBAKONAM	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	41
572	TANTRANSCO	230	KADALANGUDY	NLC STG2	1	S/C	SINGLE ACSR KUNDAH	92
573	TANTRANSCO	230	KADALANGUDY	NLC TNEB	1	S/C	SINGLE ACSR ZEBRA	77

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
574	TANTRANSCO	230	KADALANGUDY	PPNALUR	1	D/C	SINGLE ACSR ZEBRA	33
575	TANTRANSCO	230	KADALANGUDY	PPNALUR	2	D/C	SINGLE ACSR ZEBRA	33
576	TANTRANSCO	230	KADAMPARAI	ALIYAR	1	S/C	SINGLE ACSR ZEBRA	10
577	TANTRANSCO	230	KADAMPARAI	MYWADI	1	D/C	SINGLE ACSR KUNDAH	58
578	TANTRANSCO	230	KADAMPARAI	MYWADI	2	D/C	SINGLE ACSR KUNDAH	58
579	TANTRANSCO	230	KADAPERI	ALANDUR CMRL	1	S/C	1200SQMM UGC	12
580	TANTRANSCO	230	KADAPERI	KALIVANTHAPATU	1	D/C	1200SQMM UGC	39
581	TANTRANSCO	230	KADAPERI	PORUR	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	9
582	TANTRANSCO	230	KADAPERI	SRIPERUMBUDUR	1	D/C	SINGLE ACSR KUNDAH	18
583	TANTRANSCO	230	KADAPERI	SRIPERUMBUDUR	2	D/C	SINGLE ACSR KUNDAH	18
584	TANTRANSCO	230	KALIVANTHAPATU	OMEGA	1	S/C	SINGLE ACSR ZEBRA	26
585	TANTRANSCO	230	KALIVANTHAPATU	SIRUSERI	1	S/C	SINGLE ACSR ZEBRA	24
586	TANTRANSCO	230	KALIVANTHAPATU	TARAMANI	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	45
587	TANTRANSCO	230	KALIVANTHAPATU	VEERAPURAM	1	S/C	SINGLE ACSR ZEBRA	25
588	TANTRANSCO	230	KAMUTHI	AGETL	1	S/C	SINGLE ACSR ZEBRA	0
589	TANTRANSCO	230	KAMUTHI	KSPL	1	S/C	SINGLE ACSR ZEBRA	5
590	TANTRANSCO	230	KAMUTHI	TIRUCHULI	1	D/C	SINGLE ACSR ZEBRA	45
591	TANTRANSCO	230	KAMUTHI	TIRUCHULI	2	D/C	SINGLE ACSR ZEBRA	45
592	TANTRANSCO	230	KAMUTHI	TIRUCHULI	3	D/C	SINGLE ACSR ZEBRA	45
593	TANTRANSCO	230	KANARPATTI	CSES	1	S/C	SINGLE ACSR ZEBRA	3
594	TANTRANSCO	230	KANARPATTI	NLC SOLAR	1	S/C	SINGLE ACSR ZEBRA	5
595	TANTRANSCO	230	KANARPATTI	VAGAIKULAM	1	S/C	SINGLE ACSR ZEBRA	5
596	TANTRANSCO	230	KANCHIPURAM	THIRUVALAM 400/230	1	S/C	SINGLE ACSR KUNDAH	52
597	TANTRANSCO	230	KARAIKUDI 230/110	KARAMBAYAM	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	88
598	TANTRANSCO	230	KARAIKUDI 230/110	KAVANUR	1	D/C	SINGLE ACSR KUNDAH	75

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
599	TANTRANSCO	230	KARAIKUDI 230/110	KAVANUR	2	D/C	SINGLE ACSR ZEBRA	75
600	TANTRANSCO	230	KARAIKUDI 230/110	VALATHUR	1	S/C	SINGLE ACSR ZEBRA	106
601	TANTRANSCO	230	KARAIKUDI-PG	KARAIKUDI 230/110	1	D/C	SINGLE ACSR ZEBRA	6
602	TANTRANSCO	230	KARAIKUDI-PG	KARAIKUDI 230/110	2	D/C	SINGLE ACSR ZEBRA	6
603	TANTRANSCO	230	KARAIKUDI-PG	PUDUKOTAI	1	S/C	SINGLE ACSR ZEBRA	49
604	TANTRANSCO	230	KARAIKUDI-PG	SEMPATTI	1	S/C	SINGLE ACSR ZEBRA	136
605	TANTRANSCO	230	KARAMADAI	KARUVALUR	1	D/C	SINGLE ACSR ZEBRA	30
606	TANTRANSCO	230	KARAMADAI	KARUVALUR	2	D/C	SINGLE ACSR ZEBRA	30
607	TANTRANSCO	230	KARAMADAI	SHENBAGAPUDUR	1	S/C	SINGLE ACSR ZEBRA	40
608	TANTRANSCO	230	KARIMANGALAM	PALAVADI	1	S/C	SINGLE ACSR ZEBRA	56
609	TANTRANSCO	230	KARIMANGALAM	UDDANAPALLI	1	S/C	SINGLE ACSR ZEBRA	56
610	TANTRANSCO	230	KARUVALUR	SHENBAGAPUDUR	1	S/C	SINGLE ACSR ZEBRA	37
611	TANTRANSCO	230	KAVANUR	KAMUTHI	1	D/C	SINGLE ACSR ZEBRA	35
612	TANTRANSCO	230	KAVANUR	KAMUTHI	2	D/C	SINGLE ACSR ZEBRA	35
613	TANTRANSCO	230	KAVANUR	MILAVITTAN	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	106
614	TANTRANSCO	230	KAVANUR	VALATHUR	1	S/C	SINGLE ACSR ZEBRA	50
615	TANTRANSCO	230	KAYATHAR 230/110	KAYATHAR 400/230/110	1	D/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	13
616	TANTRANSCO	230	KAYATHAR 230/110	KAYATHAR 400/230/110	2	D/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	13
617	TANTRANSCO	230	KAYATHAR 230/110	KINNIMANGALAM	2	D/C	SINGLE ACSR KUNDAH	148
618	TANTRANSCO	230	KAYATHAR 230/110	SANGANERI	1	S/C	SINGLE ACSR ZEBRA	92
619	TANTRANSCO	230	KAYATHAR 230/110	TTPS	1	D/C	SINGLE ACSR KUNDAH	53
620	TANTRANSCO	230	KAYATHAR 230/110	TTPS	2	D/C	SINGLE ACSR KUNDAH	51
621	TANTRANSCO	230	KAYATHAR 230/110	TTPS-AUTO	1	S/C	SINGLE ACSR KUNDAH	52
622	TANTRANSCO	230	KAYATHAR 230/110	UDAYATHUR	1	S/C	SINGLE ACSR ZEBRA	82

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
623	TANTRANSCO	230	KAYATHAR 230/110	VEERANAM	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	89
624	TANTRANSCO	230	KAYATHAR 400/230/110	SANGRAPERI	1	D/C	SINGLE ACSR ZEBRA	29
625	TANTRANSCO	230	KAYATHAR 400/230/110	SANGRAPERI	2	D/C	SINGLE ACSR ZEBRA	29
626	TANTRANSCO	230	KAYATHAR 400/230/110	THENAMPATTY	1	D/C	SINGLE ACSR ZEBRA	48
627	TANTRANSCO	230	KAYATHAR 400/230/110	VELAPANERI	1	S/C	SINGLE ACSR ZEBRA	12
628	TANTRANSCO	230	KAYATHAR 400/230/110	VILLISERI	1	S/C	SINGLE ACSR ZEBRA	6
629	TANTRANSCO	230	KAYATHAR 400/230/110	WELSPUN	1	S/C	SINGLE ACSR ZEBRA	6
630	TANTRANSCO	230	KILPAUK	KILPAUK GIS	1	S/C	SINGLE ACSR KUNDAH	0
631	TANTRANSCO	230	KILPAUK	NCTPS STG1	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	38
632	TANTRANSCO	230	KITZ	SHOLINGANALLUR	1	D/C	SINGLE ACSR ZEBRA	8
633	TANTRANSCO	230	KITZ	SHOLINGANALLUR	2	D/C	SINGLE ACSR ZEBRA	8
634	TANTRANSCO	230	KODIKURCHI	VEERANAM	1	D/C	SINGLE ACSR KUNDAH	25
635	TANTRANSCO	230	KODIKURCHI	VEERANAM	2	D/C	SINGLE ACSR ZEBRA	25
636	TANTRANSCO	230	KORATTUR	AMBATUR	1	S/C	SINGLE ACSR KUNDAH	4
637	TANTRANSCO	230	KORATTUR	KILPAUK GIS	1	S/C	SINGLE ACSR KUNDAH	15
638	TANTRANSCO	230	KORATTUR	MANALI	1	S/C	SINGLE ACSR KUNDAH	19
639	TANTRANSCO	230	KORATTUR	SRIPERUMBUDUR	1	S/C	SINGLE ACSR KUNDAH	30
640	TANTRANSCO	230	KOYAMBEDU	GUINDY	1	S/C	1200SQMM UGC	8
641	TANTRANSCO	230	KOYAMBEDU	KOYAMBEDU GIS	1	S/C	1200SQMM UGC	17
642	TANTRANSCO	230	KOYAMBEDU	SRIPERUMBUDUR	1	S/C	SINGLE ACSR KUNDAH + 1200SQMM UGC	46

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
643	TANTRANSCO	230	KOYAMBEDU GIS	AMBATUR	1	S/C	SINGLE ACSR ZEBRA	20
644	TANTRANSCO	230	KOYAMBEDU GIS	TIRUVERKADU	1	S/C	1200SQMM UGC	14
645	TANTRANSCO	230	KUNDAH2	KUNDAH3	1	S/C	SINGLE ACSR KUNDAH	11
646	TANTRANSCO	230	KUNDAH3	KARAMADAI	1	S/C	SINGLE ACSR KUNDAH	31
647	TANTRANSCO	230	KUNDAH3	KUNDAH4	1	S/C	SINGLE ACSR KUNDAH	6
648	TANTRANSCO	230	KUNDAH4	THUDIYALUR	1	S/C	SINGLE ACSR KUNDAH	28
649	TANTRANSCO	230	MAMBAKAM	S V CHATHRAM	1	S/C	SINGLE ACSR ZEBRA	6
650	TANTRANSCO	230	MAMBAKAM	SRIPERUMBUDUR	1	S/C	SINGLE ACSR ZEBRA	15
651	TANTRANSCO	230	MANALI	CMRL CENTRAL	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	12
652	TANTRANSCO	230	MAPS	ECHUR	1	S/C	SINGLE ACSR KUNDAH	56
653	TANTRANSCO	230	MAPS	SP KOVIL	1	D/C	SINGLE ACSR KUNDAH	31
654	TANTRANSCO	230	MAPS	SP KOVIL	2	D/C	SINGLE ACSR KUNDAH	31
655	TANTRANSCO	230	METTUR AUTO	METTUR HYDRO	1	S/C	SINGLE ACSR KUNDAH	13
656	TANTRANSCO	230	METTUR AUTO	MTPS STG3	1	S/C	SINGLE ACSR KUNDAH	17
657	TANTRANSCO	230	METTUR AUTO	PALAVADI	1	S/C	SINGLE ACSR ZEBRA	56
658	TANTRANSCO	230	MILAVITTAN	IND BHARATH 2	1	S/C	SINGLE ACSR KUNDAH	17
659	TANTRANSCO	230	MILAVITTAN	SAVASPURAM	1	S/C	SINGLE ACSR ZEBRA	82
660	TANTRANSCO	230	MILAVITTAN	TTPS	1	S/C	SINGLE ACSR KUNDAH	12
661	TANTRANSCO	230	MOSUR	ATHIPATU	1	S/C	SINGLE ACSR ZEBRA	85
662	TANTRANSCO	230	MTPS	ANTHIYUR	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	38
663	TANTRANSCO	230	MTPS	K R THOPPUR	1	D/C	SINGLE ACSR KUNDAH	27
664	TANTRANSCO	230	MTPS	K R THOPPUR	2	D/C	SINGLE ACSR KUNDAH	27
665	TANTRANSCO	230	MTPS	METTUR HYDRO	1	S/C	SINGLE ACSR KUNDAH	11
666	TANTRANSCO	230	MTPS	MTPS STG3	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	8
667	TANTRANSCO	230	MTPS	SALEM	1	S/C	SINGLE ACSR ZEBRA	47

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
668	TANTRANSCO	230	MTPS	SINGARAPET	1	S/C	SINGLE ACSR KUNDAH	110
669	TANTRANSCO	230	MTPS STG3	THINGALUR	1	S/C	SINGLE ACSR ZEBRA	95
670	TANTRANSCO	230	MYCHELIN	THERVOI KANDIGAI	1	D/C	SINGLE ACSR ZEBRA	1
671	TANTRANSCO	230	MYCHELIN	THERVOI KANDIGAI	2	D/C	SINGLE ACSR ZEBRA	1
672	TANTRANSCO	230	MYLAPORE	TARAMANI	1	S/C	1200SQMM UGC	12
673	TANTRANSCO	230	MYLAPORE	TNEB HQ	1	S/C	1200SQMM UGC	6
674	TANTRANSCO	230	MYLAPORE-GIS	MYLAPORE	1	S/C	1200SQMM UGC	0
675	TANTRANSCO	230	MYLAPORE-GIS	RA PURAM	1	S/C	1200SQMM UGC	7
676	TANTRANSCO	230	MYWADI	KURKATHI	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	99
677	TANTRANSCO	230	MYWADI	PONNAPURAM	1	D/C	SINGLE ACSR ZEBRA	19
678	TANTRANSCO	230	MYWADI	PONNAPURAM	2	D/C	SINGLE ACSR ZEBRA	19
679	TANTRANSCO	230	MYWADI	PONNAPURAM	3	D/C	SINGLE ACSR ZEBRA	63
680	TANTRANSCO	230	MYWADI	SEMPATTI	1	S/C	SINGLE ACSR KUNDAH	80
681	TANTRANSCO	230	NCTPS STG1	NCTPS STG2	1	S/C	SINGLE ACSR ZEBRA	1
682	TANTRANSCO	230	NCTPS STG1	SRIPERUMBUDUR	1	S/C	SINGLE ACSR KUNDAH	73
683	TANTRANSCO	230	NCTPS STG1	TONDIARPET	1	D/C	SINGLE ACSR KUNDAH	17
684	TANTRANSCO	230	NCTPS STG1	TONDIARPET	2	D/C	SINGLE ACSR KUNDAH	20
685	TANTRANSCO	230	NLC STG1	NNTPP	1	D/C	SINGLE ACSR KUNDAH	3
686	TANTRANSCO	230	NLC STG1	NNTPP	2	D/C	SINGLE ACSR KUNDAH	3
687	TANTRANSCO	230	NLC STG2	NLC TNEB	1	S/C	TWIN ACSR MOOSE	3
688	TANTRANSCO	230	NLC STG2	NLC TNEB	2	S/C	TWIN ACSR MOOSE	3
689	TANTRANSCO	230	NLC STG2	NNTPP	1	D/C	SINGLE ACSR KUNDAH	7
690	TANTRANSCO	230	NLC STG2	NNTPP	2	D/C	SINGLE ACSR KUNDAH	7
691	TANTRANSCO	230	NLC STG2	ULUNDURPET	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	34
692	TANTRANSCO	230	NLC TNEB	SANKARAPURAM	1	S/C	SINGLE ACSR KUNDAH	105
693	TANTRANSCO	230	NNTPP	NLC TNEB	1	D/C	TWIN ACSR ZEBRA	0

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
694	TANTRANSCO	230	NNTPP	NLC TNEB	2	D/C	TWIN ACSR ZEBRA	0
695	TANTRANSCO	230	NOKIA	S V CHATHRAM	1	S/C	SINGLE ACSR ZEBRA	9
696	TANTRANSCO	230	NOKIA	SRIPERUMBUDUR	1	S/C	SINGLE ACSR KUNDAH	9
697	TANTRANSCO	230	ORAGADAM	S V CHATHRAM	1	S/C	SINGLE ACSR ZEBRA	15
698	TANTRANSCO	230	ORAGADAM	SP KOVIL	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	24
699	TANTRANSCO	230	ORAGADAM	SRIPERUMBUDUR	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	20
700	TANTRANSCO	230	OTHAKALMANDAPAM	ANAIKADAVU	1	D/C	SINGLE ACSR ZEBRA	32
701	TANTRANSCO	230	OTHAKALMANDAPAM	ANAIKADAVU	2	D/C	SINGLE ACSR ZEBRA	29
702	TANTRANSCO	230	OTHAKALMANDAPAM	COIMBATORE	1	S/C	SINGLE ACSR ZEBRA	21
703	TANTRANSCO	230	OTHAKALMANDAPAM	MYWADI	1	S/C	SINGLE ACSR KUNDAH	50
704	TANTRANSCO	230	OTHAKALMANDAPAM	PALLADAM	1	S/C	SINGLE ACSR ZEBRA	47
705	TANTRANSCO	230	OTHAKALMANDAPAM	THUDIYALUR	1	S/C	SINGLE ACSR ZEBRA	28
706	TANTRANSCO	230	PALLADAM	KURKATHI	1	S/C	SINGLE ACSR ZEBRA	72
707	TANTRANSCO	230	PALLADAM	SADAYAPALAYAM	1	S/C	SINGLE ACSR ZEBRA	20
708	TANTRANSCO	230	PALLADAM	THIRUPUR	1	S/C	SINGLE ACSR ZEBRA	53
709	TANTRANSCO	230	PARAMATHY	KURKATHI	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	54
710	TANTRANSCO	230	PARAMATHY	PUGALUR	1	D/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	28
711	TANTRANSCO	230	PARAMATHY	PUGALUR	2	D/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	28
712	TANTRANSCO	230	PASUMALAI	KAYATHAR 400/230/110	1	S/C	SINGLE ACSR KUNDAH	126
713	TANTRANSCO	230	PASUMALAI	KINNIMANGALAM	2	S/C	SINGLE ACSR KUNDAH	2
714	TANTRANSCO	230	PASUMALAI	SAMAYANALLUR	1	S/C	SINGLE ACSR KUNDAH	11
715	TANTRANSCO	230	PASUMALAI	TTPS	1	S/C	SINGLE ACSR KUNDAH	138

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
716	TANTRANSCO	230	PERMBALUR	JAMBUNATHAPURAM	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	60
717	TANTRANSCO	230	PONDY	BAHOUR	1	D/C	SINGLE ACSR KUNDAH	22
718	TANTRANSCO	230	PONDY	VILLIANUR	1	D/C	SINGLE ACSR KUNDAH	24
719	TANTRANSCO	230	PONNAPURAM	SADAYAPALAYAM	1	S/C	SINGLE ACSR ZEBRA	15
720	TANTRANSCO	230	PPNALUR	THANJAVUR	1	S/C	SINGLE ACSR ZEBRA	106
721	TANTRANSCO	230	PPNALUR	THIRUVARUR	1	S/C	SINGLE ACSR ZEBRA	45
722	TANTRANSCO	230	PUGALUR	PARUTHIYUR	1	S/C	SINGLE ACSR ZEBRA	22
723	TANTRANSCO	230	PUGALUR	RENGANATHAPURAM	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	60
724	TANTRANSCO	230	PUSHEP	KARAMADAI	1	S/C	SINGLE ACSR KUNDAH	54
725	TANTRANSCO	230	PUTHANSANTHAI	PUGALUR	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	58
726	TANTRANSCO	230	PUTHANSANTHAI	UNJANAI	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	27
727	TANTRANSCO	230	PUTHANSANTHAI	VALAYAPATTY	1	S/C	SINGLE ACSR ZEBRA	27
728	TANTRANSCO	230	SALEM	K R THOPPUR	1	D/C	SINGLE ACSR KUNDAH	30
729	TANTRANSCO	230	SALEM	K R THOPPUR	2	D/C	SINGLE ACSR KUNDAH	30
730	TANTRANSCO	230	SALEM	SINGARAPET	1	S/C	SINGLE ACSR KUNDAH	96
731	TANTRANSCO	230	SAMAYAPURAM	POIYUR	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	20
732	TANTRANSCO	230	SAMAYAPURAM	TRICHY	1	S/C	SINGLE ACSR KUNDAH	32
733	TANTRANSCO	230	SANGANERI	SR PUDUR	1	S/C	SINGLE ACSR ZEBRA	29
734	TANTRANSCO	230	SANGANERI	UDAYATHUR	1	S/C	SINGLE ACSR ZEBRA	14
735	TANTRANSCO	230	SHOOLAGIRI	GURUPARAPALLY	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	23
736	TANTRANSCO	230	SHOOLAGIRI	UDDANAPALLI	1	S/C	SINGLE ACSR ZEBRA	18
737	TANTRANSCO	230	SHOOLAGIRI	VINNAMANGALAM	1	S/C	SINGLE ACSR ZEBRA	75

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
738	TANTRANSCO	230	SINGARAPET	GURUPARAPALLY	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	67
739	TANTRANSCO	230	SINGARAPET	THIRUVALAM 400/230	1	S/C	SINGLE ACSR KUNDAH	134
740	TANTRANSCO	230	SINGARAPET	THIRUVANAMALAI	1	S/C	SINGLE ACSR KUNDAH	111
741	TANTRANSCO	230	SINGARAPET	VINNAMANGALAM	1	S/C	SINGLE ACSR KUNDAH	34
742	TANTRANSCO	230	SIRUSERI	SHOLINGANALLUR	2	S/C	SINGLE ACSR ZEBRA	12
743	TANTRANSCO	230	SP KOVIL	KANCHIPURAM	2	S/C	SINGLE ACSR KUNDAH	41
744	TANTRANSCO	230	SP KOVIL	OMEGA	1	S/C	SINGLE ACSR ZEBRA	32
745	TANTRANSCO	230	SP KOVIL	VEERAPURAM	1	S/C	SINGLE ACSR ZEBRA	1
746	TANTRANSCO	230	SR PUDUR	KKNPP	1	S/C	SINGLE ACSR ZEBRA	42
747	TANTRANSCO	230	SRIPERUMBUDUR	KANCHIPURAM	1	S/C	SINGLE ACSR KUNDAH	50
748	TANTRANSCO	230	SRIPERUMBUDUR	SURYA DEV	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	54
749	TANTRANSCO	230	SRIPERUMBUDUR	TARAMANI	1	S/C	SINGLE ACSR KUNDAH	35
750	TANTRANSCO	230	STCMS	NLC STG2	1	S/C	SINGLE ACSR KUNDAH	8
751	TANTRANSCO	230	STCMS	PERMBALUR	1	S/C	SINGLE ACSR KUNDAH	64
752	TANTRANSCO	230	STERLITE	STERLITE	1	S/C	SINGLE ACSR KUNDAH	1
753	TANTRANSCO	230	STERLITE	TTPS	1	S/C	SINGLE ACSR KUNDAH	16
754	TANTRANSCO	230	SUZLON	KARUVALUR	1	D/C	SINGLE ACSR ZEBRA	12
755	TANTRANSCO	230	SUZLON	KARUVALUR	2	D/C	SINGLE ACSR ZEBRA	12
756	TANTRANSCO	230	TARAMANI	KITZ	1	S/C	SINGLE ACSR ZEBRA	18
757	TANTRANSCO	230	TARAMANI	RA PURAM	1	S/C	1200SQMM UGC	12
758	TANTRANSCO	230	THANJAVUR	THIRUVARUR	1	S/C	SINGLE ACSR ZEBRA	73
759	TANTRANSCO	230	THENAMPATTY	NLC REFEX	1	S/C	SINGLE ACSR ZEBRA	7
760	TANTRANSCO	230	THENAMPATTY	RENEW	1	S/C	SINGLE ACSR ZEBRA	6
761	TANTRANSCO	230	THENI	CHECKANURANI	1	S/C	SINGLE ACSR KUNDAH	79
762	TANTRANSCO	230	THENI	SEMPATTI	1	S/C	SINGLE ACSR ZEBRA	62
763	TANTRANSCO	230	THIRUVALAM 230/110	MOSUR	1	S/C	SINGLE ACSR KUNDAH	58

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
764	TANTRANSCO	230	THIRUVALAM 230/110	THIRUVALAM 400/230	1	D/C	SINGLE ACSR ZEBRA	6
765	TANTRANSCO	230	THIRUVALAM 230/110	THIRUVALAM 400/230	2	D/C	SINGLE ACSR ZEBRA	6
766	TANTRANSCO	230	THIRUVANAMALAI	SANKARAPURAM	1	S/C	SINGLE ACSR KUNDAH	53
767	TANTRANSCO	230	THIRUVANAMALAI	VILLUPURAM	1	S/C	SINGLE ACSR KUNDAH	63
768	TANTRANSCO	230	THIRUVARUR	KARAMBAYAM	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	55
769	TANTRANSCO	230	THIRUVARUR	KUMBAKONAM	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	54
770	TANTRANSCO	230	THIRUVARUR	NAGAI POWER	1	S/C	SINGLE ACSR ZEBRA	25
771	TANTRANSCO	230	THUDIYALUR	COIMBATORE	1	S/C	SINGLE ACSR ZEBRA	15
772	TANTRANSCO	230	THUDIYALUR	KARAMADAI	1	S/C	SINGLE ACSR KUNDAH	40
773	TANTRANSCO	230	TIRUVERKADU	AMBATUR	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA + 1200SQMM UGC	10
774	TANTRANSCO	230	TRICHY	JAMBUNATHAPURAM	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	47
775	TANTRANSCO	230	TTGS	GIREL	1	S/C	SINGLE ACSR ZEBRA	22
776	TANTRANSCO	230	TTPS	KINNIMANGALAM	1	S/C	SINGLE ACSR KUNDAH	142
777	TANTRANSCO	230	TTPS	KKNPP	1	S/C	SINGLE ACSR ZEBRA	123
778	TANTRANSCO	230	TTPS-AUTO	KAYATHAR 400/230/110	1	D/C	SINGLE ACSR KUNDAH	56
779	TANTRANSCO	230	TTPS-AUTO	THENAMPATTY	1	S/C	SINGLE ACSR ZEBRA	14
780	TANTRANSCO	230	TTPS-AUTO	TTPS	1	D/C	SINGLE ACSR KUNDAH	5
781	TANTRANSCO	230	TTPS-AUTO	TTPS	2	D/C	SINGLE ACSR KUNDAH	5
782	TANTRANSCO	230	UDUMALPET	ALIYAR	1	S/C	SINGLE ACSR KUNDAH	50
783	TANTRANSCO	230	UDUMALPET	MYWADI	1	D/C	SINGLE ACSR KUNDAH	8
784	TANTRANSCO	230	UDUMALPET	MYWADI	2	D/C	SINGLE ACSR KUNDAH	7
785	TANTRANSCO	230	ULUNDURPET	SANKARAPURAM	1	S/C	SINGLE ACSR ZEBRA	56

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
786	TANTRANSCO+KSEB	230	THENI	SABARIGIRI	1	S/C	SINGLE ACSR KUNDAH	133
787	TANTRANSCO+KSEB	230	UDUMALPET	IDUKKI	1	S/C	SINGLE ACSR KUNDAH	107
788	APSPDCL	220	GALIVEEDU-3	GALIVEEDU-2	1	D/C	TWIN ACSR MOOSE	9
789	APSPDCL	220	GALIVEEDU-3	GALIVEEDU-2	2	D/C	TWIN ACSR MOOSE	9
790	APSPDCL	220	NP KUNTA	GALIVEEDU-1	1	D/C	TWIN ACSR MOOSE	9
791	APSPDCL	220	NP KUNTA	GALIVEEDU-1	2	D/C	TWIN ACSR MOOSE	9
792	APSPDCL	220	NP KUNTA	GALIVEEDU-3	3	D/C	TWIN ACSR MOOSE	9
793	APSPDCL	220	NP KUNTA	GALIVEEDU-3	4	D/C	TWIN ACSR MOOSE	9
794	APSPDCL	220	NP KUNTA	NP KUNTA PS1	1	D/C	SINGLE ACSR MOOSE	3
795	APSPDCL	220	NP KUNTA	NP KUNTA PS1	2	D/C	SINGLE ACSR MOOSE	3
796	APSPDCL	220	NP KUNTA	NP KUNTA PS2	1	D/C	SINGLE ACSR MOOSE	2
797	APSPDCL	220	NP KUNTA	NP KUNTA PS2	2	D/C	SINGLE ACSR MOOSE	2
798	APSPDCL	220	NP KUNTA	NP KUNTA PS3	1	D/C	SINGLE ACSR MOOSE	5
799	APSPDCL	220	NP KUNTA	NP KUNTA PS3	2	D/C	SINGLE ACSR MOOSE	5
800	APSPDCL	220	NP KUNTA	NP KUNTA PS4	3	D/C	SINGLE ACSR MOOSE	7
801	APSPDCL	220	NP KUNTA	NP KUNTA PS4	4	D/C	SINGLE ACSR MOOSE	7
802	APTRANSCO	220	ANATHPUR	KALYANDURGA	1	D/C	SINGLE ACSR MOOSE	62
803	APTRANSCO	220	ANATHPUR	KALYANDURGA	2	D/C	SINGLE ACSR MOOSE	62
804	APTRANSCO	220	ANATHPUR	RAMAGIRI	1	S/C	SINGLE ACSR ZEBRA	63
805	APTRANSCO	220	ANATHPUR	THIMAPURAM	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	44
806	APTRANSCO	220	ANATHPUR	THIMAPURAM	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	44
807	APTRANSCO	220	ANIMALA	CHAKRAYAPET	1	S/C	SINGLE ACSR MOOSE	38
808	APTRANSCO	220	APCARBIDES	KURNOOL	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	15

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
809	APTRANSCO	220	APCARBIDES	KURNOOL	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	15
810	APTRANSCO	220	ATMAKUR	PODILI 400/220	1	D/C	SINGLE ACSR MOOSE	121
811	APTRANSCO	220	ATMAKUR	PODILI 400/220	2	D/C	SINGLE ACSR MOOSE	121
812	APTRANSCO	220	BAVOJIPETA	PURUSHOTAPATNAM	1	D/C	SINGLE ACSR MOOSE	21
813	APTRANSCO	220	BAVOJIPETA	PURUSHOTAPATNAM	2	D/C	SINGLE ACSR MOOSE	21
814	APTRANSCO	220	BAVOJIPETA	RAMAVARAM	1	D/C	SINGLE ACSR MOOSE	27
815	APTRANSCO	220	BAVOJIPETA	RAMAVARAM	2	D/C	SINGLE ACSR MOOSE	27
816	APTRANSCO	220	BD PALEM	MARADAM	1	D/C	SINGLE ACSR MOOSE	64
817	APTRANSCO	220	BD PALEM	MARADAM	2	D/C	SINGLE ACSR MOOSE	64
818	APTRANSCO	220	BHIMADOLE	NUNNA	1	S/C	SINGLE ACSR ZEBRA	96
819	APTRANSCO	220	BHIMADOLE	PALLANTLA	1	D/C	SINGLE ACSR ZEBRA	46
820	APTRANSCO	220	BHIMADOLE	PALLANTLA	2	D/C	SINGLE ACSR ZEBRA	46
821	APTRANSCO	220	BHIMADOLE	VIJESWARAM	1	S/C	SINGLE ACSR ZEBRA	12
822	APTRANSCO	220	BILAKALAGUDUR	JSW CEMENTS	1	S/C	SINGLE ACSR MOOSE	0
823	APTRANSCO	220	BOBBILI	MARADAM	1	D/C	SINGLE ACSR MOOSE	17
824	APTRANSCO	220	BOBBILI	MARADAM	2	D/C	SINGLE ACSR MOOSE	17
825	APTRANSCO	220	BOKSAMPALLI	AMMAVARIPALLI	1	S/C	SINGLE ACSR MOOSE	15
826	APTRANSCO	220	BOKSAMPALLI	KIA MOTORS	1	S/C	SINGLE ACSR MOOSE	16
827	APTRANSCO	220	BOMMUR	BAVOJIPETA	1	S/C	SINGLE ACSR ZEBRA	34
828	APTRANSCO	220	BOMMUR	JEGURUPADU	1	S/C	SINGLE ACSR ZEBRA	8
829	APTRANSCO	220	BOMMUR	KAKINADA	1	S/C	SINGLE ACSR ZEBRA	63
830	APTRANSCO	220	BOMMUR	LOWER SILERU	1	S/C	SINGLE ACSR ZEBRA	108
831	APTRANSCO	220	BOMMUR	PEDDAPURAM	1	S/C	SINGLE ACSR ZEBRA	36
832	APTRANSCO	220	BOMMUR	RAMPACHODAVARAM	1	S/C	SINGLE ACSR ZEBRA	68
833	APTRANSCO	220	BOMMUR	VEMAGIRI	1	D/C	SINGLE ACSR ZEBRA	4
834	APTRANSCO	220	BOMMUR	VEMAGIRI	2	D/C	SINGLE ACSR ZEBRA	4
835	APTRANSCO	220	BOMMUR	VEMAGIRI	3	D/C	SINGLE ACSR ZEBRA	17

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
836	APTRANSCO	220	BOMMUR	VGTPS-II	2	S/C	SINGLE ACSR ZEBRA	36
837	APTRANSCO	220	BOMMUR	VIJESWARAM	1	S/C	SINGLE ACSR ZEBRA	12
838	APTRANSCO	220	BORAMPALLI	GURUVEPALLI	1	D/C	SINGLE ACSR MOOSE	24
839	APTRANSCO	220	BORAMPALLI	GURUVEPALLI	2	D/C	SINGLE ACSR MOOSE	24
840	APTRANSCO	220	BORAMPALLI	MADDELACHERU	1	D/C	SINGLE ACSR MOOSE	30
841	APTRANSCO	220	BORAMPALLI	MADDELACHERU	2	D/C	SINGLE ACSR MOOSE	30
842	APTRANSCO	220	BORAMPALLI	SAIPURAM	1	D/C	SINGLE ACSR MOOSE	11
843	APTRANSCO	220	BORAMPALLI	SAIPURAM	2	D/C	SINGLE ACSR MOOSE	11
844	APTRANSCO	220	BORAMPALLI	THETA	1	D/C	SINGLE ACSR MOOSE	7
845	APTRANSCO	220	BORAMPALLI	THETA	2	D/C	SINGLE ACSR MOOSE	7
846	APTRANSCO	220	BOYAREDDYPALLI	PENNA CEMENT	1	S/C	SINGLE ACSR MOOSE	3
847	APTRANSCO	220	BOYAREDDYPALLI	TADIPATHRI	1	S/C	SINGLE ACSR MOOSE	27
848	APTRANSCO	220	BRAHMANAKOTKUR	MALYALA	1	D/C	SINGLE ACSR MOOSE	11
849	APTRANSCO	220	BRAHMANAKOTKUR	MALYALA	2	D/C	SINGLE ACSR MOOSE	11
850	APTRANSCO	220	BRANDIX	ABHIJEET	1	D/C	SINGLE ACSR MOOSE	2
851	APTRANSCO	220	BRANDIX	ABHIJEET	2	D/C	SINGLE ACSR MOOSE	2
852	APTRANSCO	220	BRANDIX	ATCHUTAPURAM	1	D/C	1200SQMM UGC	4
853	APTRANSCO	220	BRANDIX	ATCHUTAPURAM	2	D/C	1200SQMM UGC	4
854	APTRANSCO	220	CHITTOOR 220/132	KALIKIRI 220/132	1	S/C	SINGLE ACSR DEER	130
855	APTRANSCO	220	CHITTOOR 400/220	CHITTOOR 220/132	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	17
856	APTRANSCO	220	CHITTOOR 400/220	CHITTOOR 220/132	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	17
857	APTRANSCO	220	CHITTOOR 400/220	NAGIRI	1	S/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	96
858	APTRANSCO	220	CHITTOOR 400/220	PALAMANERU	1	D/C	SINGLE ACSR MOOSE	57
859	APTRANSCO	220	CHITTOOR 400/220	PALAMANERU	2	D/C	SINGLE ACSR MOOSE	58
860	APTRANSCO	220	CHITTOOR 400/220	RENIGUNTA	1	S/C	SINGLE ACSR ZEBRA	72

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
861	APTRANSCO	220	CUDDAPAH	RAJAMPET	1	S/C	SINGLE ACSR ZEBRA	56
862	APTRANSCO	220	CUDDAPAH	RENIGUNTA	1	S/C	SINGLE ACSR ZEBRA	130
863	APTRANSCO	220	CUDDAPAH	RYTPP	1	D/C	SINGLE ACSR MOOSE	57
864	APTRANSCO	220	CUDDAPAH	RYTPP	2	D/C	SINGLE ACSR MOOSE	66
865	APTRANSCO	220	CUDDAPAH	RYTPP	3	D/C	TWIN ACSR MOOSE	66
866	APTRANSCO	220	CUDDAPAH	RYTPP	4	D/C	TWIN ACSR MOOSE	57
867	APTRANSCO	220	CUDDAPAH	THIMAPURAM	1	S/C	SINGLE ACSR DEER + SINGLE ACSR MOOSE	72
868	APTRANSCO	220	DAIRYFARM	SIMHACHALM	1	D/C	SINGLE ACSR MOOSE	13
869	APTRANSCO	220	DAIRYFARM	SIMHACHALM	2	D/C	SINGLE ACSR MOOSE	13
870	APTRANSCO	220	DHONE	KAMBALPADU	1	S/C	SINGLE ACSR MOOSE	12
871	APTRANSCO	220	DHONE	KRISHNAGIRI	1	S/C	SINGLE ACSR MOOSE	12
872	APTRANSCO	220	DHONE	NANSURALLA	1	S/C	SINGLE ACSR MOOSE	28
873	APTRANSCO	220	DONKARAYI	LOWER SILERU	1	S/C	SINGLE ACSR ZEBRA	19
874	APTRANSCO	220	DONKARAYI	UPPER SILERU	1	S/C	SINGLE ACSR ZEBRA	28
875	APTRANSCO	220	GADDAMVARIPALLI	GODDUMARRI	1	D/C	SINGLE ACSR MOOSE	27
876	APTRANSCO	220	GADDAMVARIPALLI	GODDUMARRI	2	D/C	SINGLE ACSR MOOSE	27
877	APTRANSCO	220	GANI	GHANI-PS1	1	D/C	SINGLE ACSR MOOSE	5
878	APTRANSCO	220	GANI	GHANI-PS1	2	D/C	SINGLE ACSR MOOSE	5
879	APTRANSCO	220	GANI	GHANI-PS2	1	D/C	SINGLE ACSR MOOSE	5
880	APTRANSCO	220	GANI	GHANI-PS2	2	D/C	SINGLE ACSR MOOSE	5
881	APTRANSCO	220	GANI	GHANI-PS3	1	D/C	SINGLE ACSR MOOSE	5
882	APTRANSCO	220	GANI	GHANI-PS3	2	D/C	SINGLE ACSR MOOSE	5
883	APTRANSCO	220	GANI	GHANI-PS4	1	D/C	SINGLE ACSR MOOSE	5
884	APTRANSCO	220	GANI	GHANI-PS4	2	D/C	SINGLE ACSR MOOSE	5
885	APTRANSCO	220	GARIVIDI	BOBBILI	1	D/C	SINGLE ACSR MOOSE	39
886	APTRANSCO	220	GARIVIDI	BOBBILI	2	D/C	SINGLE ACSR MOOSE	39
887	APTRANSCO	220	GARIVIDI	MARADAM	1	D/C	SINGLE ACSR MOOSE	38

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
888	APTRANSCO	220	GARIVIDI	MARADAM	2	D/C	SINGLE ACSR MOOSE	38
889	APTRANSCO	220	GARIVIDI	TEKKALI	1	D/C	SINGLE ACSR MOOSE	92
890	APTRANSCO	220	GARIVIDI	TEKKALI	2	D/C	SINGLE ACSR MOOSE	92
891	APTRANSCO	220	GAZUWAKA	GANGAVARAM	1	S/C	SINGLE ACSR ZEBRA	6
892	APTRANSCO	220	GAZUWAKA	PENDURTHI	1	S/C	SINGLE ACSR ZEBRA	46
893	APTRANSCO	220	GAZUWAKA	VIZAG SWS	1	S/C	SINGLE ACSR MOOSE	8
894	APTRANSCO	220	GODDUMARRI	ELLUTLA	1	S/C	SINGLE ACSR MOOSE	27
895	APTRANSCO	220	GOOTY-RS	GOOTY-RLY	1	S/C	SINGLE ACSR ZEBRA	2
896	APTRANSCO	220	GOOTY-RS	GOOTY-SWS	1	S/C	SINGLE ACSR ZEBRA	5
897	APTRANSCO	220	GOOTY-RS	REGULAPADU	1	S/C	SINGLE ACSR MOOSE	58
898	APTRANSCO	220	GOOTY-SWS	ANATHPUR	1	S/C	SINGLE ACSR ZEBRA	57
899	APTRANSCO	220	GOOTY-SWS	BOYAREDDYPALLI	1	S/C	SINGLE ACSR ZEBRA	37
900	APTRANSCO	220	GOOTY-SWS	DHONE	1	D/C	SINGLE ACSR MOOSE	91
901	APTRANSCO	220	GOOTY-SWS	DHONE	2	D/C	SINGLE ACSR MOOSE	91
902	APTRANSCO	220	GOOTY-SWS	GOOTY-RLY	1	S/C	SINGLE ACSR ZEBRA	2
903	APTRANSCO	220	GOOTY-SWS	SHAPURAM	1	S/C	SINGLE ACSR ZEBRA	124
904	APTRANSCO	220	GOOTY-SWS	ULTRATECH	1	S/C	SINGLE ACSR ZEBRA	44
905	APTRANSCO	220	GUDIVADA	UNDI	1	D/C	SINGLE ACSR ZEBRA	73
906	APTRANSCO	220	GUDIVADA	UNDI	2	D/C	SINGLE ACSR ZEBRA	73
907	APTRANSCO	220	GUNADALA	NUNNA	1	D/C	SINGLE ACSR DEER + SINGLE ACSR MOOSE	5
908	APTRANSCO	220	GUNADALA	NUNNA	2	D/C	SINGLE ACSR DEER + SINGLE ACSR MOOSE	5
909	APTRANSCO	220	HINDUPUR 220/132	GOLLAPURAM	1	D/C	SINGLE ACSR MOOSE	31
910	APTRANSCO	220	HINDUPUR 220/132	GOLLAPURAM	2	D/C	SINGLE ACSR MOOSE	31
911	APTRANSCO	220	HINDUPUR 220/132	SHAPURAM	1	D/C	SINGLE ACSR ZEBRA	31
912	APTRANSCO	220	HINDUPUR 220/132	SHAPURAM	2	D/C	SINGLE ACSR ZEBRA	31
913	APTRANSCO	220	JAMALAMADUGU	ANIMALA	1	S/C	SINGLE ACSR MOOSE	74

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
914	APTRANSCO	220	JAMALAMADUGU	BETAMCHERLA	1	D/C	SINGLE ACSR MOOSE	75
915	APTRANSCO	220	JAMALAMADUGU	BETAMCHERLA	2	D/C	SINGLE ACSR MOOSE	75
916	APTRANSCO	220	JAMALAMADUGU	CHAKRAYAPET	1	S/C	SINGLE ACSR MOOSE	87
917	APTRANSCO	220	JAMALAMADUGU	MYLAVARAM	1	S/C	SINGLE ACSR MOOSE	12
918	APTRANSCO	220	JAMALAMADUGU	PORUMAMILA	1	D/C	SINGLE ACSR MOOSE	100
919	APTRANSCO	220	JAMALAMADUGU	PORUMAMILA	2	D/C	SINGLE ACSR MOOSE	100
920	APTRANSCO	220	JAMALAMADUGU	THIRUMALAYAPALLI	1	S/C	SINGLE ACSR MOOSE	30
921	APTRANSCO	220	JEGURUPADU	NIDADAVOLU	1	S/C	SINGLE ACSR ZEBRA	23
922	APTRANSCO	220	KADAPA	CUDDAPAH	1	S/C	SINGLE ACSR DEER	14
923	APTRANSCO	220	KADAPA	MYDUKUR	1	S/C	SINGLE ACSR DEER	68
924	APTRANSCO	220	KALIKIRI 220/132	KALIKIRI 400/220	1	D/C	SINGLE ACSR MOOSE	7
925	APTRANSCO	220	KALIKIRI 220/132	KALIKIRI 400/220	2	D/C	SINGLE ACSR MOOSE	7
926	APTRANSCO	220	KALIKIRI 220/132	THIMAPURAM	1	S/C	SINGLE ACSR DEER + SINGLE ACSR MOOSE	12
927	APTRANSCO	220	KALPAKKA	BRANDIX	1	D/C	SINGLE ACSR MOOSE	20
928	APTRANSCO	220	KALPAKKA	BRANDIX	2	D/C	SINGLE ACSR MOOSE	20
929	APTRANSCO	220	KALPAKKA	SIMHACHALM	1	D/C	SINGLE ACSR MOOSE	51
930	APTRANSCO	220	KALPAKKA	SIMHACHALM	2	D/C	SINGLE ACSR MOOSE	51
931	APTRANSCO	220	KALYANDURGA	BORAMPALLI	1	D/C	SINGLE ACSR MOOSE	15
932	APTRANSCO	220	KALYANDURGA	BORAMPALLI	2	D/C	SINGLE ACSR MOOSE	15
933	APTRANSCO	220	KAMBALPADU	LAKKASAGARAM	1	S/C	SINGLE ACSR MOOSE	9
934	APTRANSCO	220	KONDAPALLI	CHILLAKALLU	1	D/C	SINGLE ACSR ZEBRA	60
935	APTRANSCO	220	KONDAPALLI	CHILLAKALLU	2	D/C	SINGLE ACSR ZEBRA	60
936	APTRANSCO	220	KONDAPALLI	LANCO	1	D/C	SINGLE ACSR MOOSE	0
937	APTRANSCO	220	KONDAPALLI	LANCO	2	D/C	SINGLE ACSR MOOSE	0
938	APTRANSCO	220	KONDAPALLI	VTPS	1	D/C	SINGLE ACSR ZEBRA	6
939	APTRANSCO	220	KONDAPALLI	VTPS	2	D/C	SINGLE ACSR ZEBRA	6
940	APTRANSCO	220	KRISHNAGIRI	REGEN-POOL	1	S/C	SINGLE ACSR MOOSE	27

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
941	APTRANSCO	220	KRISHNAGIRI	SETIPALI	1	S/C	SINGLE ACSR MOOSE	10
942	APTRANSCO	220	KURNOOL	BRAHMANAKOTKUR	1	D/C	SINGLE ACSR MOOSE	23
943	APTRANSCO	220	KURNOOL	BRAHMANAKOTKUR	2	D/C	SINGLE ACSR MOOSE	23
944	APTRANSCO	220	KV KOTA 220/132	KV KOTA 400/220	1	D/C	SINGLE ACSR MOOSE	79
945	APTRANSCO	220	KV KOTA 220/132	KV KOTA 400/220	2	D/C	SINGLE ACSR MOOSE	79
946	APTRANSCO	220	KV KOTA 220/132	NUZVID	1	S/C	SINGLE ACSR MOOSE	105
947	APTRANSCO	220	LAKKASAGARAM	NANSURALLA	1	S/C	SINGLE ACSR MOOSE	7
948	APTRANSCO	220	MADANAPALLY	KALIKIRI 400/220	1	D/C	SINGLE ACSR MOOSE	31
949	APTRANSCO	220	MADANAPALLY	KALIKIRI 400/220	2	D/C	SINGLE ACSR MOOSE	31
950	APTRANSCO	220	MADDELACHERU	HELIOS POOL	1	D/C	SINGLE ACSR MOOSE	8
951	APTRANSCO	220	MADDELACHERU	HELIOS POOL	2	D/C	SINGLE ACSR MOOSE	8
952	APTRANSCO	220	MALYALA	MUCHUMARI	1	S/C	SINGLE ACSR MOOSE	12
953	APTRANSCO	220	MARADAM	PYDIBHIMAVARAM	1	D/C	SINGLE ACSR MOOSE	46
954	APTRANSCO	220	MARADAM	PYDIBHIMAVARAM	2	D/C	SINGLE ACSR MOOSE	46
955	APTRANSCO	220	MYLAVARAM	THIRUMALAYAPALLI	1	S/C	SINGLE ACSR MOOSE	26
956	APTRANSCO	220	NANSURALLA	ASPIRI	1	D/C	SINGLE ACSR MOOSE	23
957	APTRANSCO	220	NANSURALLA	ASPIRI	2	D/C	SINGLE ACSR MOOSE	23
958	APTRANSCO	220	NANSURALLA	MOLAGAVALI	1	D/C	SINGLE ACSR MOOSE	41
959	APTRANSCO	220	NANSURALLA	MOLAGAVALI	2	D/C	SINGLE ACSR MOOSE	41
960	APTRANSCO	220	NANSURALLA	PENDEKOLU	1	S/C	SINGLE ACSR MOOSE	10
961	APTRANSCO	220	NARSARAOPET	SATTENAPALLI	1	D/C	SINGLE ACSR MOOSE	20
962	APTRANSCO	220	NARSARAOPET	SATTENAPALLI	2	D/C	SINGLE ACSR MOOSE	20
963	APTRANSCO	220	NELLORE 220/132	ATMAKUR	1	D/C	SINGLE ACSR MOOSE	121
964	APTRANSCO	220	NELLORE 220/132	ATMAKUR	2	D/C	SINGLE ACSR MOOSE	121
965	APTRANSCO	220	NELLORE 220/132	NELLORE 400/220	1	D/C	SINGLE ACSR ZEBRA	40
966	APTRANSCO	220	NELLORE 220/132	NELLORE 400/220	2	D/C	SINGLE ACSR ZEBRA	40
967	APTRANSCO	220	NELLORE 220/132	NELLORE 400/220	3	D/C	SINGLE ACSR ZEBRA	40
968	APTRANSCO	220	NELLORE 220/132	RACHARLAPADU	1	S/C	SINGLE ACSR ZEBRA	35

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
969	APTRANSCO	220	NELLORE 400/220	RACHAGUNNERI	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	84
970	APTRANSCO	220	NELLORE 400/220	RACHAGUNNERI	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	84
971	APTRANSCO	220	NELLORE 400/220	SBQ	1	S/C	SINGLE ACSR MOOSE	17
972	APTRANSCO	220	NIDADAVOLU	KV KOTA 220/132	1	S/C	SINGLE ACSR ZEBRA	72
973	APTRANSCO	220	NIDADAVOLU	PALLANTLA	1	D/C	SINGLE ACSR ZEBRA	18
974	APTRANSCO	220	NIDADAVOLU	PALLANTLA	2	D/C	SINGLE ACSR ZEBRA	18
975	APTRANSCO	220	NUNNA	GUDIVADA	1	D/C	SINGLE ACSR ZEBRA	42
976	APTRANSCO	220	NUNNA	GUDIVADA	2	D/C	SINGLE ACSR ZEBRA	42
977	APTRANSCO	220	ONGOLE	GUNTUR	1	S/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	85
978	APTRANSCO	220	ONGOLE	PODILI 220/132	1	D/C	SINGLE ACSR ZEBRA	34
979	APTRANSCO	220	ONGOLE	PODILI 220/132	2	D/C	SINGLE ACSR ZEBRA	34
980	APTRANSCO	220	ONGOLE	RACHARLAPADU	1	S/C	SINGLE ACSR ZEBRA	105
981	APTRANSCO	220	PALAMANERU	KUPPAM	1	D/C	SINGLE ACSR MOOSE	66
982	APTRANSCO	220	PALAMANERU	KUPPAM	2	D/C	SINGLE ACSR MOOSE	66
983	APTRANSCO	220	PALAMANERU	MADANAPALLY	1	S/C	SINGLE ACSR MOOSE	60
984	APTRANSCO	220	PALLANTLA	PATTISEEMA	1	D/C	SINGLE ACSR MOOSE	38
985	APTRANSCO	220	PALLANTLA	PATTISEEMA	2	D/C	SINGLE ACSR MOOSE	38
986	APTRANSCO	220	PARAVADA	ANRAK	1	S/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	1
987	APTRANSCO	220	PARCHOOR	SATTENAPALLI	1	D/C	SINGLE ACSR MOOSE	54
988	APTRANSCO	220	PARCHOOR	SATTENAPALLI	2	D/C	SINGLE ACSR MOOSE	54
989	APTRANSCO	220	PEDDAPURAM	ANRAK	1	S/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	120
990	APTRANSCO	220	PEDDAPURAM	GIRIJA	1	D/C	SINGLE ACSR MOOSE	4
991	APTRANSCO	220	PEDDAPURAM	GIRIJA	2	D/C	SINGLE ACSR MOOSE	4

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
992	APTRANSCO	220	PEDDAPURAM	GMR BARGE	1	D/C	SINGLE ACSR ZEBRA	24
993	APTRANSCO	220	PEDDAPURAM	GMR BARGE	2	D/C	SINGLE ACSR ZEBRA	24
994	APTRANSCO	220	PEDDAPURAM	RELIANCE	1	D/C	SINGLE ACSR MOOSE	2
995	APTRANSCO	220	PEDDAPURAM	RELIANCE	2	D/C	SINGLE ACSR MOOSE	2
996	APTRANSCO	220	PENDURTHI	BD PALEM	1	D/C	SINGLE ACSR MOOSE	9
997	APTRANSCO	220	PENDURTHI	BD PALEM	2	D/C	SINGLE ACSR MOOSE	9
998	APTRANSCO	220	PENDURTHI	DAIRYFARM	1	D/C	SINGLE ACSR ZEBRA	15
999	APTRANSCO	220	PENDURTHI	DAIRYFARM	2	D/C	SINGLE ACSR MOOSE	15
1000	APTRANSCO	220	PENDURTHI	MARADAM	1	D/C	SINGLE ACSR MOOSE	83
1001	APTRANSCO	220	PENDURTHI	MARADAM	2	D/C	SINGLE ACSR MOOSE	88
1002	APTRANSCO	220	PENDURTHI	UPPER SILERU	1	S/C	SINGLE ACSR ZEBRA	1
1003	APTRANSCO	220	PODILI 220/132	MARKAPUR	1	S/C	SINGLE ACSR ZEBRA	74
1004	APTRANSCO	220	PODILI 220/132	NARSARAOPET	1	S/C	SINGLE ACSR MOOSE	91
1005	APTRANSCO	220	PODILI 220/132	PARCHOOR	1	D/C	SINGLE ACSR MOOSE	74
1006	APTRANSCO	220	PODILI 220/132	PARCHOOR	2	D/C	SINGLE ACSR MOOSE	74
1007	APTRANSCO	220	PODILI 220/132	PODILI 400/220	1	D/C	SINGLE ACSR MOOSE	8
1008	APTRANSCO	220	PODILI 220/132	PODILI 400/220	2	D/C	SINGLE ACSR MOOSE	8
1009	APTRANSCO	220	PODILI 400/220	KANDUKUR	1	D/C	SINGLE ACSR MOOSE	57
1010	APTRANSCO	220	PODILI 400/220	KANDUKUR	2	D/C	SINGLE ACSR MOOSE	57
1011	APTRANSCO	220	PORUMAMILA	KANDIMALAYAPALLI	1	D/C	SINGLE ACSR MOOSE	4
1012	APTRANSCO	220	PORUMAMILA	KANDIMALAYAPALLI	2	D/C	SINGLE ACSR MOOSE	4
1013	APTRANSCO	220	PULIVENDULA	GOLLAPURAM	1	D/C	SINGLE ACSR MOOSE	134
1014	APTRANSCO	220	PULIVENDULA	GOLLAPURAM	2	D/C	SINGLE ACSR MOOSE	134
1015	APTRANSCO	220	RACHAGUNNERI	NAIDUPETA	1	D/C	SINGLE ACSR MOOSE	30
1016	APTRANSCO	220	RACHAGUNNERI	NAIDUPETA	2	D/C	SINGLE ACSR MOOSE	30
1017	APTRANSCO	220	RAJAMPET	KODURU	1	S/C	SINGLE ACSR ZEBRA	54
1018	APTRANSCO	220	RAJAMPET	RAJAMPET_RT	1	S/C	SINGLE ACSR MOOSE	4
1019	APTRANSCO	220	RAMAGIRI	RAYALA-W	1	D/C	SINGLE ACSR MOOSE	45

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1020	APTRANSCO	220	RAMAGIRI	RAYALA-W	2	D/C	SINGLE ACSR MOOSE	45
1021	APTRANSCO	220	RAMAGIRI	SHAPURAM	1	S/C	SINGLE ACSR ZEBRA	58
1022	APTRANSCO	220	RAMPACHODAVARAM	BAVOJIPETA	1	S/C	SINGLE ACSR MOOSE	29
1023	APTRANSCO	220	REGULAPADU	SUZLON(VJKR)	1	S/C	SINGLE ACSR MOOSE	1
1024	APTRANSCO	220	RENIGUNTA	KODURU	1	S/C	SINGLE ACSR ZEBRA	34
1025	APTRANSCO	220	RENIGUNTA	NAGIRI	1	S/C	SINGLE ACSR ZEBRA	36
1026	APTRANSCO	220	RENIGUNTA	RACHAGUNNERI	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	21
1027	APTRANSCO	220	RENIGUNTA	RACHAGUNNERI	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	21
1028	APTRANSCO	220	RYTPP	PULIVENDULA	1	D/C	SINGLE ACSR MOOSE	41
1029	APTRANSCO	220	RYTPP	PULIVENDULA	2	D/C	SINGLE ACSR MOOSE	41
1030	APTRANSCO	220	RYTPP	THIMAPURAM	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	48
1031	APTRANSCO	220	RYTPP	THIMAPURAM	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	48
1032	APTRANSCO	220	RYTPP	YERRAGUNTLA	1	D/C	SINGLE ACSR ZEBRA	16
1033	APTRANSCO	220	RYTPP	YERRAGUNTLA	2	D/C	SINGLE ACSR ZEBRA	16
1034	APTRANSCO	220	SARADA	BD PALEM	1	D/C	SINGLE ACSR MOOSE	10
1035	APTRANSCO	220	SARADA	BD PALEM	2	D/C	SINGLE ACSR MOOSE	10
1036	APTRANSCO	220	SATTENAPALLI	GUNTUR	1	D/C	SINGLE ACSR MOOSE	48
1037	APTRANSCO	220	SATTENAPALLI	GUNTUR	2	D/C	SINGLE ACSR MOOSE	48
1038	APTRANSCO	220	SHAPURAM	BOKSAMPALLI	1	D/C	SINGLE ACSR MOOSE	8
1039	APTRANSCO	220	SHAPURAM	BOKSAMPALLI	2	D/C	SINGLE ACSR MOOSE	8
1040	APTRANSCO	220	SHAPURAM	SUBARAYANAPALI	1	S/C	SINGLE ACSR MOOSE	10
1041	APTRANSCO	220	SOMAYAJULAPALLI	BILAKALAGUDUR	1	S/C	SINGLE ACSR ZEBRA	40
1042	APTRANSCO	220	SOMAYAJULAPALLI	DHONE	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	43

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1043	APTRANSCO	220	SOMAYAJULAPALLI	DHONE	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	43
1044	APTRANSCO	220	SOMAYAJULAPALLI	GANI	1	D/C	SINGLE ACSR MOOSE	17
1045	APTRANSCO	220	SOMAYAJULAPALLI	GANI	2	D/C	SINGLE ACSR MOOSE	17
1046	APTRANSCO	220	SOMAYAJULAPALLI	KURNOOL	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	22
1047	APTRANSCO	220	SOMAYAJULAPALLI	KURNOOL	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	22
1048	APTRANSCO	220	SOMAYAJULAPALLI	NANDYAL	1	D/C	SINGLE ACSR ZEBRA	35
1049	APTRANSCO	220	SOMAYAJULAPALLI	NANDYAL	2	D/C	SINGLE ACSR ZEBRA	35
1050	APTRANSCO	220	SOMAYAJULAPALLI	RANGAPURAM	1	S/C	SINGLE ACSR MOOSE	26
1051	APTRANSCO	220	SPECTRUM	KAKINADA	1	D/C	SINGLE ACSR ZEBRA	10
1052	APTRANSCO	220	SPECTRUM	KAKINADA	2	D/C	SINGLE ACSR ZEBRA	10
1053	APTRANSCO	220	SRISAILAM RB	BILAKALAGUDUR	1	S/C	SINGLE ACSR ZEBRA	78
1054	APTRANSCO	220	SRISAILAM RB	MARKAPUR	1	S/C	SINGLE ACSR ZEBRA	80
1055	APTRANSCO	220	SRISAILAM RB	MYDUKUR	1	S/C	SINGLE ACSR DEER	166
1056	APTRANSCO	220	SRISAILAM RB	PODILI 220/132	1	S/C	SINGLE ACSR ZEBRA	102
1057	APTRANSCO	220	SRISAILAM RB	SOMAYAJULAPALLI	1	S/C	SINGLE ACSR ZEBRA	102
1058	APTRANSCO	220	SRISAILAM RB	TALLAPALLI	1	D/C	SINGLE ACSR ZEBRA	100
1059	APTRANSCO	220	SRISAILAM RB	TALLAPALLI	2	D/C	SINGLE ACSR ZEBRA	100
1060	APTRANSCO	220	SUBARAYANAPALI	AMMAVARIPALLI	1	S/C	SINGLE ACSR MOOSE	11
1061	APTRANSCO	220	SUBARAYANAPALI	KIA MOTORS	1	S/C	SINGLE ACSR MOOSE	13
1062	APTRANSCO	220	SULURPET	NELLORE 400/220	1	D/C	SINGLE ACSR ZEBRA	84
1063	APTRANSCO	220	SULURPET	NELLORE 400/220	2	D/C	SINGLE ACSR MOOSE	84
1064	APTRANSCO	220	SULURPET	NELLORE 400/220	3	D/C	SINGLE ACSR MOOSE	84
1065	APTRANSCO	220	SUZLON(VJKR)	VAJRAKARUR	1	S/C	TWIN ACSR MOOSE	5
1066	APTRANSCO	220	TADIKONDA	GUNTUR	1	S/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	32

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1067	APTRANSCO	220	TADIKONDA	VTPS	1	D/C	SINGLE ACSR ZEBRA	24
1068	APTRANSCO	220	TADIKONDA	VTPS	2	D/C	SINGLE ACSR ZEBRA	24
1069	APTRANSCO	220	TADIPATHRI	RCI-W	1	S/C	SINGLE ACSR MOOSE	26
1070	APTRANSCO	220	TALARICHERVU	TALRCHERVPS2	1	D/C	SINGLE ACSR MOOSE	1
1071	APTRANSCO	220	TALARICHERVU	TALRCHERVPS2	2	D/C	SINGLE ACSR MOOSE	1
1072	APTRANSCO	220	TALARICHERVU	TALRICHERPS1	1	D/C	SINGLE ACSR MOOSE	4
1073	APTRANSCO	220	TALARICHERVU	TALRICHERPS1	2	D/C	SINGLE ACSR MOOSE	4
1074	APTRANSCO	220	TALLAPALLI	RENTACHINTHALA	2	S/C	SINGLE ACSR ZEBRA	14
1075	APTRANSCO	220	TALLAPALLI	VTPS	1	D/C	SINGLE ACSR ZEBRA	133
1076	APTRANSCO	220	TALLAPALLI	VTPS	2	D/C	SINGLE ACSR ZEBRA	120
1077	APTRANSCO	220	TALLAPALLI	VTPS	3	D/C	SINGLE ACSR ZEBRA	133
1078	APTRANSCO	220	THIMAPURAM	KONDAPURAM	1	D/C	SINGLE ACSR MOOSE	10
1079	APTRANSCO	220	THIMAPURAM	KONDAPURAM	2	D/C	SINGLE ACSR MOOSE	10
1080	APTRANSCO	220	THIMAPURAM	YELLANUR	1	D/C	SINGLE ACSR MOOSE	8
1081	APTRANSCO	220	THIMAPURAM	YELLANUR	2	D/C	SINGLE ACSR MOOSE	8
1082	APTRANSCO	220	UNDI	DUVVA	1	S/C	SINGLE ACSR ZEBRA	33
1083	APTRANSCO	220	URAVAKONDA	AMIDYALA	1	D/C	SINGLE ACSR MOOSE	5
1084	APTRANSCO	220	URAVAKONDA	AMIDYALA	2	D/C	SINGLE ACSR MOOSE	5
1085	APTRANSCO	220	URAVAKONDA	BELUGUPA	1	D/C	SINGLE ACSR MOOSE	5
1086	APTRANSCO	220	URAVAKONDA	BELUGUPA	2	D/C	SINGLE ACSR MOOSE	5
1087	APTRANSCO	220	URAVAKONDA	BORAMPALLI	1	D/C	TWIN ACSR MOOSE	55
1088	APTRANSCO	220	URAVAKONDA	BORAMPALLI	2	D/C	TWIN ACSR MOOSE	55
1089	APTRANSCO	220	URAVAKONDA	BORAMPALLI	3	D/C	SINGLE ACSR MOOSE	55
1090	APTRANSCO	220	URAVAKONDA	BORAMPALLI	4	D/C	SINGLE ACSR MOOSE	55
1091	APTRANSCO	220	URAVAKONDA	IPPERU	1	D/C	SINGLE ACSR MOOSE	22
1092	APTRANSCO	220	URAVAKONDA	IPPERU	2	D/C	SINGLE ACSR MOOSE	22
1093	APTRANSCO	220	URAVAKONDA	NIMBAGALLU	1	D/C	SINGLE ACSR MOOSE	5
1094	APTRANSCO	220	URAVAKONDA	NIMBAGALLU	2	D/C	SINGLE ACSR MOOSE	5

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1095	APTRANSCO	220	URAVAKONDA	VAJRAKARUR	1	D/C	TWIN ACSR MOOSE	32
1096	APTRANSCO	220	URAVAKONDA	VAJRAKARUR	2	D/C	TWIN ACSR MOOSE	32
1097	APTRANSCO	220	VEMAGIRI	DUVVA	1	S/C	SINGLE ACSR ZEBRA	30
1098	APTRANSCO	220	VEMAGIRI	PEDDAPURAM	1	D/C	SINGLE ACSR ZEBRA	41
1099	APTRANSCO	220	VEMAGIRI	PEDDAPURAM	2	D/C	SINGLE ACSR ZEBRA	41
1100	APTRANSCO	220	VEMAGIRI	UNDI	1	S/C	SINGLE ACSR ZEBRA	63
1101	APTRANSCO	220	VGTPS-II	NIDADAVOLU	1	D/C	SINGLE ACSR ZEBRA	6
1102	APTRANSCO	220	VGTPS-II	NIDADAVOLU	2	D/C	SINGLE ACSR ZEBRA	6
1103	APTRANSCO	220	VGTPS-II	VEMAGIRI	1	S/C	SINGLE ACSR ZEBRA	17
1104	APTRANSCO	220	VIZAG STEEL	VIZAG SWS	1	D/C	SINGLE ACSR MOOSE	3
1105	APTRANSCO	220	VIZAG STEEL	VIZAG SWS	2	D/C	SINGLE ACSR MOOSE	3
1106	APTRANSCO	220	VIZAG SWS	GANGAVARAM	2	S/C	SINGLE ACSR ZEBRA	9
1107	APTRANSCO	220	VIZAG SWS	KAKINADA	1	S/C	SINGLE ACSR ZEBRA	201
1108	APTRANSCO	220	VIZAG SWS	KALPAKKA	1	D/C	SINGLE ACSR ZEBRA	3
1109	APTRANSCO	220	VIZAG SWS	KALPAKKA	2	D/C	SINGLE ACSR ZEBRA	3
1110	APTRANSCO	220	VIZAG SWS	PARAVADA	1	S/C	SINGLE ACSR ZEBRA	6
1111	APTRANSCO	220	VIZAG SWS	PENDURTHI	1	D/C	SINGLE ACSR ZEBRA	43
1112	APTRANSCO	220	VIZAG SWS	PENDURTHI	2	D/C	SINGLE ACSR ZEBRA	43
1113	APTRANSCO	220	VTPS	CHILLAKALLU	1	D/C	SINGLE ACSR MOOSE	66
1114	APTRANSCO	220	VTPS	CHILLAKALLU	2	D/C	SINGLE ACSR MOOSE	66
1115	APTRANSCO	220	VTPS	NARSARAOPET	1	S/C	SINGLE ACSR MOOSE	68
1116	APTRANSCO	220	VTPS	NUZVID	1	S/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	73
1117	APTRANSCO	220	VTPS	PODILI 220/132	1	S/C	SINGLE ACSR MOOSE	147
1118	APTRANSCO	220	VTPS	RENTACHINTHALA	2	S/C	SINGLE ACSR ZEBRA	118
1119	APTRANSCO	220	YELLANUR	GADDAMVARIPALLI	1	D/C	SINGLE ACSR MOOSE	27
1120	APTRANSCO	220	YELLANUR	GADDAMVARIPALLI	2	D/C	SINGLE ACSR MOOSE	27

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1121	APTRANSCO+KPTCL	220	REGULAPADU	ALIPUR	1	S/C	SINGLE ACSR DRAKE	58
1122	APTRANSCO+OPTCL	220	BALIMELA	UPPER SILERU	1	S/C	SINGLE ACSR ZEBRA	25
1123	APTRANSCO+TANTRANSCO	220	CHITTOOR 220/132	THIRUVALAM 230/110	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR DEER	29
1124	APTRANSCO+TANTRANSCO	220	SULURPET	GUMMIDIPOONDI	1	S/C	SINGLE ACSR KUNDAH + SINGLE ACSR ZEBRA	49
1125	APTRANSCO+TSTRANSCO	220	BRAHMANAKOTKUR	WANAPARTHY	1	S/C	SINGLE ACSR MOOSE	98
1126	APTRANSCO+TSTRANSCO	220	CHILLAKALLU	PULICHINTALA	1	S/C	SINGLE ACSR MOOSE	82
1127	APTRANSCO+TSTRANSCO	220	CHILLAKALLU	SURYAPET	1	S/C	SINGLE ACSR MOOSE	66
1128	APTRANSCO+TSTRANSCO	220	LOWER SILERU	BGKOTHUR	1	S/C	SINGLE ACSR ZEBRA	119
1129	APTRANSCO+TSTRANSCO	220	NUNNA	KTPS-ABC	1	S/C	SINGLE ACSR ZEBRA	124
1130	APTRANSCO+TSTRANSCO	220	SRISAILAM RB	DINDI	2	S/C	SINGLE ACSR ZEBRA	80
1131	APTRANSCO+TSTRANSCO	220	SRISAILAM RB	DOMALAPENTA	1	S/C	SINGLE ACSR MOOSE	2
1132	APTRANSCO+TSTRANSCO	220	SRISAILAM RB	NSAGAR	1	S/C	SINGLE ACSR DEER	82
1133	APTRANSCO+TSTRANSCO	220	TALLAPALLI	CHALAKURTHY	1	S/C	SINGLE ACSR ZEBRA	34
1134	APTRANSCO+TSTRANSCO	220	TALLAPALLI	NSAGAR	1	D/C	TWIN ACSR MOOSE	12

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1135	APTRANSCO+TSTRANSCO	220	TALLAPALLI	NSAGAR	2	D/C	TWIN ACSR MOOSE	12
1136	APTRANSCO+TSTRANSCO	220	TALLAPALLI	NSAGAR	3	D/C	SINGLE ACSR ZEBRA	12
1137	KPTCL	220	ALIPUR	BALLARY TPS	1	D/C	SINGLE ACSR DRAKE	27
1138	KPTCL	220	ALMATTI	BAGALKOT	1	D/C	SINGLE ACSR DRAKE	46
1139	KPTCL	220	ALMATTI	BAGALKOT	2	D/C	SINGLE ACSR DRAKE	46
1140	KPTCL	220	ALMATTI	BB WADI	1	D/C	SINGLE ACSR DRAKE	34
1141	KPTCL	220	ALMATTI	BB WADI	2	D/C	SINGLE ACSR DRAKE	34
1142	KPTCL	220	AMBEWADI	NAGJHERI	1	D/C	SINGLE ACSR DRAKE	27
1143	KPTCL	220	AMBEWADI	NAGJHERI	2	D/C	SINGLE ACSR DRAKE	27
1144	KPTCL	220	AMBEWADI	NARENDRA-KP	1	D/C	SINGLE ACSR DRAKE	54
1145	KPTCL	220	AMBEWADI	NARENDRA-KP	2	D/C	SINGLE ACSR DRAKE	54
1146	KPTCL	220	AMBEWADI	PONDA	1	D/C	SINGLE ACSR DRAKE	108
1147	KPTCL	220	AMBEWADI	XELDEM	2	D/C	SINGLE ACSR DRAKE	108
1148	KPTCL	220	ANCHEPALYA	MAGADI	1	D/C	SINGLE ACSR DRAKE	24
1149	KPTCL	220	ANCHEPALYA	NELAMANGALA	2	D/C	SINGLE ACSR DRAKE	37
1150	KPTCL	220	ANTHARASANAHALLI	NELAMANGALA	1	D/C	SINGLE ACSR DRAKE	53
1151	KPTCL	220	ANTHARASANAHALLI	SHIMOGA	1	D/C	SINGLE ACSR DRAKE	200
1152	KPTCL	220	ANTHARASANAHALLI	TUMKUR-PG	1	D/C	SINGLE AAAC MOOSE	19
1153	KPTCL	220	ANTHARASANAHALLI	TUMKUR-PG	2	D/C	SINGLE AAAC MOOSE	19
1154	KPTCL	220	ASTATION	EDC	1	S/C	1000SQMM UGC	4
1155	KPTCL	220	ATHANI	KAKAMARI	1	D/C	SINGLE ACSR DRAKE	0
1156	KPTCL	220	ATHANI	KUDACHI	1	D/C	SINGLE ACSR DRAKE	39
1157	KPTCL	220	ATHANI	MAHALINGAPUR	1	D/C	SINGLE ACSR DRAKE	56
1158	KPTCL	220	BAGALKOT	GADAG	1	D/C	SINGLE ACSR DRAKE	97
1159	KPTCL	220	BAGALKOT	GADAG	2	D/C	SINGLE ACSR DRAKE	97
1160	KPTCL	220	BAGALKOT	VAJRAMATTI	1	D/C	SINGLE ACSR DRAKE	31

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1161	KPTCL	220	BAGALKOT	VAJRAMATTI	2	D/C	SINGLE ACSR DRAKE	31
1162	KPTCL	220	BALLARY TPS	LINGAPUR	1	D/C	SINGLE ACSR DRAKE	66
1163	KPTCL	220	BB WADI	ATRIA	1	D/C	SINGLE ACSR DRAKE	0
1164	KPTCL	220	BB WADI	BALUTI	1	D/C	SINGLE ACSR DRAKE	40
1165	KPTCL	220	BB WADI	BALUTI	2	D/C	SINGLE ACSR DRAKE	40
1166	KPTCL	220	BB WADI	FORTUNE FIVE	1	D/C	SINGLE ACSR DRAKE	0
1167	KPTCL	220	BB WADI	LINGSUGUR	1	D/C	SINGLE ACSR DRAKE	80
1168	KPTCL	220	BB WADI	LINGSUGUR	2	D/C	SINGLE ACSR DRAKE	80
1169	KPTCL	220	BB WADI	NANDIHAL	1	D/C	SINGLE ACSR DRAKE	7
1170	KPTCL	220	BB WADI	NANDIHAL	2	D/C	SINGLE ACSR DRAKE	7
1171	KPTCL	220	BB WADI	RBRK	1	D/C	SINGLE ACSR DRAKE	0
1172	KPTCL	220	BEERANAHALLI	HIRIYUR	1	D/C	SINGLE ACSR DRAKE	16
1173	KPTCL	220	BEERANAHALLI	THALAK	1	D/C	SINGLE ACSR DRAKE	69
1174	KPTCL	220	BEGUR	DB PURA	1	D/C	SINGLE ACSR DRAKE	19
1175	KPTCL	220	BEGUR	HOODY	1	D/C	SINGLE ACSR DRAKE	17
1176	KPTCL	220	BEGUR	HW PARK	1	D/C	SINGLE ACSR DRAKE	9
1177	KPTCL	220	BEGUR	HW PARK	2	D/C	SINGLE ACSR DRAKE	9
1178	KPTCL	220	BELAGAVI	INDAL	1	D/C	SINGLE ACSR DRAKE	30
1179	KPTCL	220	BELAGAVI	INDAL	2	D/C	SINGLE ACSR DRAKE	30
1180	KPTCL	220	BELAGAVI	KANABARGI	1	D/C	SINGLE ACSR DRAKE	6
1181	KPTCL	220	BELAGAVI	KANABARGI	2	D/C	SINGLE ACSR DRAKE	6
1182	KPTCL	220	BIDADI-KP	BIDADI	1	D/C	SINGLE AAAC MOOSE	4
1183	KPTCL	220	BIDADI-KP	BIDADI	2	D/C	SINGLE AAAC MOOSE	4
1184	KPTCL	220	BIDADI-KP	SOMANAHALLI-KP	1	D/C	SINGLE ACSR DRAKE	16
1185	KPTCL	220	BIDADI-KP	SOMANAHALLI-KP	2	D/C	SINGLE ACSR DRAKE	16
1186	KPTCL	220	BIDADI-KP	TOYOTA	1	D/C	SINGLE ACSR DRAKE	1
1187	KPTCL	220	BIDADI-KP	TOYOTA	2	D/C	SINGLE ACSR DRAKE	1
1188	KPTCL	220	BIDNAL	HARTHI	1	D/C	SINGLE ACSR DRAKE	49

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1189	KPTCL	220	BIDNAL	HARTHI	2	D/C	SINGLE ACSR DRAKE	49
1190	KPTCL	220	BIDNAL	HAVERI	1	D/C	SINGLE ACSR DRAKE	70
1191	KPTCL	220	BIDNAL	HUBLI	1	D/C	SINGLE ACSR DRAKE	5
1192	KPTCL	220	BIDNAL	HUBLI	2	D/C	SINGLE ACSR DRAKE	5
1193	KPTCL	220	BIDNAL	NAGJHERI	2	D/C	SINGLE ACSR DRAKE	69
1194	KPTCL	220	BIDNAL	NARENDRA-KP	1	D/C	SINGLE ACSR DRAKE	58
1195	KPTCL	220	BIDNAL	SAVADATTI	1	D/C	SINGLE ACSR DRAKE	56
1196	KPTCL	220	BIDNAL	TADAS	1	D/C	SINGLE ACSR DRAKE	0
1197	KPTCL	220	BIJAPUR	INDI	1	D/C	SINGLE ACSR DRAKE	50
1198	KPTCL	220	BIJAPUR	INDI	2	D/C	SINGLE ACSR DRAKE	50
1199	KPTCL	220	BIJAPUR	NANDIHAL	1	D/C	SINGLE ACSR DRAKE	33
1200	KPTCL	220	BIJAPUR	NANDIHAL	2	D/C	SINGLE ACSR DRAKE	33
1201	KPTCL	220	BIJAPUR	VAISHALI	1	D/C	SINGLE ACSR DRAKE	0
1202	KPTCL	220	C R PATNA	KRPET	1	D/C	SINGLE ACSR DRAKE	68
1203	KPTCL	220	C R PATNA	SHANTHIGRAMA	1	D/C	SINGLE ACSR DRAKE	32
1204	KPTCL	220	CHAMRAJNAGAR	BEGUR	1	D/C	SINGLE ACSR DRAKE	39
1205	KPTCL	220	CHAMRAJNAGAR	BEGUR	2	D/C	SINGLE ACSR DRAKE	39
1206	KPTCL	220	CHAMRAJNAGAR	MADHUVANAHALLI	1	D/C	SINGLE ACSR DRAKE	41
1207	KPTCL	220	CHAMRAJNAGAR	MADHUVANAHALLI	2	D/C	SINGLE ACSR DRAKE	41
1208	KPTCL	220	CHIKKAMAGALURU	HASSAN	1	D/C	SINGLE ACSR DRAKE	85
1209	KPTCL	220	CHIKKAMAGALURU	SHIMOGA	1	D/C	SINGLE ACSR DRAKE	124
1210	KPTCL	220	CHIKODI	BELAGAVI	1	D/C	SINGLE ACSR DRAKE	96
1211	KPTCL	220	CHIKODI	BELAGAVI	2	D/C	SINGLE ACSR DRAKE	96
1212	KPTCL	220	CHIKODI	KUDACHI	1	D/C	SINGLE ACSR DRAKE	35
1213	KPTCL	220	CHIKODI	MUGHALKHOD	1	D/C	SINGLE ACSR DRAKE	26
1214	KPTCL	220	CHITRADURGA	GUTTUR	1	D/C	SINGLE ACSR DRAKE	85
1215	KPTCL	220	CHITRADURGA	JAGALUR	1	D/C	SINGLE ACSR DRAKE	36
1216	KPTCL	220	CHITRADURGA	JAGALUR	2	D/C	SINGLE ACSR DRAKE	36

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1217	KPTCL	220	CHITRADURGA	THALAK	1	D/C	SINGLE ACSR DRAKE	65
1218	KPTCL	220	DB PURA	KIADB-DBPURA	1	D/C	SINGLE ACSR DRAKE	7
1219	KPTCL	220	DB PURA	NELAMANGALA	1	D/C	SINGLE ACSR DRAKE	36
1220	KPTCL	220	DB PURA	NELAMANGALA	2	D/C	SINGLE ACSR DRAKE	36
1221	KPTCL	220	DOBBASPET	KADUR	1	D/C	SINGLE ACSR DRAKE	135
1222	KPTCL	220	DOBBASPET	NELAMANGALA	1	D/C	SINGLE ACSR DRAKE	23
1223	KPTCL	220	DONI	KOPAL	1	D/C	SINGLE ACSR DRAKE	56
1224	KPTCL	220	DONI	KOPAL	2	D/C	SINGLE ACSR DRAKE	56
1225	KPTCL	220	EDC	NIMHANS	1	S/C	1000SQMM UGC	5
1226	KPTCL	220	EPIP	EPIP	1	D/C	SINGLE ACSR DRAKE	0
1227	KPTCL	220	GADAG	DONI	1	D/C	SINGLE ACSR DRAKE	30
1228	KPTCL	220	GADAG	DONI	2	D/C	SINGLE ACSR DRAKE	30
1229	KPTCL	220	GADAG	HARTHI	1	D/C	SINGLE ACSR DRAKE	9
1230	KPTCL	220	GADAG	HARTHI	2	D/C	SINGLE ACSR DRAKE	9
1231	KPTCL	220	GAURIBIDANUR	BEERANAHALLI	1	D/C	SINGLE ACSR DRAKE	124
1232	KPTCL	220	GAURIBIDANUR	BEERANAHALLI	2	D/C	SINGLE ACSR DRAKE	124
1233	KPTCL	220	GAURIBIDANUR	KIADB-DBPURA	1	D/C	SINGLE ACSR DRAKE	35
1234	KPTCL	220	GAURIBIDANUR	MADHUGIRI	1	D/C	SINGLE ACSR DRAKE	42
1235	KPTCL	220	GAURIBIDANUR	MITTEMARI	1	D/C	SINGLE ACSR DRAKE	46
1236	KPTCL	220	GAURIBIDANUR	MITTEMARI	2	D/C	SINGLE ACSR DRAKE	46
1237	KPTCL	220	GERUSOPPA	TALAGUPPA	1	D/C	SINGLE ACSR DRAKE	38
1238	KPTCL	220	GHATPRABHA	MUGHALKHOD	1	D/C	SINGLE ACSR DRAKE	16
1239	KPTCL	220	GOPALPURA	HN PURA	1	D/C	SINGLE ACSR DRAKE	9
1240	KPTCL	220	GOPALPURA	HN PURA	2	D/C	SINGLE ACSR DRAKE	9
1241	KPTCL	220	GOPALPURA	MYSORE	1	D/C	SINGLE ACSR DRAKE	25
1242	KPTCL	220	GOPALPURA	SHANTHIGRAMA	1	D/C	SINGLE ACSR DRAKE	35
1243	KPTCL	220	GOPALPURA	SUZLON_GOPAL	1	D/C	SINGLE ACSR DRAKE	0
1244	KPTCL	220	GUTTUR	DAVANGERE	1	D/C	SINGLE ACSR DRAKE	20

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1245	KPTCL	220	GUTTUR	DAVANGERE	2	D/C	SINGLE ACSR DRAKE	23
1246	KPTCL	220	GUTTUR	DAVANGERE	3	D/C	SINGLE ACSR DRAKE	40
1247	KPTCL	220	GUTTUR	HAVERI	1	D/C	SINGLE ACSR DRAKE	76
1248	KPTCL	220	GUTTUR	HAVERI	2	D/C	SINGLE ACSR DRAKE	76
1249	KPTCL	220	GUTTUR	NEELAGUNDA	1	D/C	SINGLE ACSR DRAKE	34
1250	KPTCL	220	GUTTUR	RANEBENNUR	1	D/C	SINGLE ACSR DRAKE	40
1251	KPTCL	220	GUTTUR	SARJAN	1	D/C	SINGLE ACSR DRAKE	0
1252	KPTCL	220	GUTTUR	VISH	1	D/C	SINGLE ACSR DRAKE	0
1253	KPTCL	220	HAL	EDC	1	D/C	1000SQMM UGC	9
1254	KPTCL	220	HAROHALLI	KANKAPURA	1	D/C	SINGLE ACSR DRAKE	38
1255	KPTCL	220	HAROHALLI	SOMANAHALLI-KP	1	D/C	SINGLE ACSR DRAKE	17
1256	KPTCL	220	HARTHI	AMPLUS	1	D/C	SINGLE ACSR DRAKE	0
1257	KPTCL	220	HARTHI	HARTI_WIND	1	D/C	SINGLE ACSR DRAKE	0
1258	KPTCL	220	HASSAN	SHIMOGA	1	D/C	SINGLE ACSR DRAKE	145
1259	KPTCL	220	HEBBAL	CPRI	1	D/C	SINGLE ACSR DRAKE	5
1260	KPTCL	220	HEBBAL	MANYATA	1	D/C	SINGLE ACSR DRAKE	6
1261	KPTCL	220	HIRIYUR	AZURE	1	D/C	SINGLE ACSR DRAKE	0
1262	KPTCL	220	HIRIYUR	ENERCON	1	D/C	SINGLE ACSR DRAKE	0
1263	KPTCL	220	HIRIYUR	MADHUGIRI	1	D/C	SINGLE ACSR DRAKE	83
1264	KPTCL	220	HONNALI	DAVANGERE	1	D/C	SINGLE ACSR DRAKE	49
1265	KPTCL	220	HONNALI	SHIMOGA	1	D/C	SINGLE ACSR DRAKE	50
1266	KPTCL	220	HONNALI	SUZLON_HONN	1	D/C	SINGLE ACSR DRAKE	0
1267	KPTCL	220	HOODY	EPIP	1	D/C	SINGLE ACSR DRAKE	9
1268	KPTCL	220	HOODY	HAL	1	D/C	SINGLE AAAC MOOSE	9
1269	KPTCL	220	HOODY	HAL	2	D/C	SINGLE AAAC MOOSE	9
1270	KPTCL	220	HOODY	HOSKOTE	1	D/C	SINGLE ACSR DRAKE	20
1271	KPTCL	220	HOODY	HSR	1	D/C	SINGLE ACSR DRAKE	15

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1272	KPTCL	220	HOODY	ITI	1	D/C	SINGLE ACSR DRAKE + 1000SQMM UGC	6
1273	KPTCL	220	HOODY	ITPL	1	D/C	SINGLE ACSR DRAKE	4
1274	KPTCL	220	HOODY	MANYATA	1	D/C	SINGLE ACSR DRAKE	15
1275	KPTCL	220	HOODY	RAILWAYS	1	D/C	SINGLE ACSR DRAKE	4
1276	KPTCL	220	HOODY	RAILWAYS	2	D/C	SINGLE ACSR DRAKE	4
1277	KPTCL	220	HOOTAGALLY	MYSORE	1	D/C	SINGLE ACSR DRAKE	6
1278	KPTCL	220	HOOTAGALLY	MYSORE	2	D/C	SINGLE ACSR DRAKE	6
1279	KPTCL	220	HOOTAGALLY	VAJAMANGALA	1	D/C	SINGLE ACSR DRAKE	19
1280	KPTCL	220	HOSKOTE	HW PARK	1	D/C	SINGLE ACSR DRAKE	20
1281	KPTCL	220	HOSKOTE	HW PARK	2	D/C	SINGLE ACSR DRAKE	20
1282	KPTCL	220	HOSKOTE	MALUR	1	D/C	SINGLE ACSR DRAKE	35
1283	KPTCL	220	HSR	EPIP	1	D/C	SINGLE ACSR DRAKE	13
1284	KPTCL	220	HSR	KORAMANGALA	1	S/C	1000SQMM UGC	9
1285	KPTCL	220	HSR	NAGNATHPURA	1	D/C	SINGLE ACSR DRAKE	4
1286	KPTCL	220	HSR	SOMANAHALLI	1	D/C	SINGLE ACSR DRAKE	24
1287	KPTCL	220	HUBLI	NAGJHERI	1	D/C	SINGLE ACSR DRAKE	65
1288	KPTCL	220	HUBLI	NAGJHERI	2	D/C	SINGLE ACSR DRAKE	65
1289	KPTCL	220	HUBLI	NAGJHERI	3	D/C	SINGLE ACSR DRAKE	69
1290	KPTCL	220	HUBLI	NARENDRA-KP	1	D/C	SINGLE ACSR DRAKE	39
1291	KPTCL	220	HUBLI	NARENDRA-KP	2	D/C	SINGLE ACSR DRAKE	39
1292	KPTCL	220	HUBLI	SIRSI	1	D/C	SINGLE ACSR DRAKE	86
1293	KPTCL	220	HUBLI	SIRSI	2	D/C	SINGLE ACSR DRAKE	86
1294	KPTCL	220	HUMNABAD	HALBURGA	1	D/C	SINGLE ACSR DRAKE	80
1295	KPTCL	220	HUMNABAD	HALBURGA	2	D/C	SINGLE ACSR DRAKE	80
1296	KPTCL	220	HW PARK	DEVANAHALLI	1	D/C	SINGLE ACSR DRAKE	5
1297	KPTCL	220	HW PARK	DEVANAHALLI	2	D/C	SINGLE ACSR DRAKE	5
1298	KPTCL	220	INDI	GMNAVAR_INDI	1	D/C	SINGLE ACSR DRAKE	0

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1299	KPTCL	220	ISPAT	ITAGI	1	D/C	SINGLE ACSR DRAKE	40
1300	KPTCL	220	ISPAT	LINGAPUR	1	D/C	SINGLE ACSR DRAKE	19
1301	KPTCL	220	ITAGI	EMBASSY	1	D/C	SINGLE ACSR DRAKE	0
1302	KPTCL	220	ITAGI	HARKANALU	1	D/C	SINGLE ACSR DRAKE	0
1303	KPTCL	220	ITAGI	NEELAGUNDA	1	D/C	SINGLE ACSR DRAKE	40
1304	KPTCL	220	ITPL	EPIP	1	D/C	SINGLE ACSR DRAKE	4
1305	KPTCL	220	JAGALUR	KUDLIGI	1	D/C	SINGLE ACSR DRAKE	42
1306	KPTCL	220	JAGALUR	KUDLIGI	2	D/C	SINGLE ACSR DRAKE	42
1307	KPTCL	220	JIGANI	SOMANAHALLI	1	D/C	SINGLE ACSR DRAKE	30
1308	KPTCL	220	JSW	LINGAPUR	1	D/C	SINGLE ACSR DRAKE	44
1309	KPTCL	220	JSW	LINGAPUR	2	D/C	SINGLE ACSR DRAKE	44
1310	KPTCL	220	KADAKOLA	BEGUR	1	D/C	SINGLE ACSR DRAKE	49
1311	KPTCL	220	KADAKOLA	BEGUR	2	D/C	SINGLE ACSR DRAKE	49
1312	KPTCL	220	KADAKOLA	HOOTAGALLY	1	D/C	SINGLE ACSR DRAKE	28
1313	KPTCL	220	KADAKOLA	MYSORE	1	D/C	SINGLE ACSR DRAKE	28
1314	KPTCL	220	KADAKOLA	MYSORE	2	D/C	SINGLE ACSR DRAKE	28
1315	KPTCL	220	KADRA	KAIGA	1	D/C	SINGLE ACSR DRAKE	13
1316	KPTCL	220	KADRA	KARWAR	1	D/C	SINGLE ACSR DRAKE	28
1317	KPTCL	220	KADRA	KARWAR	2	D/C	SINGLE ACSR DRAKE	28
1318	KPTCL	220	KADRA	KODSALLI	1	D/C	SINGLE ACSR DRAKE	28
1319	KPTCL	220	KADUR	SHIMOGA	1	D/C	SINGLE ACSR DRAKE	70
1320	KPTCL	220	KANABARGI	DHARANAHATTI	1	D/C	SINGLE ACSR DRAKE	0
1321	KPTCL	220	KANABARGI	NARENDRA-KP	1	D/C	SINGLE ACSR DRAKE	65
1322	KPTCL	220	KANABARGI	NARENDRA-KP	2	D/C	SINGLE ACSR DRAKE	65
1323	KPTCL	220	KANKAPURA	TK HALLI	1	D/C	SINGLE ACSR DRAKE	36
1324	KPTCL	220	KAPNOOR	HUMNABAD	1	D/C	SINGLE ACSR DRAKE	85
1325	KPTCL	220	KAPNOOR	HUMNABAD	2	D/C	SINGLE ACSR DRAKE	85
1326	KPTCL	220	KAVOOR	MSEZ	1	D/C	SINGLE ACSR DRAKE	8

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1327	KPTCL	220	KAVOOR	MSEZ	2	D/C	SINGLE ACSR DRAKE	8
1328	KPTCL	220	KB CROSS	NELAMANGALA	1	D/C	SINGLE ACSR DRAKE	89
1329	KPTCL	220	KB CROSS	SHIMOGA	1	D/C	SINGLE ACSR DRAKE	160
1330	KPTCL	220	KEMAR	HEGGUNJE	3	D/C	SINGLE AAAC MOOSE	43
1331	KPTCL	220	KEMAR	KAVOOR	1	D/C	SINGLE ACSR DRAKE	40
1332	KPTCL	220	KEMAR	MSEZ	1	D/C	SINGLE ACSR DRAKE	46
1333	KPTCL	220	KEMAR	MSEZ	2	D/C	SINGLE ACSR DRAKE	46
1334	KPTCL	220	KEMAR	PUTTUR	1	D/C	SINGLE ACSR DRAKE	76
1335	KPTCL	220	KEMAR	PUTTUR	2	D/C	SINGLE ACSR DRAKE	76
1336	KPTCL	220	KEMAR	UPCL	1	D/C	SINGLE AAAC MOOSE	23
1337	KPTCL	220	KEMAR	UPCL	2	D/C	SINGLE AAAC MOOSE	23
1338	KPTCL	220	KEMAR	VARAHI	1	D/C	SINGLE ACSR DRAKE	78
1339	KPTCL	220	KEMAR	VARAHI	2	D/C	SINGLE ACSR DRAKE	79
1340	KPTCL	220	KODSALLI	KAIGA	1	D/C	SINGLE ACSR DRAKE	15
1341	KPTCL	220	KODSALLI	NAGJHERI	1	D/C	SINGLE ACSR DRAKE	32
1342	KPTCL	220	KODSALLI	NAGJHERI	2	D/C	SINGLE ACSR DRAKE	32
1343	KPTCL	220	KOLAR-KP	BANGARPET	1	D/C	SINGLE ACSR DRAKE	18
1344	KPTCL	220	KOLAR-KP	BANGARPET	2	D/C	SINGLE ACSR DRAKE	18
1345	KPTCL	220	KOLAR-KP	MALUR	1	D/C	SINGLE ACSR DRAKE	21
1346	KPTCL	220	KOLAR-KP	MALUR	2	D/C	SINGLE ACSR DRAKE	22
1347	KPTCL	220	KOLAR-KP	MALUR	3	D/C	SINGLE ACSR DRAKE	22
1348	KPTCL	220	KOLAR-PG	CHINTAMANI	1	D/C	SINGLE ACSR DRAKE	23
1349	KPTCL	220	KOLAR-PG	CHINTAMANI	2	D/C	SINGLE ACSR DRAKE	23
1350	KPTCL	220	KOLAR-PG	KOLAR-KP	1	D/C	SINGLE ACSR DRAKE	6
1351	KPTCL	220	KOLAR-PG	KOLAR-KP	2	D/C	SINGLE ACSR DRAKE	6
1352	KPTCL	220	KOLAR-PG	T GOLLAHALLI	1	D/C	SINGLE ACSR DRAKE	29
1353	KPTCL	220	KOLAR-PG	T GOLLAHALLI	2	D/C	SINGLE ACSR DRAKE	29
1354	KPTCL	220	KRPET	TUBINEKERE	1	D/C	SINGLE ACSR DRAKE	58

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1355	KPTCL	220	KUDACHI	GHATPRABHA	1	D/C	SINGLE ACSR DRAKE	71
1356	KPTCL	220	KUDGI NTPC	NANDIHAL	3	D/C	SINGLE ACSR DRAKE	18
1357	KPTCL	220	KUDGI NTPC	NANDIHAL	4	D/C	SINGLE ACSR DRAKE	18
1358	KPTCL	220	KUDGI NTPC	NANDIHAL	5	D/C	SINGLE ACSR DRAKE	18
1359	KPTCL	220	KUDGI NTPC	NANDIHAL	6	D/C	SINGLE ACSR DRAKE	18
1360	KPTCL	220	KUSHTAGI	KUSTAGI_WIND	1	D/C	SINGLE ACSR DRAKE	0
1361	KPTCL	220	KUSHTAGI	KUSTAGI_WIND	1	D/C	SINGLE ACSR DRAKE	0
1362	KPTCL	220	KUSHTAGI	LINGAPUR	1	D/C	SINGLE ACSR DRAKE	77
1363	KPTCL	220	KUSHTAGI	LINGSUGUR	1	D/C	SINGLE ACSR DRAKE	75
1364	KPTCL	220	KUSHTAGI	OSTRO_KUSTAG	1	D/C	SINGLE ACSR DRAKE	0
1365	KPTCL	220	LINGAPUR	KOPAL	1	D/C	SINGLE ACSR DRAKE	26
1366	KPTCL	220	LINGAPUR	KOPAL	2	D/C	SINGLE ACSR DRAKE	26
1367	KPTCL	220	LINGAPUR	MUNIRABAD	1	D/C	SINGLE ACSR DRAKE	9
1368	KPTCL	220	LINGAPUR	MUNIRABAD	1	D/C	SINGLE ACSR DRAKE	3
1369	KPTCL	220	LINGAPUR	MUNIRABAD	2	D/C	SINGLE ACSR DRAKE	9
1370	KPTCL	220	LINGAPUR	MUNIRABAD	2	D/C	SINGLE ACSR DRAKE	3
1371	KPTCL	220	LINGAPUR	SINDHANUR	1	D/C	SINGLE ACSR DRAKE	110
1372	KPTCL	220	LINGSUGUR	MALAT	1	D/C	SINGLE ACSR DRAKE	44
1373	KPTCL	220	LINGSUGUR	RTPS	1	D/C	SINGLE ACSR DRAKE	96
1374	KPTCL	220	LINGSUGUR	RTPS	2	D/C	SINGLE ACSR DRAKE	96
1375	KPTCL	220	LINGSUGUR	SHAHAPUR	1	D/C	SINGLE ACSR DRAKE	74
1376	KPTCL	220	LINGSUGUR	SINDHANUR	1	D/C	SINGLE ACSR DRAKE	88
1377	KPTCL	220	MADHUGIRI	KIADB VNPURA	1	D/C	SINGLE ACSR DRAKE	41
1378	KPTCL	220	MADHUGIRI	PAVAGADA-KP	1	D/C	SINGLE ACSR DRAKE	55
1379	KPTCL	220	MADHUGIRI	PAVAGADA-KP	2	D/C	SINGLE ACSR DRAKE	55
1380	KPTCL	220	MADHUGIRI	TUMKUR-PG	1	D/C	SINGLE ACSR DRAKE	44
1381	KPTCL	220	MADHUVANAHALLI	HEBBANI	1	D/C	SINGLE ACSR DRAKE	24
1382	KPTCL	220	MADHUVANAHALLI	HEBBANI	2	D/C	SINGLE ACSR DRAKE	24

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1383	KPTCL	220	MADHUVANAHALLI	WARDHA	1	D/C	SINGLE ACSR DRAKE	0
1384	KPTCL	220	MAHALINGAPUR	KUDACHI	1	D/C	SINGLE ACSR DRAKE	35
1385	KPTCL	220	MAHALINGAPUR	NARENDRA-PG	1	D/C	SINGLE ACSR DRAKE	123
1386	KPTCL	220	MAHALINGAPUR	NARENDRA-PG	2	D/C	SINGLE ACSR DRAKE	123
1387	KPTCL	220	MAHALINGAPUR	SAVADATTI	1	D/C	SINGLE ACSR DRAKE	99
1388	KPTCL	220	MAHALINGAPUR	VAJRAMATTI	1	D/C	SINGLE ACSR DRAKE	35
1389	KPTCL	220	MAHALINGAPUR	VAJRAMATTI	2	D/C	SINGLE ACSR DRAKE	35
1390	KPTCL	220	MALUR	VT PARK	1	D/C	SINGLE ACSR DRAKE	42
1391	KPTCL	220	MANYATA	ITI	1	D/C	SINGLE ACSR DRAKE + 1000SQMM UGC	10
1392	KPTCL	220	MUNIRABAD	KALYANI	1	D/C	SINGLE ACSR DRAKE	6
1393	KPTCL	220	MYSORE	KUSHALNAGAR	1	D/C	SINGLE ACSR DRAKE	76
1394	KPTCL	220	MYSORE	KUSHALNAGAR	2	D/C	SINGLE ACSR DRAKE	76
1395	KPTCL	220	MYSORE	TUBINEKERE	1	D/C	SINGLE ACSR DRAKE	40
1396	KPTCL	220	NAGNATHPURA	SOMANAHALLI-KP	1	D/C	SINGLE ACSR DRAKE	26
1397	KPTCL	220	NANDIHAL	GMNAVAR	1	D/C	SINGLE ACSR DRAKE	0
1398	KPTCL	220	NARENDRA-KP	HAVERI	1	D/C	SINGLE ACSR DRAKE	98
1399	KPTCL	220	NARENDRA-PG	GHATPRABHA	1	D/C	SINGLE ACSR DRAKE	97
1400	KPTCL	220	NARENDRA-PG	GHATPRABHA	2	D/C	SINGLE ACSR DRAKE	97
1401	KPTCL	220	NARENDRA-PG	M K HUBLI	1	D/C	SINGLE ACSR DRAKE	35
1402	KPTCL	220	NARENDRA-PG	M K HUBLI	2	D/C	SINGLE ACSR DRAKE	35
1403	KPTCL	220	NEELAGUNDA	GREEN INFRA	1	D/C	SINGLE ACSR DRAKE	0
1404	KPTCL	220	NELAMANGALA	BRINDAVAN	1	D/C	SINGLE ACSR DRAKE	13
1405	KPTCL	220	NELAMANGALA	MAGADI	1	D/C	SINGLE ACSR DRAKE	38
1406	KPTCL	220	NELAMANGALA	NITTUR	1	D/C	SINGLE ACSR DRAKE	73
1407	KPTCL	220	NELAMANGALA	YELAHANKA-KP	1	D/C	SINGLE ACSR DRAKE	33
1408	KPTCL	220	NIMHANS	KORAMANGALA	1	S/C	1000SQMM UGC	7
1409	KPTCL	220	NITTUR	ARASIKERE	1	D/C	SINGLE ACSR DRAKE	141

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1410	KPTCL	220	NRS	ASTATION	1	S/C	1000SQMM UGC	4
1411	KPTCL	220	NRS	PEENYA	1	D/C	SINGLE ACSR DRAKE	7
1412	KPTCL	220	NRS	V VALLEY	1	D/C	SINGLE ACSR DRAKE	13
1413	KPTCL	220	PAVAGADA-KP	SUN EDISON	1	D/C	SINGLE ACSR DRAKE	0
1414	KPTCL	220	PEENYA	BRINDAVAN	1	D/C	SINGLE ACSR DRAKE	4
1415	KPTCL	220	PEENYA	CPRI	1	D/C	SINGLE ACSR DRAKE	8
1416	KPTCL	220	PEENYA	NELAMANGALA	1	D/C	SINGLE ACSR DRAKE	17
1417	KPTCL	220	PEENYA	NELAMANGALA	2	D/C	SINGLE ACSR DRAKE	17
1418	KPTCL	220	PEENYA	SB PURA	1	D/C	SINGLE ACSR DRAKE	25
1419	KPTCL	220	RANEBENNUR	SHIRALKOPPA	1	D/C	SINGLE ACSR DRAKE	55
1420	KPTCL	220	RTPS	MALAT	1	D/C	SINGLE ACSR DRAKE	96
1421	KPTCL	220	RTPS	RAICHUR	1	D/C	SINGLE ACSR DRAKE	17
1422	KPTCL	220	RTPS	RAICHUR	2	D/C	SINGLE ACSR DRAKE	17
1423	KPTCL	220	RTPS	SHAHAPUR	1	D/C	SINGLE ACSR DRAKE	65
1424	KPTCL	220	RTPS	SHAHAPUR	2	D/C	SINGLE ACSR DRAKE	65
1425	KPTCL	220	SARJAPUR	SOMANAHALLI-KP	1	D/C	SINGLE ACSR DRAKE	17
1426	KPTCL	220	SARJAPUR	VT PARK	1	D/C	SINGLE ACSR DRAKE	36
1427	KPTCL	220	SB PURA	KHODAYS	1	D/C	SINGLE ACSR DRAKE + SINGLE ACSR KUNDAH	17
1428	KPTCL	220	SEDAM	CLEAM MAX	1	D/C	SINGLE ACSR DRAKE	0
1429	KPTCL	220	SEDAM	HUMNABAD	1	D/C	SINGLE ACSR DRAKE	85
1430	KPTCL	220	SEDAM	HUMNABAD	2	D/C	SINGLE ACSR DRAKE	85
1431	KPTCL	220	SEDAM	RTPS	1	D/C	SINGLE ACSR DRAKE	105
1432	KPTCL	220	SEDAM	RTPS	2	D/C	SINGLE ACSR DRAKE	105
1433	KPTCL	220	SEDAM	SHAHAPUR	1	D/C	SINGLE ACSR DRAKE	115
1434	KPTCL	220	SHAHABAD	KAPNOOR	1	D/C	SINGLE ACSR DRAKE	49
1435	KPTCL	220	SHAHAPUR	KAPNOOR	1	D/C	SINGLE ACSR DRAKE	95
1436	KPTCL	220	SHAHAPUR	SHAHABAD	1	D/C	SINGLE ACSR DRAKE	68

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1437	KPTCL	220	SHANTHIGRAMA	HASSAN	1	D/C	SINGLE ACSR DRAKE	10
1438	KPTCL	220	SHANTHIGRAMA	SHIMOGA	1	D/C	SINGLE ACSR DRAKE	165
1439	KPTCL	220	SHARAVATHY	TALAGUPPA	1	D/C	SINGLE ACSR DRAKE	32
1440	KPTCL	220	SHARAVATHY	TALAGUPPA	2	D/C	SINGLE ACSR DRAKE	32
1441	KPTCL	220	SHARAVATHY	TALAGUPPA	3	D/C	SINGLE ACSR DRAKE	18
1442	KPTCL	220	SHIMOGA	ARASIKERE	1	D/C	SINGLE ACSR DRAKE	114
1443	KPTCL	220	SHIMOGA	DAVANGERE	1	D/C	SINGLE ACSR DRAKE	90
1444	KPTCL	220	SHIMOGA	GERUSOPPA	4	D/C	SINGLE ACSR DRAKE	133
1445	KPTCL	220	SHIMOGA	SHARAVATHY	2	D/C	SINGLE ACSR DRAKE	133
1446	KPTCL	220	SHIMOGA	SHARAVATHY	3	D/C	SINGLE ACSR DRAKE	133
1447	KPTCL	220	SHIMOGA	SHARAVATHY	4	D/C	SINGLE ACSR DRAKE	133
1448	KPTCL	220	SHIMOGA	VARAHI	1	D/C	SINGLE ACSR DRAKE	90
1449	KPTCL	220	SHIMOGA	VARAHI	2	D/C	SINGLE ACSR DRAKE	94
1450	KPTCL	220	SHIMOGA	VARAHI	3	D/C	TWIN AAAC MOOSE	90
1451	KPTCL	220	SHIRALKOPPA	SHARAVATHY	1	D/C	SINGLE ACSR DRAKE	65
1452	KPTCL	220	SIRSI	SHARAVATHY	1	D/C	SINGLE ACSR DRAKE	54
1453	KPTCL	220	SIRSI	SHARAVATHY	2	D/C	SINGLE ACSR DRAKE	54
1454	KPTCL	220	SOMANAHALLI-KP	KHODAYS	1	D/C	SINGLE ACSR DRAKE + SINGLE ACSR KUNDAH	19
1455	KPTCL	220	SOMANAHALLI-KP	TATAGUNI	1	D/C	SINGLE ACSR DRAKE	8
1456	KPTCL	220	TATAGUNI	V VALLEY	1	D/C	SINGLE ACSR DRAKE	18
1457	KPTCL	220	THALAK	JAGALUR	1	D/C	SINGLE ACSR DRAKE	26
1458	KPTCL	220	THALAK	JAGALUR	2	D/C	SINGLE ACSR DRAKE	26
1459	KPTCL	220	THALAK	SAGITUR	1	D/C	SINGLE ACSR DRAKE	0
1460	KPTCL	220	TK HALLI	HEBBANI	1	D/C	SINGLE ACSR DRAKE	17
1461	KPTCL	220	TK HALLI	HEBBANI	2	D/C	SINGLE ACSR DRAKE	17
1462	KPTCL	220	TK HALLI	VAJAMANGALA	1	D/C	SINGLE ACSR DRAKE	56
1463	KPTCL	220	TUBINEKERE	KOTHIPURA	1	D/C	SINGLE ACSR DRAKE	71

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1464	KPTCL	220	TUBINEKERE	KOTHIPURA	2	D/C	SINGLE ACSR DRAKE	71
1465	KPTCL	220	TUMKUR-PG	KIADB VNPURA	1	D/C	SINGLE ACSR DRAKE	4
1466	KPTCL	220	VAJRAMATTI	ENRGON	1	D/C	SINGLE ACSR DRAKE	0
1467	KPTCL	220	VAJRAMATTI	KUDGI NTPC	1	D/C	SINGLE ACSR DRAKE	79
1468	KPTCL	220	VAJRAMATTI	KUDGI NTPC	2	D/C	SINGLE ACSR DRAKE	79
1469	KPTCL	220	VARAHI	HEGGUNJE	3	D/C	SINGLE AAAC MOOSE	36
1470	KPTCL	220	YARANDANAHALLY	JIGANI	1	D/C	SINGLE ACSR DRAKE	30
1471	KPTCL	220	YELAHANKA-KP	MANYATA	1	D/C	SINGLE ACSR DRAKE	12
1472	KPTCL	220	YELAHANKA-KP	YELAHANKA-PG	1	D/C	2000SQMM UGC	6
1473	KPTCL	220	YELAHANKA-KP	YELAHANKA-PG	2	D/C	2000SQMM UGC	6
1474	KPTCL+KSEB	220	KADAKOLA	KANIAMPETTA	1	D/C	SINGLE ACSR DRAKE + SINGLE ACSR KUNDAH	119
1475	KPTCL+TANTRANSCO	220	YARANDANAHALLY	HOSUR	1	S/C	SINGLE ACSR DRAKE	40
1476	KSEB	220	ALUVA	KOTHAMANGALAM	1	S/C	SINGLE ACSR KUNDAH	30
1477	KSEB	220	AREAKODE	ELANKUR	1	S/C	SINGLE ACSR KUNDAH	17
1478	KSEB	220	AREAKODE	KANHIRODE	1	D/C	SINGLE ACSR KUNDAH	109
1479	KSEB	220	AREAKODE	KOZHIKODE-PG	1	D/C	SINGLE ACSR KUNDAH	0
1480	KSEB	220	AREAKODE	KOZHIKODE-PG	2	D/C	SINGLE ACSR KUNDAH	0
1481	KSEB	220	AREAKODE	KOZHIKODE-PG	3	D/C	SINGLE ACSR KUNDAH	0
1482	KSEB	220	AREAKODE	NALLALAM	1	D/C	SINGLE ACSR KUNDAH	28
1483	KSEB	220	AREAKODE	NALLALAM	2	D/C	SINGLE ACSR KUNDAH	28
1484	KSEB	220	AREAKODE	SHORANUR	1	S/C	SINGLE ACSR KUNDAH	73
1485	KSEB	220	AREAKODE	VADAKARA	1	D/C	SINGLE ACSR KUNDAH	72
1486	KSEB	220	BRAHMAPURAM	AMBALAMUGAL	1	D/C	SINGLE ACSR KUNDAH	5
1487	KSEB	220	BRAHMAPURAM	AMBALAMUGAL	2	D/C	SINGLE ACSR KUNDAH	5
1488	KSEB	220	BRAHMAPURAM	INFO PARK	1	S/C	SINGLE ACSR KUNDAH	2

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1489	KSEB	220	BRAHMAPURAM	KALOOR	1	D/C	TWIN ACSR PANTHER + 1200SQMM UGC	14
1490	KSEB	220	BRAHMAPURAM	KALOOR	2	D/C	TWIN ACSR PANTHER + 1200SQMM UGC	14
1491	KSEB	220	BRAHMAPURAM	KOCHI	1	D/C	SINGLE ACSR KUNDAH	7
1492	KSEB	220	BRAHMAPURAM	KOCHI	2	D/C	SINGLE ACSR KUNDAH	7
1493	KSEB	220	BRAHMAPURAM	LOWER PERIYAR	1	D/C	SINGLE ACSR KUNDAH	58
1494	KSEB	220	BRAHMAPURAM	LOWER PERIYAR	2	D/C	SINGLE ACSR KUNDAH	58
1495	KSEB	220	EDAMON	POTHENCODE	1	D/C	SINGLE ACSR KUNDAH	48
1496	KSEB	220	EDAMON	POTHENCODE	2	D/C	SINGLE ACSR KUNDAH	48
1497	KSEB	220	IDUKKI	KALAMASSERY	1	D/C	SINGLE ACSR KUNDAH	72
1498	KSEB	220	IDUKKI	KALAMASSERY	2	D/C	SINGLE ACSR KUNDAH	72
1499	KSEB	220	IDUKKI	KOTHAMANGALAM	1	S/C	SINGLE ACSR KUNDAH	16
1500	KSEB	220	IDUKKI	LOWER PERIYAR	1	D/C	SINGLE ACSR KUNDAH	35
1501	KSEB	220	IDUKKI	LOWER PERIYAR	2	D/C	SINGLE ACSR KUNDAH	35
1502	KSEB	220	IDUKKI	NEW PALLOM	1	S/C	SINGLE ACSR KUNDAH	50
1503	KSEB	220	KALAMASSERY	KOCHI	1	D/C	SINGLE ACSR KUNDAH	14
1504	KSEB	220	KALAMASSERY	KOCHI	2	D/C	SINGLE ACSR KUNDAH	14
1505	KSEB	220	KANHIRODE	AMBALATHARA	1	D/C	SINGLE ACSR KUNDAH	62
1506	KSEB	220	KANHIRODE	TALIPARAMBA	1	D/C	SINGLE ACSR KUNDAH	28
1507	KSEB	220	KANHIRODE	VADAKARA	1	D/C	SINGLE ACSR KUNDAH	36
1508	KSEB	220	KANIAMPETTA	AREAKODE	1	S/C	SINGLE ACSR KUNDAH	68
1509	KSEB	220	KOCHI	ALUVA	1	D/C	SINGLE ACSR KUNDAH	10
1510	KSEB	220	KOCHI	ALUVA	2	D/C	SINGLE ACSR KUNDAH	10
1511	KSEB	220	LOWER PERIYAR	CHALAKUDY	1	D/C	SINGLE ACSR KUNDAH	83
1512	KSEB	220	LOWER PERIYAR	MADAKATHARA	1	D/C	SINGLE ACSR KUNDAH	102
1513	KSEB	220	MADAKATHARA	CHALAKUDY	1	D/C	SINGLE ACSR KUNDAH	42
1514	KSEB	220	MADAKATHARA	ELANKUR	1	S/C	SINGLE ACSR KUNDAH	77

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1515	KSEB	220	MADAKATHARA	ELAPPULLY	1	D/C	SINGLE ACSR KUNDAH	82
1516	KSEB	220	MADAKATHARA	PALAKKAD	1	D/C	SINGLE ACSR KUNDAH	82
1517	KSEB	220	MADAKATHARA	SHORANUR	1	S/C	SINGLE ACSR KUNDAH	29
1518	KSEB	220	MALAPPARAMBA	TRICHUR HVDC	1	M/C	SINGLE ACCC ERANAD	52
1519	KSEB	220	MYLATTY	AMBALATHARA	1	D/C	SINGLE ACSR KUNDAH	16
1520	KSEB	220	MYLATTY	TALIPARAMBA	1	D/C	SINGLE ACSR KUNDAH	63
1521	KSEB	220	NALLALAM	TRICHUR HVDC	1	M/C	SINGLE ACCC ERANAD	109
1522	KSEB	220	NEW PALLOM	PALLOM	1	S/C	TWIN ACSR MOOSE	1
1523	KSEB	220	PALAKKAD	ELAPPULLY	1	D/C	SINGLE ACSR KUNDAH	3
1524	KSEB	220	PALAKKAD	ELAPPULLY	2	D/C	SINGLE ACSR KUNDAH	3
1525	KSEB	220	PALAKKAD	ELAPPULLY	3	D/C	SINGLE ACSR KUNDAH	4
1526	KSEB	220	PALLOM	AMBALAMUGAL	1	D/C	SINGLE ACSR KUNDAH	56
1527	KSEB	220	POTHENCODE	NEWKATAKADA	1	D/C	TWIN ACSR MOOSE	27
1528	KSEB	220	POTHENCODE	NEWKATAKADA	2	D/C	TWIN ACSR MOOSE	27
1529	KSEB	220	POTHENCODE	TRIVANDRUM	1	M/C	SINGLE ACSR MOOSE	3
1530	KSEB	220	POTHENCODE	TRIVANDRUM	2	M/C	SINGLE ACSR MOOSE	3
1531	KSEB	220	POTHENCODE	TRIVANDRUM	3	M/C	SINGLE ACSR MOOSE	3
1532	KSEB	220	POTHENCODE	TRIVANDRUM	4	M/C	SINGLE ACSR MOOSE	3
1533	KSEB	220	SABARIGIRI	AMBALAMUGAL	1	D/C	SINGLE ACSR KUNDAH	124
1534	KSEB	220	SABARIGIRI	EDAMON	1	S/C	SINGLE ACSR KUNDAH	53
1535	KSEB	220	SABARIGIRI	EDAMON	2	D/C	SINGLE ACSR KUNDAH	52
1536	KSEB	220	SABARIGIRI	EDAMON	3	D/C	SINGLE ACSR KUNDAH	52
1537	KSEB	220	SABARIGIRI	PALLOM	1	D/C	SINGLE ACSR KUNDAH	68
1538	KSPDCL	220	PAVAGADA-PG	KSPDCL1	1	D/C	SINGLE ACSR DRAKE	2
1539	KSPDCL	220	PAVAGADA-PG	KSPDCL2	1	D/C	SINGLE ACSR DRAKE	4
1540	KSPDCL	220	PAVAGADA-PG	KSPDCL3	1	D/C	SINGLE ACSR DRAKE	5
1541	KSPDCL	220	PAVAGADA-PG	KSPDCL4	1	D/C	SINGLE ACSR DRAKE	8
1542	KSPDCL	220	PAVAGADA-PG	RYCHALU-1	1	D/C	SINGLE ACSR DRAKE	20

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1543	KSPDCL	220	PAVAGADA-PG	RYCHALU-2	1	D/C	SINGLE ACSR DRAKE	3
1544	KSPDCL	220	PAVAGADA-PG	TIRUMANI-1	1	D/C	SINGLE ACSR DRAKE	22
1545	KSPDCL	220	PAVAGADA-PG	TIRUMANI-2	1	D/C	SINGLE ACSR DRAKE	15
1546	MSETCL+KPTCL	220	MUDSHINGI	CHIKODI	1	D/C	SINGLE ACSR DRAKE	63
1547	MSETCL+KPTCL	220	TALANDAGE	CHIKODI	1	D/C	SINGLE ACSR DRAKE	51
1548	PGCIL	220	EDAMON	EDAPPON	1	D/C	TWIN ACSR MOOSE	67
1549	PGCIL	220	EDAMON	KUNDARA	1	D/C	TWIN ACSR MOOSE	61
1550	PGCIL	220	EDAPPON	KAYAMKULAM	1	D/C	TWIN ACSR MOOSE	29
1551	PGCIL	220	KAYAMKULAM	KUNDARA	1	D/C	TWIN ACSR MOOSE	65
1552	PGCIL	220	KAYAMKULAM	NEW PALLOM	1	D/C	SINGLE ACSR ZEBRA	47
1553	PGCIL	220	KAYAMKULAM	PUNNAPARA	1	D/C	SINGLE ACSR ZEBRA	31
1554	PGCIL	220	NEW PALLOM	PUNNAPARA	1	D/C	SINGLE ACSR ZEBRA	52
1555	TSTRANSCO	220	AKKARAM	MARKOOK	1	D/C	SINGLE ACSR MOOSE	9
1556	TSTRANSCO	220	AKKARAM	MARKOOK	2	D/C	SINGLE ACSR MOOSE	9
1557	TSTRANSCO	220	ANNARAM	SUNDILLA	1	D/C	TWIN ACSR MOOSE	29
1558	TSTRANSCO	220	ANNARAM	SUNDILLA	2	D/C	TWIN ACSR MOOSE	29
1559	TSTRANSCO	220	ASUPAKA	ASWARAOPET	1	D/C	SINGLE ACSR MOOSE	20
1560	TSTRANSCO	220	ASUPAKA	ASWARAOPET	2	D/C	SINGLE ACSR MOOSE	20
1561	TSTRANSCO	220	ASUPAKA	VK RAMAVARAM	1	D/C	SINGLE ACSR MOOSE	43
1562	TSTRANSCO	220	BHEEMGAL	RAMPUR	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	56
1563	TSTRANSCO	220	BHIMGANAPUR	GANGARAM	1	D/C	SINGLE ACSR MOOSE	42
1564	TSTRANSCO	220	BHIMGANAPUR	GANGARAM	2	D/C	SINGLE ACSR MOOSE	42
1565	TSTRANSCO	220	BHIMGANAPUR	PULKURTHY	1	D/C	SINGLE ACSR MOOSE	64
1566	TSTRANSCO	220	BHIMGANAPUR	SALIVAGU	1	D/C	SINGLE ACSR MOOSE	52

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1567	TSTRANSCO	220	BHONGIR	JANGOAN 400/220	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	52
1568	TSTRANSCO	220	BHONGIR	JANGOAN 400/220	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	52
1569	TSTRANSCO	220	BOMMAKAL	DURSHED	1	D/C	SINGLE ACSR MOOSE	4
1570	TSTRANSCO	220	BONGULUR	MAHESWARAM	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	29
1571	TSTRANSCO	220	BONGULUR	MAHESWARAM	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	29
1572	TSTRANSCO	220	CHALAKURTHY	KMPALLY	1	D/C	SINGLE ACSR MOOSE	40
1573	TSTRANSCO	220	CHALAKURTHY	KMPALLY	2	D/C	SINGLE ACSR MOOSE	40
1574	TSTRANSCO	220	CHALAKURTHY	PULIYATHANDA	1	D/C	SINGLE ACSR ZEBRA	2
1575	TSTRANSCO	220	CHALAKURTHY	PUTTAMGANDI	1	D/C	SINGLE ACSR ZEBRA	19
1576	TSTRANSCO	220	CHNDRAYANGUTTA	BONGULUR	1	D/C	SINGLE ACSR ZEBRA	14
1577	TSTRANSCO	220	CHNDRAYANGUTTA	BONGULUR	2	D/C	SINGLE ACSR ZEBRA	14
1578	TSTRANSCO	220	CHNDRAYANGUTTA	CHANCHALGUDA	1	D/C	1200SQMM UGC	7
1579	TSTRANSCO	220	CHNDRAYANGUTTA	GHANAPUR	1	D/C	SINGLE ACSR ZEBRA	34
1580	TSTRANSCO	220	CHNDRAYANGUTTA	GHANAPUR	2	D/C	SINGLE ACSR ZEBRA	34
1581	TSTRANSCO	220	CHNDRAYANGUTTA	HIAL	1	D/C	SINGLE ACSR ZEBRA	19
1582	TSTRANSCO	220	CHNDRAYANGUTTA	IMLIBUN	2	D/C	1200SQMM UGC	10
1583	TSTRANSCO	220	CHNDRAYANGUTTA	MAMIDIPALLI	1	D/C	SINGLE ACSR ZEBRA	22
1584	TSTRANSCO	220	DICHIPALLI 220/132	BHEEMGAL	1	D/C	SINGLE ACSR ZEBRA	27
1585	TSTRANSCO	220	DICHIPALLI 220/132	DICHIPALLI 400/220	1	D/C	TWIN ACSR MOOSE	4
1586	TSTRANSCO	220	DICHIPALLI 220/132	DICHIPALLI 400/220	1	D/C	SINGLE ACSR ZEBRA	4
1587	TSTRANSCO	220	DICHIPALLI 220/132	DICHIPALLI 400/220	2	D/C	TWIN ACSR MOOSE	4
1588	TSTRANSCO	220	DICHIPALLI 220/132	DICHIPALLI 400/220	2	D/C	SINGLE ACSR ZEBRA	4
1589	TSTRANSCO	220	DICHIPALLI 220/132	MEDARAM	1	D/C	SINGLE ACSR ZEBRA	128
1590	TSTRANSCO	220	DICHIPALLI 400/220	BANSWADA	1	D/C	SINGLE ACSR MOOSE	83

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1591	TSTRANSCO	220	DICHIPALLI 400/220	BANSWADA	2	D/C	SINGLE ACSR MOOSE	83
1592	TSTRANSCO	220	DICHIPALLI 400/220	RENEW	1	D/C	SINGLE ACSR MOOSE	32
1593	TSTRANSCO	220	DICHIPALLI 400/220	RENEW	2	D/C	SINGLE ACSR MOOSE	32
1594	TSTRANSCO	220	DINDI	DOMALAPENTA	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	80
1595	TSTRANSCO	220	DINDI	MADGULA	1	D/C	SINGLE ACSR MOOSE	41
1596	TSTRANSCO	220	DINDI	MADGULA	2	D/C	SINGLE ACSR MOOSE	41
1597	TSTRANSCO	220	DINDI	NAGARKURNOOL	1	D/C	SINGLE ACSR MOOSE	40
1598	TSTRANSCO	220	DINDI	NAGARKURNOOL	2	D/C	SINGLE ACSR MOOSE	40
1599	TSTRANSCO	220	DURSHED	RAMADUGU	2	D/C	SINGLE ACSR MOOSE	27
1600	TSTRANSCO	220	FABCITY	MAHESWARAM	1	D/C	SINGLE ACSR MOOSE	23
1601	TSTRANSCO	220	FABCITY	MAHESWARAM	2	D/C	SINGLE ACSR MOOSE	23
1602	TSTRANSCO	220	GACHIBOWLI	ERRAGADDA	1	D/C	SINGLE ACSR ZEBRA + 1200SQMM UGC	22
1603	TSTRANSCO	220	GACHIBOWLI	MIYAPUR	1	D/C	SINGLE ACSR ZEBRA + 1200SQMM UGC	11
1604	TSTRANSCO	220	GACHIBOWLI	SHANKARPALLI	1	D/C	SINGLE ACCC DRAKE	28
1605	TSTRANSCO	220	GACHIBOWLI	SHANKARPALLI	2	D/C	SINGLE ACCC DRAKE	28
1606	TSTRANSCO	220	GACHIBOWLI	SIVARAMPALLI	1	D/C	SINGLE ACSR ZEBRA	28
1607	TSTRANSCO	220	GACHIBOWLI	SIVARAMPALLI	2	D/C	SINGLE ACSR ZEBRA	28
1608	TSTRANSCO	220	GAJWEL	AKKARAM	1	D/C	TWIN ACSR MOOSE	7
1609	TSTRANSCO	220	GAJWEL	AKKARAM	2	D/C	TWIN ACSR MOOSE	7
1610	TSTRANSCO	220	GAJWEL	KAMAREDDY	1	D/C	SINGLE ACSR ZEBRA	67
1611	TSTRANSCO	220	GAJWEL	KONDAPAKKA	1	D/C	SINGLE ACSR MOOSE	26
1612	TSTRANSCO	220	GHANAPUR	HAYATHNAGAR	1	D/C	SINGLE ACSR MOOSE + 1200SQMM UGC	24
1613	TSTRANSCO	220	GHANAPUR	HAYATHNAGAR	2	D/C	SINGLE ACSR MOOSE + 1200SQMM UGC	24

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1614	TSTRANSCO	220	GHANAPUR	MOULALI	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	14
1615	TSTRANSCO	220	GHANAPUR	NAGOLE	1	D/C	SINGLE ACSR MOOSE + 1200SQMM UGC	20
1616	TSTRANSCO	220	GHANAPUR	NAGOLE	2	D/C	SINGLE ACSR MOOSE + 1200SQMM UGC	20
1617	TSTRANSCO	220	GHANAPUR	POCHARAM	1	D/C	SINGLE ACSR MOOSE + SINGLE ACSR ZEBRA + 1200SQMM UGC	6
1618	TSTRANSCO	220	GUDIPALLIGATTU	GOURIDEVIPALLI	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	4
1619	TSTRANSCO	220	GUDIPALLIGATTU	JONNALABOGADA	1	D/C	SINGLE ACSR ZEBRA	15
1620	TSTRANSCO	220	HIAL	SIVARAMPALLI	1	D/C	SINGLE ACCC DRAKE	15
1621	TSTRANSCO	220	HUZURABAD	DURSHED	1	D/C	SINGLE ACSR MOOSE	51
1622	TSTRANSCO	220	HWP	MANUGURU	1	D/C	SINGLE ACSR ZEBRA	8
1623	TSTRANSCO	220	HWP	MANUGURU	2	D/C	SINGLE ACSR ZEBRA	8
1624	TSTRANSCO	220	IMLIBUN	CHANCHALGUDA	1	D/C	1200SQMM UGC	3
1625	TSTRANSCO	220	JAGITIYAL	VEMNOOR	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	46
1626	TSTRANSCO	220	JANGOAN 400/220	JANGOAN 220/132	1	D/C	SINGLE ACSR MOOSE	4
1627	TSTRANSCO	220	JANGOAN 400/220	JANGOAN 220/132	2	D/C	SINGLE ACSR MOOSE	4
1628	TSTRANSCO	220	JULURUPADU	KALLUR	1	D/C	SINGLE ACSR MOOSE	42
1629	TSTRANSCO	220	JULURUPADU	KALLUR	2	D/C	SINGLE ACSR MOOSE	42
1630	TSTRANSCO	220	JULURUPADU	PEDDAGOPATHI	1	D/C	SINGLE ACSR MOOSE	43
1631	TSTRANSCO	220	JULURUPADU	PEDDAGOPATHI	2	D/C	SINGLE ACSR MOOSE	43
1632	TSTRANSCO	220	JURALA	LOWER JURALA	1	D/C	SINGLE ACSR MOOSE	11
1633	TSTRANSCO	220	JURALA	LOWER JURALA	2	D/C	SINGLE ACSR MOOSE	11
1634	TSTRANSCO	220	JURALA	LOWER JURALA	3	D/C	SINGLE ACSR MOOSE	10

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1635	TSTRANSCO	220	JURALA	NETTEMPADU	1	D/C	SINGLE ACSR ZEBRA	6
1636	TSTRANSCO	220	JURALA	NTPD-2	1	D/C	SINGLE ACSR ZEBRA	15
1637	TSTRANSCO	220	KALWAKURTHY	AZURE_SOLAR	1	D/C	SINGLE ACSR MOOSE	10
1638	TSTRANSCO	220	KALWAKURTHY	DINDI	1	D/C	SINGLE ACSR ZEBRA	24
1639	TSTRANSCO	220	KALWAKURTHY	DINDI	2	D/C	SINGLE ACSR ZEBRA	24
1640	TSTRANSCO	220	KALWAKURTHY	THIMAJIPET	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	36
1641	TSTRANSCO	220	KALWAKURTHY	THIMAJIPET	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	36
1642	TSTRANSCO	220	KAMALAPURAM	VK RAMAVARAM	1	D/C	TWIN ACSR MOOSE	14
1643	TSTRANSCO	220	KAMALAPURAM	VK RAMAVARAM	2	D/C	TWIN ACSR MOOSE	14
1644	TSTRANSCO	220	KAMAREDDY	KONDAPAKKA	1	D/C	SINGLE ACSR MOOSE	78
1645	TSTRANSCO	220	KANNEPALLY	SUNDILLA	1	D/C	TWIN ACSR MOOSE	74
1646	TSTRANSCO	220	KANNEPALLY	SUNDILLA	2	D/C	TWIN ACSR MOOSE	74
1647	TSTRANSCO	220	KETHIREDDYPALLI	CHEGUR	1	D/C	SINGLE ACSR MOOSE	23
1648	TSTRANSCO	220	KHAMMAM	KTPS STG5	1	D/C	TWIN ACSR MOOSE	68
1649	TSTRANSCO	220	KHAMMAM	KTPS STG5	2	D/C	TWIN ACSR MOOSE	68
1650	TSTRANSCO	220	KHAMMAM	MAHABUBABAD	1	D/C	SINGLE ACSR MOOSE	42
1651	TSTRANSCO	220	KHAMMAM	MAHABUBABAD	2	D/C	SINGLE ACSR MOOSE	42
1652	TSTRANSCO	220	KHAMMAM	NBEIL	1	D/C	SINGLE ACSR MOOSE	61
1653	TSTRANSCO	220	KHAMMAM	NBEIL	2	D/C	SINGLE ACSR MOOSE	61
1654	TSTRANSCO	220	KHAMMAM	SURYAPET	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	79
1655	TSTRANSCO	220	KHAMMAM	SURYAPET	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	79
1656	TSTRANSCO	220	KHAMMAM	WADDEKOTHAPALLE	1	D/C	SINGLE ACSR ZEBRA	82
1657	TSTRANSCO	220	KHAMMAM	WADDEKOTHAPALLE	2	D/C	SINGLE ACSR ZEBRA	82
1658	TSTRANSCO	220	KTPS STG5	BGKOTHUR	1	D/C	SINGLE ACSR ZEBRA	31

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1659	TSTRANSCO	220	KTPS-ABC	BGKOTHUR	1	D/C	SINGLE ACSR ZEBRA	30
1660	TSTRANSCO	220	KTPS-ABC	KTPS STG5	1	D/C	TWIN ACSR MOOSE	1
1661	TSTRANSCO	220	KTPS-ABC	KTPS STG5	2	D/C	TWIN ACSR MOOSE	1
1662	TSTRANSCO	220	KTPS-ABC	MANUGURU	1	D/C	SINGLE ACSR ZEBRA	44
1663	TSTRANSCO	220	KTPS-ABC	MANUGURU	2	D/C	SINGLE ACSR ZEBRA	44
1664	TSTRANSCO	220	KTPS-ABC	MIRYALAGUDA	1	D/C	SINGLE ACSR DEER + SINGLE ACSR ZEBRA	171
1665	TSTRANSCO	220	KTPS-ABC	VK RAMAVARAM	1	D/C	SINGLE ACSR MOOSE	17
1666	TSTRANSCO	220	KTPS-ABC	WADDEKOTHAPALLE	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	148
1667	TSTRANSCO	220	LOWER SILERU	ASUPAKA	1	S/C	SINGLE ACSR MOOSE	99
1668	TSTRANSCO	220	MAHESWARAM	MADGULA	1	D/C	SINGLE ACSR MOOSE	35
1669	TSTRANSCO	220	MAHESWARAM	MADGULA	2	D/C	SINGLE ACSR MOOSE	35
1670	TSTRANSCO	220	MALAYALPALLI	DURSHED	1	D/C	SINGLE ACSR ZEBRA	51
1671	TSTRANSCO	220	MALAYALPALLI	DURSHED	2	D/C	SINGLE ACSR ZEBRA	51
1672	TSTRANSCO	220	MALAYALPALLI	JAGITIYAL	1	D/C	SINGLE ACSR ZEBRA	68
1673	TSTRANSCO	220	MALAYALPALLI	JAGITIYAL	2	D/C	SINGLE ACSR ZEBRA	67
1674	TSTRANSCO	220	MALAYALPALLI	JAGITIYAL	3	D/C	SINGLE ACSR MOOSE	71
1675	TSTRANSCO	220	MALAYALPALLI	MANDAMARRI	1	D/C	SINGLE ACSR MOOSE	37
1676	TSTRANSCO	220	MALAYALPALLI	MANTHANI	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	43
1677	TSTRANSCO	220	MALAYALPALLI	MEDARAM	1	D/C	SINGLE ACSR ZEBRA	20
1678	TSTRANSCO	220	MALAYALPALLI	MURMUR	1	D/C	SINGLE ACSR MOOSE	16
1679	TSTRANSCO	220	MALAYALPALLI	RAMAGUNDAM	1	D/C	SINGLE ACSR MOOSE	1
1680	TSTRANSCO	220	MALAYALPALLI	RAMAGUNDAM	2	D/C	SINGLE ACSR MOOSE	1
1681	TSTRANSCO	220	MALAYALPALLI	RAMAGUNDAM	3	D/C	TWIN ACSR MOOSE	1
1682	TSTRANSCO	220	MALAYALPALLI	RAMAGUNDAM	4	D/C	TWIN ACSR MOOSE	1

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1683	TSTRANSCO	220	MALAYALPALLI	RAMPUR	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	67
1684	TSTRANSCO	220	MALAYALPALLI	RFCL	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	18
1685	TSTRANSCO	220	MALAYALPALLI	VEMNOOR	1	D/C	SINGLE ACSR ZEBRA	27
1686	TSTRANSCO	220	MALKARAM	BHONGIR	1	D/C	SINGLE ACSR ZEBRA	33
1687	TSTRANSCO	220	MALKARAM	BHONGIR	2	D/C	SINGLE ACSR ZEBRA	33
1688	TSTRANSCO	220	MALKARAM	GUNROCK	1	D/C	1200SQMM UGC	16
1689	TSTRANSCO	220	MALKARAM	GUNROCK	2	D/C	1200SQMM UGC	16
1690	TSTRANSCO	220	MALKARAM	MEDCHAL	1	D/C	SINGLE ACSR ZEBRA	14
1691	TSTRANSCO	220	MALKARAM	MEDCHAL	2	D/C	SINGLE ACSR ZEBRA	14
1692	TSTRANSCO	220	MALKARAM	NARKETPALLI	1	D/C	SINGLE ACSR MOOSE	89
1693	TSTRANSCO	220	MALKARAM	NARKETPALLI	2	D/C	SINGLE ACSR MOOSE	89
1694	TSTRANSCO	220	MALLARAM	DURSHED	1	D/C	SINGLE ACSR ZEBRA	24
1695	TSTRANSCO	220	MAMIDIPALLI	CHEGUR	1	D/C	SINGLE ACSR MOOSE	32
1696	TSTRANSCO	220	MAMIDIPALLI	FABCITY	1	D/C	SINGLE ACSR MOOSE	6
1697	TSTRANSCO	220	MAMIDIPALLI	FABCITY	2	D/C	SINGLE ACSR MOOSE	6
1698	TSTRANSCO	220	MAMIDIPALLI	HIAL	1	D/C	SINGLE ACCC DRAKE	3
1699	TSTRANSCO	220	MAMIDIPALLI	HIAL	2	D/C	SINGLE ACCC DRAKE	3
1700	TSTRANSCO	220	MAMIDIPALLI	SHAMSHABAD	1	D/C	SINGLE ACSR ZEBRA	13
1701	TSTRANSCO	220	MAMIDIPALLI	SIVARAMPALLI	1	D/C	SINGLE ACCC DRAKE	18
1702	TSTRANSCO	220	MANDAMARRI	MURMUR	1	D/C	SINGLE ACSR MOOSE	29
1703	TSTRANSCO	220	MANUGURU	BGKOTHUR	1	D/C	SINGLE ACSR ZEBRA	19
1704	TSTRANSCO	220	MANUGURU	BTPS	1	D/C	SINGLE ACSR MOOSE	21
1705	TSTRANSCO	220	MANUGURU	BTPS	2	D/C	SINGLE ACSR MOOSE	21
1706	TSTRANSCO	220	MEDCHAL	GAJWEL	1	D/C	SINGLE ACSR ZEBRA	75
1707	TSTRANSCO	220	MEDCHAL	GAJWEL	2	D/C	SINGLE ACSR ZEBRA	75

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1708	TSTRANSCO	220	MEHABUBNAGAR	THIMAJIPET	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	18
1709	TSTRANSCO	220	MEHABUBNAGAR	THIMAJIPET	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	18
1710	TSTRANSCO	220	MEHABUBNAGAR	VELTOOR	1	D/C	SINGLE ACSR ZEBRA	33
1711	TSTRANSCO	220	MEHABUBNAGAR	VELTOOR	2	D/C	SINGLE ACSR ZEBRA	33
1712	TSTRANSCO	220	MINPUR	GAJWEL	1	D/C	SINGLE ACSR ZEBRA	86
1713	TSTRANSCO	220	MINPUR	GAJWEL	2	D/C	SINGLE ACSR ZEBRA	86
1714	TSTRANSCO	220	MINPUR	RENEW_MNP	1	D/C	SINGLE ACSR MOOSE	13
1715	TSTRANSCO	220	MIRYALAGUDA	CHALAKURTHY	1	D/C	SINGLE ACSR DEER + SINGLE ACSR ZEBRA	51
1716	TSTRANSCO	220	MIRYALAGUDA	SURYAPET	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	58
1717	TSTRANSCO	220	MIRYALAGUDA	SURYAPET	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	58
1718	TSTRANSCO	220	MOULALI	MALKARAM	1	D/C	1200SQMM UGC	9
1719	TSTRANSCO	220	MOULALI	MALKARAM	1	D/C	SINGLE ACSR ZEBRA	9
1720	TSTRANSCO	220	MOULALI	MALKARAM	2	D/C	SINGLE ACSR ZEBRA	22
1721	TSTRANSCO	220	MOULALI	OSMANIA	1	D/C	1200SQMM UGC	9
1722	TSTRANSCO	220	MOULALI	OSMANIA	2	D/C	1200SQMM UGC	9
1723	TSTRANSCO	220	MOULALI	POCHARAM	1	D/C	SINGLE ACSR MOOSE + SINGLE ACSR ZEBRA + 1200SQMM UGC	11
1724	TSTRANSCO	220	NAGARAM	MANTHANI	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	103
1725	TSTRANSCO	220	NAGARAM	PULKURTHY	1	D/C	SINGLE ACSR ZEBRA	9
1726	TSTRANSCO	220	NAGARAM	PULKURTHY	2	D/C	SINGLE ACSR ZEBRA	8

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1727	TSTRANSCO	220	NAGARAM	RFCL	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	92
1728	TSTRANSCO	220	NAGARAM	WARANGAL	1	D/C	TWIN ACSR MOOSE	12
1729	TSTRANSCO	220	NAGARAM	WARANGAL	2	D/C	TWIN ACSR MOOSE	12
1730	TSTRANSCO	220	NARKETPALLI	HUZURNAGAR	1	D/C	SINGLE ACSR MOOSE	93
1731	TSTRANSCO	220	NARKETPALLI	SURYAPET	1	D/C	SINGLE ACSR MOOSE	72
1732	TSTRANSCO	220	NARKETPALLI	UDAYASAMUDRAM	1	D/C	SINGLE ACSR ZEBRA	10
1733	TSTRANSCO	220	NARSARPUR	MEENAJIPET	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	24
1734	TSTRANSCO	220	NARSARPUR	MEENAJIPET	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	24
1735	TSTRANSCO	220	NETTEMPADU	NTPD-2	1	D/C	SINGLE ACSR ZEBRA	9
1736	TSTRANSCO	220	NIRMAL 220/132	JAGITIYAL	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	72
1737	TSTRANSCO	220	NIRMAL 220/132	JAGITIYAL	2	D/C	SINGLE ACSR MOOSE	72
1738	TSTRANSCO	220	NIRMAL 220/132	NIRMAL 400/220	1	D/C	SINGLE ACSR MOOSE	4
1739	TSTRANSCO	220	NIRMAL 220/132	NIRMAL 400/220	2	D/C	SINGLE ACSR MOOSE	4
1740	TSTRANSCO	220	NIRMAL 400/220	MUPKAL	1	D/C	SINGLE ACSR MOOSE	18
1741	TSTRANSCO	220	NIRMAL 400/220	RENJAL	1	D/C	SINGLE ACSR MOOSE	68
1742	TSTRANSCO	220	NSAGAR	CHALAKURTHY	1	D/C	SINGLE ACSR DEER + SINGLE ACSR ZEBRA	14
1743	TSTRANSCO	220	PARGI	KOSIGI	1	D/C	SINGLE ACSR MOOSE	40
1744	TSTRANSCO	220	PARGI	KOSIGI	2	D/C	SINGLE ACSR MOOSE	40
1745	TSTRANSCO	220	PULKURTHY	SALIVAGU	1	D/C	SINGLE ACSR MOOSE	13
1746	TSTRANSCO	220	PUTTAMGANDI	PULIYATHANDA	1	D/C	SINGLE ACSR ZEBRA	19
1747	TSTRANSCO	220	RAMADUGU	DURSHED	1	D/C	SINGLE ACSR MOOSE	27
1748	TSTRANSCO	220	RAMPUR	RAJESHWARAOPET	1	D/C	SINGLE ACSR MOOSE	35
1749	TSTRANSCO	220	RAMPUR	RAMADUGU	1	D/C	SINGLE ACSR MOOSE	32

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1750	TSTRANSCO	220	RAMPUR	RAMADUGU	2	D/C	SINGLE ACSR MOOSE	32
1751	TSTRANSCO	220	REGUMANUGADDA	JONNALABOGADA	1	D/C	SINGLE ACSR ZEBRA	19
1752	TSTRANSCO	220	REGUMANUGADDA	SINGOTAM	1	D/C	SINGLE ACSR ZEBRA	24
1753	TSTRANSCO	220	REGUMANUGADDA	YELLUR	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	10
1754	TSTRANSCO	220	RENJAL	MUPKAL	1	D/C	SINGLE ACSR MOOSE	50
1755	TSTRANSCO	220	SEETHARAMPATNAM	KTPS STG5	1	D/C	SINGLE ACSR ZEBRA	5
1756	TSTRANSCO	220	SEETHARAMPATNAM	KTPS STG5	2	D/C	SINGLE ACSR ZEBRA	5
1757	TSTRANSCO	220	SHADNAGAR	CHEGUR	1	D/C	SINGLE ACSR MOOSE	11
1758	TSTRANSCO	220	SHADNAGAR	KETHIREDDYPALLI	1	D/C	SINGLE ACSR MOOSE	32
1759	TSTRANSCO	220	SHAMSHABAD	CHEGUR	1	D/C	SINGLE ACSR MOOSE	22
1760	TSTRANSCO	220	SHANKARPALLI	KETHIREDDYPALLI	1	D/C	SINGLE ACSR MOOSE	29
1761	TSTRANSCO	220	SHANKARPALLI	PARGI	1	D/C	SINGLE ACSR MOOSE	45
1762	TSTRANSCO	220	SHANKARPALLI	PARGI	2	D/C	SINGLE ACSR MOOSE	45
1763	TSTRANSCO	220	SHANKARPALLI	SADASHIVPET	1	D/C	SINGLE ACSR MOOSE	39
1764	TSTRANSCO	220	SHANKARPALLI	SADASHIVPET	2	D/C	SINGLE ACSR MOOSE	39
1765	TSTRANSCO	220	SHAPURNAGAR	ERRAGADDA	1	D/C	SINGLE ACSR ZEBRA + 1200SQMM UGC	19
1766	TSTRANSCO	220	SHAPURNAGAR	GACHIBOWLI	2	D/C	SINGLE ACSR ZEBRA	22
1767	TSTRANSCO	220	SHAPURNAGAR	GACHIBOWLI	3	D/C	SINGLE ACSR ZEBRA	15
1768	TSTRANSCO	220	SHAPURNAGAR	JANGOAN 400/220	1	S/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	107
1769	TSTRANSCO	220	SHAPURNAGAR	MALKARAM	1	D/C	SINGLE ACCC DRAKE	19
1770	TSTRANSCO	220	SHAPURNAGAR	MALKARAM	2	D/C	SINGLE ACCC DRAKE	19
1771	TSTRANSCO	220	SHAPURNAGAR	MIYAPUR	1	D/C	SINGLE ACSR ZEBRA + 1200SQMM UGC	10
1772	TSTRANSCO	220	SIDDIPET	DURSHED	1	D/C	SINGLE ACSR ZEBRA	67

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1773	TSTRANSCO	220	SIDDIPET	MALLARAM	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	24
1774	TSTRANSCO	220	SIRICILLA	RAMADUGU	1	D/C	SINGLE ACSR MOOSE	52
1775	TSTRANSCO	220	SIRICILLA	RAMADUGU	2	D/C	SINGLE ACSR MOOSE	52
1776	TSTRANSCO	220	SITAPURAM	HUZURNAGAR	1	D/C	SINGLE ACSR MOOSE	29
1777	TSTRANSCO	220	SITAPURAM	PULICHINTALA	1	D/C	SINGLE ACSR MOOSE	8
1778	TSTRANSCO	220	TANDUR	SHANKARPALLI	1	D/C	SINGLE ACSR ZEBRA	85
1779	TSTRANSCO	220	UPPER JURALA	JURALA	1	D/C	SINGLE ACSR MOOSE	2
1780	TSTRANSCO	220	UPPER JURALA	JURALA	2	D/C	SINGLE ACSR MOOSE	2
1781	TSTRANSCO	220	VELTOOR	AKSHAY	1	D/C	SINGLE ACSR MOOSE	7
1782	TSTRANSCO	220	VELTOOR	GUDIPALLIGATTU	1	D/C	SINGLE ACSR MOOSE	45
1783	TSTRANSCO	220	VELTOOR	GUDIPALLIGATTU	2	D/C	SINGLE ACSR MOOSE	45
1784	TSTRANSCO	220	VELTOOR	JURALA	1	D/C	SINGLE ACSR MOOSE	30
1785	TSTRANSCO	220	VELTOOR	LOWER JURALA	1	D/C	SINGLE ACSR MOOSE	28
1786	TSTRANSCO	220	VELTOOR	RENEW_VLT_2	1	D/C	SINGLE ACSR MOOSE	10
1787	TSTRANSCO	220	VELTOOR	SUZLON	1	D/C	SINGLE ACSR MOOSE	9
1788	TSTRANSCO	220	VELTOOR	THIMAJIPET	1	D/C	TWIN ACSR MOOSE	40
1789	TSTRANSCO	220	VELTOOR	THIMAJIPET	2	D/C	TWIN ACSR MOOSE	40
1790	TSTRANSCO	220	VELTOOR	TRANSFORM	1	D/C	SINGLE ACSR MOOSE	2
1791	TSTRANSCO	220	WADDEKOTHAPALLE	JANGOAN 400/220	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	84
1792	TSTRANSCO	220	WADDEKOTHAPALLE	JANGOAN 400/220	2	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	84
1793	TSTRANSCO	220	WADDEKOTHAPALLE	JANGOAN 400/220	3	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	63
1794	TSTRANSCO	220	WANAPARTHY	SINGOTAM	1	D/C	SINGLE ACSR ZEBRA	31
1795	TSTRANSCO	220	WANAPARTHY	VELTOOR	1	D/C	SINGLE ACSR MOOSE	20
1796	TSTRANSCO	220	WANAPARTHY	VELTOOR	2	D/C	SINGLE ACSR MOOSE	20

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1797	TSTRANSCO	220	WARANGAL	BOMMAKAL	1	D/C	SINGLE ACSR MOOSE	68
1798	TSTRANSCO	220	WARANGAL	HUZURABAD	1	D/C	SINGLE ACSR MOOSE	41
1799	TSTRANSCO	220	WARANGAL	MAHABUBABAD	1	D/C	SINGLE ACSR MOOSE	82
1800	TSTRANSCO	220	WARANGAL	MAHABUBABAD	2	D/C	SINGLE ACSR MOOSE	82
1801	TSTRANSCO	220	WARANGAL	NAGARAM	1	D/C	SINGLE ACSR ZEBRA	14
1802	TSTRANSCO	220	WARANGAL	NAGARAM	2	D/C	SINGLE ACSR ZEBRA	14
1803	TSTRANSCO	220	YEDDUMAILARAM	KETHIREDDYPALLI	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	31
1804	TSTRANSCO	220	YEDDUMAILARAM	SHANKARPALLI	1	D/C	SINGLE ACSR ZEBRA	10
1805	TSTRANSCO	220	YEDDUMAILARAM	SHANKARPALLI	2	D/C	SINGLE ACSR MOOSE	10
1806	TSTRANSCO	220	YELLUR	GOURIDEVIPALLI	1	D/C	SINGLE ACSR ZEBRA + SINGLE ACSR MOOSE	30
1807	TSTRANSCO+KPTCL	220	TANDUR	SEDAM	1	D/C	SINGLE ACSR ZEBRA	47
1808	TSTRANSCO+KPTCL	220	UPPER JURALA	RAICHUR	1	D/C	SINGLE ACSR DRAKE	49
1809	TSTRANSCO+KPTCL	220	UPPER JURALA	RAICHUR	2	D/C	SINGLE ACSR DRAKE	49
1810	APTRANSCO+PONDY	132	YANAM	PRATAPNAGAR	1	D/C	SINGLE ACSR PANTHER	12
1811	APTRANSCO+TSTRANSCO	132	APCARBIDES	ALAMPUR	1	D/C	SINGLE ACSR PANTHER	20
1812	APTRANSCO+TSTRANSCO	132	APCARBIDES	ALAMPUR	2	D/C	SINGLE ACSR PANTHER	20
1813	APTRANSCO+TSTRANSCO	132	CHILLAKALLU	BONAKAL RLY	1	D/C	SINGLE ACSR PANTHER	20
1814	APTRANSCO+TSTRANSCO	132	CHILLAKALLU	BONAKAL RLY	2	D/C	SINGLE ACSR PANTHER	20

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1815	APTRANSCO+TSTRANSCO	132	CHILLAKALLU	KHAMMAM CITY	1	D/C	SINGLE ACSR PANTHER	42
1816	APTRANSCO+TSTRANSCO	132	CHILLAKALLU	KODADA	1	D/C	SINGLE ACSR PANTHER	21
1817	APTRANSCO+TSTRANSCO	132	CHILLAKALLU	KUSUMANCHI	1	D/C	SINGLE ACSR PANTHER	54
1818	APTRANSCO+TSTRANSCO	132	CHILLAKALLU	MADHIRA	1	D/C	SINGLE ACSR PANTHER	28
1819	APTRANSCO+TSTRANSCO	132	CHILLAKALLU	RAMAPURAM	1	D/C	SINGLE ACSR PANTHER	21
1820	APTRANSCO+TSTRANSCO	132	CHILLAKALLU	SITAPURAM	1	D/C	SINGLE ACSR PANTHER	16
1821	APTRANSCO+TSTRANSCO	132	KCP CEMENTS	SITAPURAM	1	D/C	SINGLE ACSR PANTHER	2
1822	APTRANSCO+TSTRANSCO	132	KVKOTA 132/33	ASWARAOPET	1	D/C	SINGLE ACSR PANTHER	30
1823	APTRANSCO+TSTRANSCO	132	KVKOTA 220/132	ASWARAOPET	1	D/C	SINGLE ACSR PANTHER	30
1824	APTRANSCO+TSTRANSCO	132	NRSC	NSAGAR	1	D/C	SINGLE ACSR PANTHER	48
1825	APTRANSCO+TSTRANSCO	132	PIDUGURALLA	WADEPALLI	1	D/C	SINGLE ACSR PANTHER	45
1826	APTRANSCO+TSTRANSCO	132	TANGEDA	WADEPALLI	1	D/C	SINGLE ACSR PANTHER	33
1827	KPTCL+KSEB	110	KONAJE	MANJESWARAM	1	D/C	SINGLE ACSR MINK	16
1828	KSEB+PONDY	110	MAHE	PANOOR	1	D/C	SINGLE ACSR MINK	2
1829	KSEB+PONDY	110	MAHE	PANOOR	2	D/C	SINGLE ACSR MINK	2

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Tower	Conductor	Length (km)
1830	TANTRANSCO+KSEB	110	KUZHITURAI	PARASSALA	1	D/C	SINGLE ACSR MINK	5
1831	TANTRANSCO+PONDY	110	THIRUVARUR	SURAKUDI	1	D/C	SINGLE ACSR PANTHER	30
1832	TANTRANSCO+PONDY	110	THIRUVARUR	TR PATNAM	1	D/C	SINGLE ACSR PANTHER	30

Inter-Connecting Transformer Details

Sno.	Owner	Voltage (kV)	Bus	ID	MVA	Taps	Phase	Make
1	PGCIL	765/400	CHILKALURIPETA	1	1500	23	1	TBEA
2	PGCIL	765/400	CHILKALURIPETA	2	1500	23	1	TBEA
3	PGCIL	765/400	CUDDAPAH	1	1500	23	1	SIEMENS
4	PGCIL	765/400	CUDDAPAH	2	1500	23	1	SIEMENS
5	PGCIL	765/400	KURNOOL	1	1500	23	1	SIEMENS
6	PGCIL	765/400	KURNOOL	2	1500	23	1	SIEMENS
7	PGCIL	765/400	MAHESWARAM	1	1500	23	1	SIEMENS
8	PGCIL	765/400	MAHESWARAM	2	1500	23	1	SIEMENS
9	PGCIL	765/400	NELLORE-PS	2	1500	23	1	ALSTOM
10	PGCIL	765/400	NELLORE-PS	3	1500	23	1	ALSTOM
11	PGCIL	765/400	NIZAMABAD	1	1500	23	1	SIEMENS
12	PGCIL	765/400	NIZAMABAD	2	1500	23	1	SIEMENS
13	PGCIL	765/400	RAICHUR-PG	1	1500	23	1	TBEA
14	PGCIL	765/400	RAICHUR-PG	2	1500	23	1	TBEA
15	PGCIL	765/400	SRIKAKULAM	1	1500	23	1	TBEA
16	PGCIL	765/400	SRIKAKULAM	2	1500	23	1	TBEA
17	PGCIL	765/400	THIRUVALAM-PG	1	1500	23	1	CGL
18	PGCIL	765/400	THIRUVALAM-PG	2	1500	23	1	CGL
19	PGCIL	765/400	VEMAGIRI-PG	1	1500	23	1	ALSTOM
20	PGCIL	765/400	VEMAGIRI-PG	2	1500	23	1	ALSTOM
21	NLC	400/230	NLC STG2	1	250	17	3	BHEL
22	NLC	400/230	NLC STG2	2	250	17	3	BHEL
23	NLC	400/230	NNTPP	1	500	17	1	ALSTOM
24	NLC	400/230	NNTPP	2	500	17	1	ALSTOM

Sno.	Owner	Voltage (kV)	Bus	ID	MVA	Taps	Phase	Make
25	NPCIL	400/230	KKNPP	1	315	17	3	ZAPOROZH
26	NPCIL	400/230	KKNPP	2	315	17	3	ZAPOROZH
27	NTPL	400/230	NTPL	1	315	17	3	ABB
28	NTPL	400/230	NTPL	2	315	17	3	ABB
29	PGCIL	400/230	ARASUR-PG	1	315	17	3	BHEL
30	PGCIL	400/230	ARASUR-PG	2	315	17	3	BHEL
31	PGCIL	400/230	ARASUR-PG	3	500	17	3	TBEA
32	PGCIL	400/230	HOSUR-PG	1	315	17	3	CGL
33	PGCIL	400/230	HOSUR-PG	2	315	17	3	CGL
34	PGCIL	400/230	HOSUR-PG	3	315	17	3	CGL
35	PGCIL	400/230	KALIVANTHAPATU	1	315	17	3	BHEL
36	PGCIL	400/230	KALIVANTHAPATU	2	315	17	3	BHEL
37	PGCIL	400/230	KALIVANTHAPATU	3	500	17	3	EMCO
38	PGCIL	400/230	KARAIKUDI-PG	1	315	17	3	CGL
39	PGCIL	400/230	KARAIKUDI-PG	2	315	17	3	CGL
40	PGCIL	400/230	KARAIKUDI-PG	3	500	17	3	TBEA
41	PGCIL	400/230	MADURAI-PG	1	315	17	3	CGL
42	PGCIL	400/230	MADURAI-PG	2	315	17	3	CGL
43	PGCIL	400/230	MADURAI-PG	3	500	17	3	CGL
44	PGCIL	400/230	MYWADI	1	315	17	3	BHEL
45	PGCIL	400/230	MYWADI	2	315	17	3	BHEL
46	PGCIL	400/230	MYWADI	3	315	17	3	AREVA
47	PGCIL	400/230	PONDY	1	315	17	3	TELK
48	PGCIL	400/230	PONDY	2	315	17	3	CGL
49	PGCIL	400/230	PONDY	3	500	17	3	TBEA
50	PGCIL	400/230	PUGALUR-PG	1	315	17	3	AREVA
51	PGCIL	400/230	PUGALUR-PG	2	315	17	3	AREVA
52	PGCIL	400/230	PUGALUR-PG	3	500	17	3	EMCO

Sno.	Owner	Voltage (kV)	Bus	ID	MVA	Taps	Phase	Make
53	PGCIL	400/230	TIRUNELVELI-PG	1	315	17	3	TELK
54	PGCIL	400/230	TIRUNELVELI-PG	2	315	17	3	TELK
55	PGCIL	400/230	TIRUNELVELI-PG	3	500	17	3	TBEA
56	PGCIL	400/230	TRICHY-PG	1	315	17	3	TELK
57	PGCIL	400/230	TRICHY-PG	2	315	17	3	TELK
58	PGCIL	400/230	TRICHY-PG	3	500	17	3	EMCO
59	PGCIL	400/230	TTGS	1	500	17	3	CGL
60	PGCIL	400/230	TTGS	2	500	17	3	CGL
61	PGCIL	400/230	TTGS	3	500	17	3	TBEA
62	TANTRANSCO	400/230	ALAMATHI	3	315	17	1	T&R
63	TANTRANSCO	400/230	ALAMATHI	4	315	17	1	BHEL
64	TANTRANSCO	400/230	ALAMATHI	5	315	17	1	BHEL
65	TANTRANSCO	400/230	ANAIKADAVU	3	315	17	3	BHEL
66	TANTRANSCO	400/230	ANAIKADAVU	4	315	17	3	BHEL
67	TANTRANSCO	400/230	ANAIKADAVU	5	315	17	3	BHEL
68	TANTRANSCO	400/230	KAMUTHI	1	315	17	3	T&R
69	TANTRANSCO	400/230	KAMUTHI	2	315	17	3	T&R
70	TANTRANSCO	400/230	KANARPATTI	1	500	17	3	T&R
71	TANTRANSCO	400/230	KANARPATTI	2	500	17	3	T&R
72	TANTRANSCO	400/230	KARAMADAI	1	315	17	3	CGL
73	TANTRANSCO	400/230	KARAMADAI	2	315	17	3	CGL
74	TANTRANSCO	400/230	KARAMADAI	3	315	17	3	CGL
75	TANTRANSCO	400/230	KAYATHAR 400/230/110	2	315	17	3	T&R
76	TANTRANSCO	400/230	KAYATHAR 400/230/110	3	315	17	3	T&R
77	TANTRANSCO	400/230	MANALI	2	315	17	3	CGL
78	TANTRANSCO	400/230	MANALI	4	315	17	3	CGL
79	TANTRANSCO	400/230	MTPS-3	1	315	17	3	CGL
80	TANTRANSCO	400/230	MTPS-3	2	315	17	3	CGL

Sno.	Owner	Voltage (kV)	Bus	ID	MVA	Taps	Phase	Make
81	TANTRANSCO	400/230	PALAVADI	1	315	17	3	CGL
82	TANTRANSCO	400/230	PALAVADI	2	315	17	3	CGL
83	TANTRANSCO	400/230	RASIPALAYAM	4	315	17	3	ALSTOM
84	TANTRANSCO	400/230	RASIPALAYAM	5	315	17	3	ALSTOM
85	TANTRANSCO	400/230	S V CHATHRAM	1	315	17	3	BHEL
86	TANTRANSCO	400/230	S V CHATHRAM	2	315	17	3	BHEL
87	TANTRANSCO	400/230	SALEM-TN	1	315	17	3	CGL
88	TANTRANSCO	400/230	SALEM-TN	2	315	17	1	NGEF
89	TANTRANSCO	400/230	SHOLINGANALLUR	2	315	17	3	CGL
90	TANTRANSCO	400/230	SHOLINGANALLUR	3	315	17	3	CGL
91	TANTRANSCO	400/230	SRIPERUMBUDUR	1	315	17	3	TELK
92	TANTRANSCO	400/230	SRIPERUMBUDUR	2	315	17	3	CGL
93	TANTRANSCO	400/230	SRIPERUMBUDUR	3	315	17	1	EMCO
94	TANTRANSCO	400/230	THENAMPATTY	1	315	17	3	BHEL
95	TANTRANSCO	400/230	THENAMPATTY	2	315	17	3	BHEL
96	TANTRANSCO	400/230	THERVOI KANDIGAI	1	315	17	3	T&R
97	TANTRANSCO	400/230	THIRUVALAM-TN 400/230	1	315	17	3	T&R
98	TANTRANSCO	400/230	THIRUVALAM-TN 400/230	2	315	17	3	CGL
99	APTRANSCO	400/220	CHITTOOR	1	315	17	3	T&R
100	APTRANSCO	400/220	CHITTOOR	2	315	17	3	VIJAY
101	APTRANSCO	400/220	CHITTOOR	3	315	17	3	CGL
102	APTRANSCO	400/220	GANI	1	500	17	3	TOSHIBA
103	APTRANSCO	400/220	GANI	2	500	17	3	TOSHIBA
104	APTRANSCO	400/220	GANI	3	500	17	3	TOSHIBA
105	APTRANSCO	400/220	HINDUPUR	1	315	17	3	PRIME MEIDEN
106	APTRANSCO	400/220	HINDUPUR	2	315	17	3	PRIME MEIDEN
107	APTRANSCO	400/220	JAMALAMADUGU	1	315	17	3	EMCO
108	APTRANSCO	400/220	JAMALAMADUGU	2	315	17	3	EMCO

Sno.	Owner	Voltage (kV)	Bus	ID	MVA	Taps	Phase	Make
109	APTRANSCO	400/220	KALIKIRI	1	315	17	3	TELK
110	APTRANSCO	400/220	KALIKIRI	2	315	17	3	CGL
111	APTRANSCO	400/220	KALPAKKA	1	315	23	3	CGL
112	APTRANSCO	400/220	KALPAKKA	2	315	17	3	CGL
113	APTRANSCO	400/220	KALPAKKA	3	315	17	3	TELK
114	APTRANSCO	400/220	KV KOTA	1	315	17	3	CGL
115	APTRANSCO	400/220	KV KOTA	2	315	17	3	CGL
116	APTRANSCO	400/220	MARADAM	1	315	17	3	T&R
117	APTRANSCO	400/220	MARADAM	2	315	17	3	T&R
118	APTRANSCO	400/220	MARADAM	3	500	17	3	T&R
119	APTRANSCO	400/220	NARNOOR	1	315	17	3	CGL
120	APTRANSCO	400/220	NARNOOR	2	315	17	3	CGL
121	APTRANSCO	400/220	NELLORE-AP	1	315	17	3	ABB
122	APTRANSCO	400/220	NELLORE-AP	2	315	17	3	ABB
123	APTRANSCO	400/220	NELLORE-AP	3	315	17	3	EMCO
124	APTRANSCO	400/220	PODILI	1	315	17	3	T&R
125	APTRANSCO	400/220	PODILI	2	315	17	3	T&R
126	APTRANSCO	400/220	PODILI	3	315	17	3	T&R
127	APTRANSCO	400/220	RACHAGUNNERI	1	315	17	3	T&R
128	APTRANSCO	400/220	RACHAGUNNERI	2	315	17	3	CGL
129	APTRANSCO	400/220	SATTENAPALLI	1	315	17	3	TELK
130	APTRANSCO	400/220	SATTENAPALLI	2	315	17	3	TELK
131	APTRANSCO	400/220	SATTENAPALLI	3	315	17	3	T&R
132	APTRANSCO	400/220	TALARICHERVU	1	315	17	3	T&R
133	APTRANSCO	400/220	TALARICHERVU	2	315	17	3	TELK
134	APTRANSCO	400/220	TALARICHERVU	3	315	17	3	TELK
135	APTRANSCO	400/220	URAVAKONDA	1	315	17	3	CGL
136	APTRANSCO	400/220	URAVAKONDA	2	315	17	3	CGL

Sno.	Owner	Voltage (kV)	Bus	ID	MVA	Taps	Phase	Make
137	APTRANSCO	400/220	URAVAKONDA	3	500	17	3	TOSHIBA
138	APTRANSCO	400/220	URAVAKONDA	4	500	17	3	EMCO
139	APTRANSCO	400/220	VEMAGIRI	1	315	17	3	CGL
140	APTRANSCO	400/220	VEMAGIRI	2	315	17	3	CGL
141	APTRANSCO	400/220	VEMAGIRI	3	315	17	3	CGL
142	APTRANSCO	400/220	VEMAGIRI	4	500	17	3	TBEA
143	KPTCL	400/220	BTPS	1	315	17	3	BHEL
144	KPTCL	400/220	DEVANAHALLI	1	500	17	3	ABB
145	KPTCL	400/220	DEVANAHALLI	2	500	17	3	ABB
146	KPTCL	400/220	DONI	1	500	17	3	T&R
147	KPTCL	400/220	DONI	2	500	17	3	T&R
148	KPTCL	400/220	GUTTUR	1	315	17	3	CGL
149	KPTCL	400/220	GUTTUR	2	315	17	3	CGL
150	KPTCL	400/220	HOODY	1	500	17	1	CGL
151	KPTCL	400/220	HOODY	2	500	17	1	CGL
152	KPTCL	400/220	HOODY	3	500	17	1	CGL
153	KPTCL	400/220	JAGALUR	1	500	17	3	GE
154	KPTCL	400/220	JAGALUR	2	500	17	3	GE
155	KPTCL	400/220	JSW	1	315	17	3	ABB
156	KPTCL	400/220	JSW	2	315	17	3	ABB
157	KPTCL	400/220	MYLASANDRA	1	500	17	3	TBEA
158	KPTCL	400/220	MYLASANDRA	2	500	17	3	TBEA
159	KPTCL	400/220	MYLASANDRA	3	500	17	3	TBEA
160	KPTCL	400/220	NELAMANGALA	1	500	17	1	TELK
161	KPTCL	400/220	NELAMANGALA	2	500	17	1	TELK
162	KPTCL	400/220	NELAMANGALA	3	500	17	1	TELK
163	KPTCL	400/220	RTPS	1	315	17	3	CGL
164	KPTCL	400/220	RTPS	2	315	17	3	CGL

Sno.	Owner	Voltage (kV)	Bus	ID	MVA	Taps	Phase	Make
165	KPTCL	400/220	RTPS	3	500	17	3	CGL
166	KPTCL	400/220	TALAGUPPA	1	315	17	3	BHEL
167	KPTCL	400/220	TALAGUPPA	2	315	17	3	BHEL
168	KPTCL	400/220	TALAGUPPA	3	315	17	3	BHEL
169	KPTCL	400/220	UPCL	1	315	17	3	TELK
170	KPTCL	400/220	UPCL	2	315	17	3	TELK
171	KSEB	400/220	MADAKATHARA	1	315	17	3	TELK
172	KSEB	400/220	MADAKATHARA	2	315	17	3	TELK
173	KSEB	400/220	MADAKATHARA	3	315	17	3	TELK
174	NPCIL	400/220	KAIGA	1	500	17	1	BHEL
175	NPCIL	400/220	KAIGA	2	500	17	1	BHEL
176	NTPC	400/220	KUDGI NTPC	1	500	17	1	SIEMENS
177	NTPC	400/220	KUDGI NTPC	2	500	17	1	SIEMENS
178	NTPC	400/220	RAMAGUNDAM NTPC	2	250	17	3	BHEL
179	NTPC	400/220	RAMAGUNDAM NTPC	3	250	17	3	BHEL
180	NTPC	400/220	RAMAGUNDAM NTPC	4	315	17	3	BHEL
181	NTPC	400/220	RAMAGUNDAM NTPC	5	315	17	3	BHEL
182	PGCIL	400/220	BIDADI-PG	1	500	17	3	AREVA
183	PGCIL	400/220	BIDADI-PG	2	500	17	3	AREVA
184	PGCIL	400/220	CUDDAPAH	1	315	17	3	BHEL
185	PGCIL	400/220	CUDDAPAH	2	315	17	3	BHEL
186	PGCIL	400/220	CUDDAPAH	3	500	17	3	T&R
187	PGCIL	400/220	GAZUWAKA-PG	1	315	17	3	CGL
188	PGCIL	400/220	GAZUWAKA-PG	2	315	17	3	CGL
189	PGCIL	400/220	GAZUWAKA-PG	3	500	17	3	TBEA
190	PGCIL	400/220	GOOTY-PG	1	315	17	3	CGL
191	PGCIL	400/220	GOOTY-PG	2	315	17	3	BHEL
192	PGCIL	400/220	GOOTY-PG	3	500	17	3	T&R

Sno.	Owner	Voltage (kV)	Bus	ID	MVA	Taps	Phase	Make
193	PGCIL	400/220	HASSAN-PG	1	315	17	3	CGL
194	PGCIL	400/220	HASSAN-PG	2	315	17	3	CGL
195	PGCIL	400/220	HIRIYUR-PG	1	315	17	3	BHEL
196	PGCIL	400/220	HIRIYUR-PG	2	315	17	3	BHEL
197	PGCIL	400/220	HYDERABAD	1	315	17	3	CGL
198	PGCIL	400/220	HYDERABAD	2	315	17	3	CGL
199	PGCIL	400/220	HYDERABAD	3	315	17	3	CGL
200	PGCIL	400/220	HYDERABAD	4	500	17	3	ALSTOM
201	PGCIL	400/220	KHAMMAM	1	315	17	3	CGL
202	PGCIL	400/220	KHAMMAM	2	315	17	3	BHEL
203	PGCIL	400/220	KHAMMAM	3	500	17	3	T&R
204	PGCIL	400/220	KOCHI-PG	1	315	17	3	AREVA
205	PGCIL	400/220	KOCHI-PG	2	315	17	3	AREVA
206	PGCIL	400/220	KOLAR-PG	1	500	17	1	CGL
207	PGCIL	400/220	KOLAR-PG	2	500	17	1	BHEL
208	PGCIL	400/220	KOZHIKODE-PG	1	315	17	3	BHEL
209	PGCIL	400/220	KOZHIKODE-PG	2	315	17	3	CGL
210	PGCIL	400/220	KOZHIKODE-PG	3	500	17	3	TBEA
211	PGCIL	400/220	MUNIRABAD-PG	1	315	17	3	TELK
212	PGCIL	400/220	MUNIRABAD-PG	2	315	17	3	BHEL
213	PGCIL	400/220	MYSORE-PG	1	315	17	3	CGL
214	PGCIL	400/220	MYSORE-PG	2	315	17	3	CGL
215	PGCIL	400/220	MYSORE-PG	3	500	17	3	EMCO
216	PGCIL	400/220	NARENDRA-PG	1	500	17	3	EMCO
217	PGCIL	400/220	NARENDRA-PG	2	500	17	3	BHEL
218	PGCIL	400/220	NP KUNTA	1	500	17	3	CGL
219	PGCIL	400/220	NP KUNTA	2	500	17	3	CGL
220	PGCIL	400/220	NP KUNTA	3	500	17	3	CGL

Sno.	Owner	Voltage (kV)	Bus	ID	MVA	Taps	Phase	Make
221	PGCIL	400/220	NP KUNTA	4	500	17	3	CGL
222	PGCIL	400/220	NUNNA	1	315	17	3	CGL
223	PGCIL	400/220	NUNNA	2	315	17	3	CGL
224	PGCIL	400/220	NUNNA	3	500	17	3	ALSTOM
225	PGCIL	400/220	PALAKKAD-PG	1	315	17	3	CGL
226	PGCIL	400/220	PALAKKAD-PG	2	315	17	3	CGL
227	PGCIL	400/220	PAVAGADA-PG	1	500	17	3	CGL
228	PGCIL	400/220	PAVAGADA-PG	2	500	17	3	TBEA
229	PGCIL	400/220	PAVAGADA-PG	3	500	17	3	TBEA
230	PGCIL	400/220	PAVAGADA-PG	4	500	17	3	CGL
231	PGCIL	400/220	PAVAGADA-PG	5	500	17	3	TBEA
232	PGCIL	400/220	SOMANAHALLI-PG	1	500	17	1	BHEL
233	PGCIL	400/220	SOMANAHALLI-PG	2	500	17	1	CGL
234	PGCIL	400/220	SOMANAHALLI-PG	3	500	17	3	EMCO
235	PGCIL	400/220	TALLAPALLI	1	315	17	1	TELK
236	PGCIL	400/220	TALLAPALLI	2	315	17	1	TELK
237	PGCIL	400/220	TALLAPALLI	3	315	17	3	BHEL
238	PGCIL	400/220	TRICHUR HVDC	1	315	17	3	SIEMENS
239	PGCIL	400/220	TRICHUR HVDC	2	315	17	3	SIEMENS
240	PGCIL	400/220	TRIVANDRUM-PG	1	315	17	3	BHEL
241	PGCIL	400/220	TRIVANDRUM-PG	2	315	17	3	BHEL
242	PGCIL	400/220	TRIVANDRUM-PG	3	315	17	3	BHEL
243	PGCIL	400/220	TUMKUR-PG	1	500	17	3	EMCO
244	PGCIL	400/220	TUMKUR-PG	2	500	17	3	BHEL
245	PGCIL	400/220	TUMKUR-PG	3	500	17	3	TBEA
246	PGCIL	400/220	WARANGAL	1	315	17	3	TELK
247	PGCIL	400/220	WARANGAL	2	315	17	3	TELK
248	PGCIL	400/220	WARANGAL	3	500	17	3	T&R

Sno.	Owner	Voltage (kV)	Bus	ID	MVA	Taps	Phase	Make
249	PGCIL	400/220	YELAHANKA-PG	1	500	17	3	BHEL
250	PGCIL	400/220	YELAHANKA-PG	2	500	17	3	BHEL
251	TSGENCO	400/220	KTPS-VI	1	315	18	3	BHEL
252	TSTRANSCO	400/220	ASUPAKA	1	315	17	3	CGL
253	TSTRANSCO	400/220	BHADRADRI TPS	1	315	17	3	TOSHIBA
254	TSTRANSCO	400/220	DICHIPALLI	1	315	17	3	ABB
255	TSTRANSCO	400/220	DICHIPALLI	2	315	17	3	EMCO
256	TSTRANSCO	400/220	DICHIPALLI	3	315	17	3	CGL
257	TSTRANSCO	400/220	DINDI	1	315	17	3	CGL
258	TSTRANSCO	400/220	DINDI	2	315	17	3	CGL
259	TSTRANSCO	400/220	GAJWEL	1	315	17	3	BHEL
260	TSTRANSCO	400/220	GAJWEL	2	315	17	3	EMCO
261	TSTRANSCO	400/220	GAJWEL	3	315	17	3	TELK
262	TSTRANSCO	400/220	GAJWEL	4	500	17	3	T&R
263	TSTRANSCO	400/220	JANGOAN	1	500	17	3	T&R
264	TSTRANSCO	400/220	JANGOAN	2	500	17	3	TOSHIBA
265	TSTRANSCO	400/220	JANGOAN	3	500	17	3	TOSHIBA
266	TSTRANSCO	400/220	JULURUPADU	1	315	17	3	TOSHIBA
267	TSTRANSCO	400/220	JULURUPADU	2	315	17	3	TOSHIBA
268	TSTRANSCO	400/220	KETHIREDDYPALLI	1	315	17	3	TOSHIBA
269	TSTRANSCO	400/220	KETHIREDDYPALLI	2	315	17	3	TOSHIBA
270	TSTRANSCO	400/220	MAHESWARAM 400/220	1	500	17	3	TBEA
271	TSTRANSCO	400/220	MAHESWARAM 400/220	2	500	17	3	TBEA
272	TSTRANSCO	400/220	MALKARAM	1	315	17	3	VIJAY
273	TSTRANSCO	400/220	MALKARAM	2	315	17	3	VIJAY
274	TSTRANSCO	400/220	MALKARAM	3	315	17	3	VIJAY
275	TSTRANSCO	400/220	MALKARAM	4	315	17	3	TOSHIBA
276	TSTRANSCO	400/220	MAMIDIPALLI	1	315	17	3	CGL

Sno.	Owner	Voltage (kV)	Bus	ID	MVA	Taps	Phase	Make
277	TSTRANSCO	400/220	MAMIDIPALLI	2	315	17	3	CGL
278	TSTRANSCO	400/220	MAMIDIPALLI	3	315	17	3	EMCO
279	TSTRANSCO	400/220	MAMIDIPALLI	4	315	17	3	EMCO
280	TSTRANSCO	400/220	NARSARPUR	1	315	17	3	CGL
281	TSTRANSCO	400/220	NARSARPUR	2	315	17	3	CGL
282	TSTRANSCO	400/220	NARSARPUR	3	315	17	3	CGL
283	TSTRANSCO	400/220	NIRMAL 400/220	1	315	17	3	TOSHIBA
284	TSTRANSCO	400/220	NIRMAL 400/220	2	315	17	3	TOSHIBA
285	TSTRANSCO	400/220	NIRMAL 400/220	3	315	17	3	TOSHIBA
286	TSTRANSCO	400/220	RAMADUGU	1	500	17	3	TOSHIBA
287	TSTRANSCO	400/220	RAMADUGU	2	500	17	3	TOSHIBA
288	TSTRANSCO	400/220	SHANKARPALLI	1	315	17	3	TELK
289	TSTRANSCO	400/220	SHANKARPALLI	2	315	17	3	TELK
290	TSTRANSCO	400/220	SHANKARPALLI	3	315	17	3	TELK
291	TSTRANSCO	400/220	SHANKARPALLI	4	500	17	3	T&R
292	TSTRANSCO	400/220	SUNDILLA	1	315	17	3	TELK
293	TSTRANSCO	400/220	SUNDILLA	2	315	17	3	TELK
294	TSTRANSCO	400/220	SUNDILLA	3	315	17	3	TELK
295	TSTRANSCO	400/220	SUNDILLA	4	315	17	3	TELK
296	TSTRANSCO	400/220	SURYAPET	1	315	17	3	CGL
297	TSTRANSCO	400/220	SURYAPET	2	315	17	3	CGL
298	TSTRANSCO	400/220	VELTOOR	1	315	17	3	BHEL
299	TSTRANSCO	400/220	VELTOOR	2	315	17	3	ABB
300	TSTRANSCO	400/220	VELTOOR	3	315	17	3	VIJAY
301	TSTRANSCO	400/220	VELTOOR	4	315	17	3	CGL
302	NTPC	400/132	RAMAGUNDAM NTPC	1	200	17	3	BHEL
303	TANTRANSCO	400/110	ALAMATHI	1	200	17	3	T&R
304	TANTRANSCO	400/110	ALAMATHI	2	200	17	1	BHEL

Sno.	Owner	Voltage (kV)	Bus	ID	MVA	Taps	Phase	Make
305	TANTRANSCO	400/110	ANAIKADAVU	1	200	17	3	BHEL
306	TANTRANSCO	400/110	ANAIKADAVU	2	200	17	3	BHEL
307	TANTRANSCO	400/110	KAMUTHI	1	200	17	3	T&R
308	TANTRANSCO	400/110	KAMUTHI	2	200	17	3	T&R
309	TANTRANSCO	400/110	KAMUTHI	3	200	17	3	T&R
310	TANTRANSCO	400/110	KANARPATTI	1	200	17	3	T&R
311	TANTRANSCO	400/110	KANARPATTI	2	200	17	3	T&R
312	TANTRANSCO	400/110	KANARPATTI	3	200	17	3	T&R
313	TANTRANSCO	400/110	KAYATHAR 400/230/110	1	200	17	3	T&R
314	TANTRANSCO	400/110	MANALI	1	200	17	3	CGL
315	TANTRANSCO	400/110	MANALI	3	200	17	3	CGL
316	TANTRANSCO	400/110	PALAVADI	3	200	17	3	CGL
317	TANTRANSCO	400/110	PALAVADI	4	200	17	3	CGL
318	TANTRANSCO	400/110	RASIPALAYAM	1	200	17	3	ALSTOM
319	TANTRANSCO	400/110	RASIPALAYAM	2	200	17	3	ALSTOM
320	TANTRANSCO	400/110	RASIPALAYAM	3	200	17	3	ALSTOM
321	TANTRANSCO	400/110	S V CHATHRAM	3	200	17	1	BHEL
322	TANTRANSCO	400/110	S V CHATHRAM	4	200	17	1	BHEL
323	TANTRANSCO	400/110	SALEM-TN	3	200	17	1	TELK
324	TANTRANSCO	400/110	SALEM-TN	4	200	17	1	NGEF
325	TANTRANSCO	400/110	SHOLINGANALLUR	1	200	17	3	CGL
326	TANTRANSCO	400/110	SRIPERUMBUDUR	4	200	17	1	TELK
327	TANTRANSCO	400/110	SRIPERUMBUDUR	5	200	17	1	BHEL
328	TANTRANSCO	400/110	THAPAKUNDU	1	200	17	3	BHEL
329	TANTRANSCO	400/110	THAPAKUNDU	2	200	17	3	BHEL
330	TANTRANSCO	400/110	THAPAKUNDU	3	200	17	3	BHEL
331	TANTRANSCO	400/110	THENAMPATTY	3	200	17	3	BHEL
332	TANTRANSCO	400/110	THENAMPATTY	4	200	17	3	BHEL

Sno.	Owner	Voltage (kV)	Bus	ID	MVA	Taps	Phase	Make
333	TANTRANSCO	400/110	THERVOI KANDIGAI	3	200	17	3	T&R
334	PGCIL	400/37	HYDERABAD	1	469	33	3	ABB
335	PGCIL	400/37	MYWADI	1	469	33	3	ABB
336	PGCIL	400/37	TRICHY-PG	1	469	33	3	ABB
337	PGCIL	400/20	NP KUNTA	1	120	33	3	CGL

Reactive Compensation Details

Sno.	Owner	Voltage (kV)	Reactor Bus	Remote Bus	ID	MVAR	Type	Phase	Make
1	PGCIL	765	CHILKALURIPETA	BUS REACTOR	1	240	SWITCHABLE	1	TBEA
2	PGCIL	765	CHILKALURIPETA	BUS REACTOR	2	240	SWITCHABLE	1	TBEA
3	PGCIL	765	CHILKALURIPETA	CUDDAPAH	1	240	SWITCHABLE	1	TBEA
4	PGCIL	765	CHILKALURIPETA	CUDDAPAH	2	240	SWITCHABLE	1	TBEA
5	PGCIL	765	CHILKALURIPETA	VEMAGIRI-PG	1	240	SWITCHABLE	1	TBEA
6	PGCIL	765	CHILKALURIPETA	VEMAGIRI-PG	2	240	SWITCHABLE	1	TBEA
7	PGCIL	765	CUDDAPAH	BUS REACTOR	1	240	SWITCHABLE	1	TBEA
8	PGCIL	765	CUDDAPAH	BUS REACTOR	2	240	SWITCHABLE	1	TBEA
9	PGCIL	765	CUDDAPAH	CHILKALURIPETA	1	240	SWITCHABLE	1	TBEA
10	PGCIL	765	CUDDAPAH	CHILKALURIPETA	2	240	SWITCHABLE	1	TBEA
11	PGCIL	765	KURNOOL	BUS REACTOR	1	240	SWITCHABLE	1	ALSTOM
12	PGCIL	765	KURNOOL	CUDDAPAH	1	240	NON SWITCHABLE	1	CGL
13	PGCIL	765	KURNOOL	CUDDAPAH	2	240	NON SWITCHABLE	1	CGL
14	PGCIL	765	KURNOOL	NELLORE-PS	1	240	NON SWITCHABLE	1	BTW
15	PGCIL	765	KURNOOL	NELLORE-PS	2	240	NON SWITCHABLE	1	BTW
16	PGCIL	765	KURNOOL	RAICHUR-PG	1	240	NON SWITCHABLE	1	ALSTOM
17	PGCIL	765	MAHESWARAM	BUS REACTOR	1	240	SWITCHABLE	1	TBEA
18	PGCIL	765	MAHESWARAM	BUS REACTOR	2	240	SWITCHABLE	1	TBEA
19	PGCIL	765	MAHESWARAM	NIZAMABAD	1	240	SWITCHABLE	1	TBEA
20	PGCIL	765	MAHESWARAM	NIZAMABAD	2	240	SWITCHABLE	1	TBEA
21	PGCIL	765	NELLORE-PS	BUS REACTOR	1	240	SWITCHABLE	1	ALSTOM
22	PGCIL	765	NELLORE-PS	BUS REACTOR	2	240	SWITCHABLE	1	CGL
23	PGCIL	765	NELLORE-PS	KURNOOL	1	240	NON SWITCHABLE	1	ALSTOM
24	PGCIL	765	NELLORE-PS	KURNOOL	2	240	NON SWITCHABLE	1	ALSTOM

Sno.	Owner	Voltage (kV)	Reactor Bus	Remote Bus	ID	MVAR	Type	Phase	Make
25	PGCIL	765	NIZAMABAD	BUS REACTOR	1	240	SWITCHABLE	1	TBEA
26	PGCIL	765	NIZAMABAD	MAHESWARAM	1	240	SWITCHABLE	1	TBEA
27	PGCIL	765	NIZAMABAD	MAHESWARAM	2	240	SWITCHABLE	1	TBEA
28	PGCIL	765	NIZAMABAD	WARDHA	1	240	SWITCHABLE	1	TBEA
29	PGCIL	765	NIZAMABAD	WARDHA	2	240	SWITCHABLE	1	TBEA
30	PGCIL	765	RAICHUR-PG	BUS REACTOR	1	240	SWITCHABLE	1	ALSTOM
31	PGCIL	765	RAICHUR-PG	BUS REACTOR	2	240	SWITCHABLE	1	CGL
32	PGCIL	765	RAICHUR-PG	SOLAPUR-PG	1	240	SWITCHABLE	1	ALSTOM
33	PGCIL	765	SRIKAKULAM	ANGUL	1	240	SWITCHABLE	1	ABB
34	PGCIL	765	SRIKAKULAM	ANGUL	2	240	SWITCHABLE	1	ABB
35	PGCIL	765	SRIKAKULAM	BUS REACTOR	1	330	SWITCHABLE	1	ABB
36	PGCIL	765	SRIKAKULAM	VEMAGIRI-PG	1	240	SWITCHABLE	1	CGL
37	PGCIL	765	SRIKAKULAM	VEMAGIRI-PG	2	240	SWITCHABLE	1	CGL
38	PGCIL	765	THIRUVALAM-PG	BUS REACTOR	1	240	SWITCHABLE	1	TBEA
39	PGCIL	765	THIRUVALAM-PG	BUS REACTOR	2	240	SWITCHABLE	1	TBEA
40	PGCIL	765	THIRUVALAM-PG	CUDDAPAH	1	240	SWITCHABLE	1	ZTR
41	PGCIL	765	THIRUVALAM-PG	CUDDAPAH	2	240	SWITCHABLE	1	ZTR
42	PGCIL	765	VEMAGIRI-PG	BUS REACTOR	1	240	SWITCHABLE	1	CGL
43	PGCIL	765	VEMAGIRI-PG	BUS REACTOR	2	240	SWITCHABLE	1	CGL
44	PGCIL	765	VEMAGIRI-PG	CHILKALURIPETA	1	240	SWITCHABLE	1	CGL
45	PGCIL	765	VEMAGIRI-PG	CHILKALURIPETA	2	240	SWITCHABLE	1	CGL
46	PGCIL	765	VEMAGIRI-PG	SRIKAKULAM	1	240	SWITCHABLE	1	CGL
47	PGCIL	765	VEMAGIRI-PG	SRIKAKULAM	2	240	SWITCHABLE	1	CGL
48	RSTCL	765	RAICHUR-PG	SOLAPUR-PG	2	240	SWITCHABLE	1	TBEA
49	AP-IPP	400	HNPCL	BUS REACTOR	1	80	SWITCHABLE	3	BHEL
50	APGENCO	400	SDSTPS	BUS REACTOR	1	80	SWITCHABLE	3	BHEL
51	APGENCO	400	SDSTPS	BUS REACTOR	2	80	SWITCHABLE	3	BHEL
52	APTRANSCO	400	GANI	BUS REACTOR	1	125	SWITCHABLE	3	SIEMENS

Sno.	Owner	Voltage (kV)	Reactor Bus	Remote Bus	ID	MVAR	Type	Phase	Make
53	APTRANSCO	400	GANI	BUS REACTOR	2	125	SWITCHABLE	3	SIEMENS
54	APTRANSCO	400	HINDUPUR	BUS REACTOR	1	80	SWITCHABLE	3	BHEL
55	APTRANSCO	400	HINDUPUR	BUS REACTOR	2	80	SWITCHABLE	3	BHEL
56	APTRANSCO	400	JAMALAMADUGU	BUS REACTOR	1	80	SWITCHABLE	3	BHEL
57	APTRANSCO	400	KALPAKKA	BUS REACTOR	1	63	SWITCHABLE	3	CGL
58	APTRANSCO	400	KALPAKKA	BUS REACTOR	2	63	SWITCHABLE	3	CGL
59	APTRANSCO	400	KALPAKKA	BUS REACTOR	3	125	SWITCHABLE	3	BHEL
60	APTRANSCO	400	KALPAKKA	BUS REACTOR	4	63	SWITCHABLE	3	SIEMENS
61	APTRANSCO	400	NARNOOR	BUS REACTOR	1	125	SWITCHABLE	3	SIEMENS
62	APTRANSCO	400	NARNOOR	BUS REACTOR	2	63	SWITCHABLE	3	SIEMENS
63	APTRANSCO	400	PODILI	BUS REACTOR	1	80	SWITCHABLE	3	BHEL
64	APTRANSCO	400	RACHAGUNNERI	BUS REACTOR	1	125	SWITCHABLE	3	CGL
65	APTRANSCO	400	TALARICHERVU	BUS REACTOR	1	125	SWITCHABLE	3	CGL
66	APTRANSCO	400	URAVAKONDA	BUS REACTOR	1	125	SWITCHABLE	3	SIEMENS
67	APTRANSCO	400	VEMAGIRI	BUS REACTOR	1	80	SWITCHABLE	3	SIEMENS
68	APTRANSCO	400	VEMAGIRI	BUS REACTOR	2	125	SWITCHABLE	3	SIEMENS
69	COASTAL	400	COASTAL	BUS REACTOR	1	63	SWITCHABLE	3	ABB
70	ILFS	400	ILFS	BUS REACTOR	1	80	SWITCHABLE	3	GE
71	KA-IPP	400	UPCL	BUS REACTOR	1	125	SWITCHABLE	3	TBEA
72	KA-IPP	400	UPCL	BUS REACTOR	2	125	SWITCHABLE	3	TBEA
73	KPCL	400	RTPS	BUS REACTOR	1	63	SWITCHABLE	3	CGL
74	KPTCL	400	BPS	BUS REACTOR	1	125	SWITCHABLE	3	ERL
75	KPTCL	400	BPS	BUS REACTOR	2	125	SWITCHABLE	3	ERL
76	KPTCL	400	DEVANAHALLI	BUS REACTOR	1	125	SWITCHABLE	3	ABB
77	KPTCL	400	GUTTUR	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
78	KPTCL	400	GUTTUR	HIRIYUR-PG	1	50	SWITCHABLE	3	
79	KPTCL	400	GUTTUR	HIRIYUR-PG	2	50	SWITCHABLE	3	
80	KPTCL	400	JAGALUR	BUS REACTOR	1	80	SWITCHABLE	3	T&R

Sno.	Owner	Voltage (kV)	Reactor Bus	Remote Bus	ID	MVAR	Type	Phase	Make
81	KPTCL	400	JAGALUR	BUS REACTOR	2	80	SWITCHABLE	3	T&R
82	KPTCL	400	NELAMANGALA	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
83	KPTCL	400	NELAMANGALA	HIRIYUR-PG	1	50	SWITCHABLE	3	CGL
84	KPTCL	400	NELAMANGALA	HIRIYUR-PG	2	50	SWITCHABLE	3	CGL
85	KPTCL	400	NELAMANGALA	TALAGUPPA	1	50	SWITCHABLE	3	CGL
86	KPTCL	400	TALAGUPPA	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
87	KPTCL	400	TALAGUPPA	NELAMANGALA	1	50	SWITCHABLE	3	BHEL
88	KTL	400	KUDGI-PG	TUMKUR-PG	1	63	SWITCHABLE	3	CGL
89	KTL	400	KUDGI-PG	TUMKUR-PG	2	63	SWITCHABLE	3	CGL
90	KTL	400	TUMKUR-PG	KUDGI-PG	1	63	SWITCHABLE	3	CGL
91	KTL	400	TUMKUR-PG	KUDGI-PG	2	63	SWITCHABLE	3	CGL
92	LANCO	400	LANCO	BUS REACTOR	1	80	SWITCHABLE	3	
93	NLC	400	NLC STG2	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
94	NLC	400	NLC STG2	BUS REACTOR	2	63	SWITCHABLE	3	BHEL
95	NLC	400	NNTPP	BUS REACTOR	1	80	SWITCHABLE	3	ALSTOM
96	NPCIL	400	KAIGA	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
97	NPCIL	400	KKNPP	BUS REACTOR	1	80	SWITCHABLE	3	ZAPOROZH
98	NPCIL	400	KKNPP	BUS REACTOR	2	80	SWITCHABLE	3	ZAPOROZH
99	NTPC	400	KUDGI NTPC	BUS REACTOR	1	125	SWITCHABLE	3	SIEMENS
100	NTPC	400	KUDGI NTPC	BUS REACTOR	2	125	SWITCHABLE	3	SIEMENS
101	NTPC	400	RAMAGUNDAM NTPC	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
102	NTPC	400	VALLUR	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
103	PGCIL	400	BIDADI-PG	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
104	PGCIL	400	CUDDAPAH	BUS REACTOR	1	125	SWITCHABLE	3	TBEA
105	PGCIL	400	CUDDAPAH	BUS REACTOR	2	50	SWITCHABLE	3	CGL
106	PGCIL	400	CUDDAPAH	TALLAPALLI	1	50	NON SWITCHABLE	3	ACEC
107	PGCIL	400	CUDDAPAH	TALLAPALLI	2	50	NON SWITCHABLE	3	MELCO
108	PGCIL	400	CUDDAPAH	TUMKUR-PG	1	50	SWITCHABLE	3	TBEA

Sno.	Owner	Voltage (kV)	Reactor Bus	Remote Bus	ID	MVAR	Type	Phase	Make
109	PGCIL	400	CUDDAPAH	TUMKUR-PG	2	50	SWITCHABLE	3	TBEA
110	PGCIL	400	DHARAMAPURI	NAGAPATINAM-PS	1	63	SWITCHABLE	3	BHEL
111	PGCIL	400	DHARAMAPURI	NAGAPATINAM-PS	2	63	SWITCHABLE	3	BHEL
112	PGCIL	400	DHARAMAPURI	TUTICORIN-PS	1	80	SWITCHABLE	3	BHEL
113	PGCIL	400	DHARAMAPURI	TUTICORIN-PS	2	80	SWITCHABLE	3	BHEL
114	PGCIL	400	GAZUWAKA-PG	BUS REACTOR	1	50	SWITCHABLE	3	BHEL
115	PGCIL	400	GAZUWAKA-PG	BUS REACTOR	2	125	SWITCHABLE	3	BHEL
116	PGCIL	400	GAZUWAKA-PG	VEMAGIRI-PG	1	63	NON SWITCHABLE	3	BHEL
117	PGCIL	400	GOOTY-PG	BUS REACTOR	1	125	SWITCHABLE	3	CGL
118	PGCIL	400	GOOTY-PG	BUS REACTOR	2	63	SWITCHABLE	3	BHEL
119	PGCIL	400	GOOTY-PG	KURNOOL-PG	1	50	NON SWITCHABLE	3	BHEL
120	PGCIL	400	GOOTY-PG	NELLORE-PS	1	63	NON SWITCHABLE	3	CGL
121	PGCIL	400	GOOTY-PG	NELLORE-PS	2	63	NON SWITCHABLE	3	CGL
122	PGCIL	400	GOOTY-PG	SOMANAHALLI-PG	1	63	NON SWITCHABLE	3	BHEL
123	PGCIL	400	HASSAN-PG	BUS REACTOR	1	125	SWITCHABLE	3	CGL
124	PGCIL	400	HASSAN-PG	BUS REACTOR	2	80	SWITCHABLE	3	BHEL
125	PGCIL	400	HINDUPUR	NP KUNTA	1	80	SWITCHABLE	3	CGL
126	PGCIL	400	HINDUPUR	NP KUNTA	2	80	SWITCHABLE	3	CGL
127	PGCIL	400	HIRIYUR-PG	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
128	PGCIL	400	HOSUR-PG	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
129	PGCIL	400	HYDERABAD	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
130	PGCIL	400	HYDERABAD	GAJWEL	1	50	NON SWITCHABLE	3	MELCO
131	PGCIL	400	HYDERABAD	MALKARAM	1	50	NON SWITCHABLE	3	BHEL
132	PGCIL	400	KALIVANTHAPATU	NNTPP	1	80	CONVERTIBLE	3	CGL
133	PGCIL	400	KALIVANTHAPATU	VALLUR	2	50	CONVERTIBLE	3	CGL
134	PGCIL	400	KARAIKUDI-PG	BUS REACTOR	1	80	SWITCHABLE	3	BHEL
135	PGCIL	400	KHAMMAM	BUS REACTOR	1	125	SWITCHABLE	3	CGL
136	PGCIL	400	KHAMMAM	BUS REACTOR	2	63	SWITCHABLE	3	BHEL

Sno.	Owner	Voltage (kV)	Reactor Bus	Remote Bus	ID	MVAR	Type	Phase	Make
137	PGCIL	400	KHAMMAM	WARANGAL	1	50	NON SWITCHABLE	3	BHEL
138	PGCIL	400	KOCHI-PG	BUS REACTOR	1	63	SWITCHABLE	3	ALSTOM
139	PGCIL	400	KOCHI-PG	TIRUNELVELI-PG	1	63	CONVERTIBLE	3	ALSTOM
140	PGCIL	400	KOCHI-PG	TIRUNELVELI-PG	2	63	CONVERTIBLE	3	ALSTOM
141	PGCIL	400	KOLAR-PG	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
142	PGCIL	400	KOZHIKODE-PG	MYSORE-PG	1	50	CONVERTIBLE	3	CGL
143	PGCIL	400	KOZHIKODE-PG	MYSORE-PG	2	50	CONVERTIBLE	3	CGL
144	PGCIL	400	KUDGI-PG	BUS REACTOR	1	125	SWITCHABLE	3	ALSTOM
145	PGCIL	400	KUDGI-PG	BUS REACTOR	2	125	SWITCHABLE	3	CGL
146	PGCIL	400	MADURAI-PG	KARAIKUDI-PG	1	63	CONVERTIBLE	3	BHEL
147	PGCIL	400	MADURAI-PG	TRICHY-PG	1	50	CONVERTIBLE	3	BHEL
148	PGCIL	400	MUNIRABAD-PG	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
149	PGCIL	400	MUNIRABAD-PG	RTPS	1	63	NON SWITCHABLE	3	MELCO
150	PGCIL	400	MYSORE-PG	BUS REACTOR	1	50	SWITCHABLE	3	CGL
151	PGCIL	400	MYSORE-PG	HIRIYUR-PG	1	80	CONVERTIBLE	3	BHEL
152	PGCIL	400	MYSORE-PG	PAVAGADA-PG	1	80	CONVERTIBLE	3	BHEL
153	PGCIL	400	MYWADI	SALEM-PG	2	63	SWITCHABLE	3	CGL
154	PGCIL	400	MYWADI	TIRUNELVELI-PG	1	63	CONVERTIBLE	3	ALSTOM
155	PGCIL	400	MYWADI	TIRUNELVELI-PG	2	63	CONVERTIBLE	3	ALSTOM
156	PGCIL	400	NAGAPATINAM-PS	BUS REACTOR	1	125	SWITCHABLE	3	ALSTOM
157	PGCIL	400	NAGAPATINAM-PS	DHARAMAPURI	1	63	SWITCHABLE	3	BHEL
158	PGCIL	400	NAGAPATINAM-PS	DHARAMAPURI	2	63	SWITCHABLE	3	BHEL
159	PGCIL	400	NARENDRA-PG	BUS REACTOR	1	125	SWITCHABLE	3	CGL
160	PGCIL	400	NELAMANGALA	GOOTY-PG	1	50	CONVERTIBLE	3	CGL
161	PGCIL	400	NELAMANGALA	HASSAN-PG	1	50	SWITCHABLE	3	CGL
162	PGCIL	400	NELLORE-AP	NUNNA	3	63	NON SWITCHABLE	3	CGL
163	PGCIL	400	NELLORE-AP	VTPS	2	63	NON SWITCHABLE	3	CGL
164	PGCIL	400	NELLORE-PG	NUNNA	1	50	NON SWITCHABLE	3	BHEL

Sno.	Owner	Voltage (kV)	Reactor Bus	Remote Bus	ID	MVAR	Type	Phase	Make
165	PGCIL	400	NELLORE-PG	NUNNA	2	50	NON SWITCHABLE	3	ACEC
166	PGCIL	400	NELLORE-PG	SRIPERUMBUDUR	1	125	SWITCHABLE	3	CGL
167	PGCIL	400	NELLORE-PG	SRIPERUMBUDUR	2	80	SWITCHABLE	3	CGL
168	PGCIL	400	NELLORE-PG	THIRUVALAM-PG	1	50	SWITCHABLE	3	CGL
169	PGCIL	400	NELLORE-PG	THIRUVALAM-PG	2	50	SWITCHABLE	3	CGL
170	PGCIL	400	NELLORE-PS	GOOTY-PG	1	63	SWITCHABLE	3	CGL
171	PGCIL	400	NELLORE-PS	GOOTY-PG	2	63	SWITCHABLE	3	CGL
172	PGCIL	400	NP KUNTA	BUS REACTOR	1	125	SWITCHABLE	3	CGL
173	PGCIL	400	NUNNA	BUS REACTOR	1	125	SWITCHABLE	3	ALSTOM
174	PGCIL	400	NUNNA	BUS REACTOR	2	125	SWITCHABLE	3	BHEL
175	PGCIL	400	NUNNA	BUS REACTOR	3	63	SWITCHABLE	3	BHEL
176	PGCIL	400	NUNNA	BUS REACTOR	4	63	SWITCHABLE	3	BHEL
177	PGCIL	400	NUNNA	NELLORE-AP	3	63	NON SWITCHABLE	3	CGL
178	PGCIL	400	NUNNA	NELLORE-PG	1	50	NON SWITCHABLE	3	BHEL
179	PGCIL	400	NUNNA	NELLORE-PG	2	50	NON SWITCHABLE	3	BHEL
180	PGCIL	400	NUNNA	VEMAGIRI-PG	1	63	NON SWITCHABLE	3	BHEL
181	PGCIL	400	NUNNA	VEMAGIRI-PG	2	50	NON SWITCHABLE	3	CGL
182	PGCIL	400	NUNNA	VEMAGIRI-PG	3	63	NON SWITCHABLE	3	BHEL
183	PGCIL	400	PALAKKAD-PG	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
184	PGCIL	400	PAVAGADA-PG	BUS REACTOR	1	125	SWITCHABLE	3	TBEA
185	PGCIL	400	PAVAGADA-PG	BUS REACTOR	2	125	SWITCHABLE	3	BHEL
186	PGCIL	400	PUGALUR-PG	NLC STG2	1	50	CONVERTIBLE	3	ALSTOM
187	PGCIL	400	PUGALUR-PG	NLC STG2 EXP	1	50	CONVERTIBLE	3	ALSTOM
188	PGCIL	400	PUGALUR-PG	NNTPP	1	80	CONVERTIBLE	3	ALSTOM
189	PGCIL	400	RAMAGUNDAM NTPC	TALLAPALLI	1	50	NON SWITCHABLE	3	MELCO
190	PGCIL	400	RAMAGUNDAM NTPC	TALLAPALLI	2	50	NON SWITCHABLE	3	MELCO
191	PGCIL	400	RTPS	VELTOOR	1	50	SWITCHABLE	3	
192	PGCIL	400	SALEM-PG	BUS REACTOR	1	63	SWITCHABLE	3	BHEL

Sno.	Owner	Voltage (kV)	Reactor Bus	Remote Bus	ID	MVAR	Type	Phase	Make
193	PGCIL	400	SALEM-PG	HOSUR-PG	2	50	CONVERTIBLE	3	BHEL
194	PGCIL	400	SALEM-PG	NNTPP	1	50	SWITCHABLE	3	BHEL
195	PGCIL	400	SOMANAHALLI-PG	BUS REACTOR	1	80	SWITCHABLE	3	BHEL
196	PGCIL	400	SOMANAHALLI-PG	GOOTY-PG	1	63	SWITCHABLE	3	BHEL
197	PGCIL	400	SOMANAHALLI-PG	MYLASANDRA	1	50	CONVERTIBLE	3	BHEL
198	PGCIL	400	SRIPERUMBUDUR	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
199	PGCIL	400	SRIPERUMBUDUR	CHITTOOR	1	50	CONVERTIBLE	3	BHEL
200	PGCIL	400	SRIPERUMBUDUR	S V CHATHRAM	1	50	CONVERTIBLE	3	ASEA
201	PGCIL	400	TALAGUPPA	HASSAN-PG	1	50	SWITCHABLE	3	BHEL
202	PGCIL	400	TALLAPALLI	BUS REACTOR	1	125	SWITCHABLE	3	CGL
203	PGCIL	400	TALLAPALLI	BUS REACTOR	2	50	SWITCHABLE	3	BHEL
204	PGCIL	400	TALLAPALLI	KURNOOL-PG	1	50	NON SWITCHABLE	3	BHEL
205	PGCIL	400	TALLAPALLI	RAMAGUNDAM NTPC	1	50	NON SWITCHABLE	3	MELCO
206	PGCIL	400	TALLAPALLI	RAMAGUNDAM NTPC	2	50	NON SWITCHABLE	3	MELCO
207	PGCIL	400	TALLAPALLI	VELTOOR	1	63	NON SWITCHABLE	3	BHEL
208	PGCIL	400	THIRUVALAM-PG	NELLORE-PG	1	50	CONVERTIBLE	3	CGL
209	PGCIL	400	THIRUVALAM-PG	NELLORE-PG	2	50	CONVERTIBLE	3	CGL
210	PGCIL	400	THIRUVALAM-PG	PUGALUR HVDC	1	63	SWITCHABLE	3	
211	PGCIL	400	THIRUVALAM-PG	PUGALUR HVDC	2	63	SWITCHABLE	3	
212	PGCIL	400	TIRUNELVELI-PG	BUS REACTOR	1	63	SWITCHABLE	3	CGL
213	PGCIL	400	TIRUNELVELI-PG	BUS REACTOR	2	63	SWITCHABLE	3	CGL
214	PGCIL	400	TIRUNELVELI-PG	KOCHI-PG	1	63	SWITCHABLE	3	CGL
215	PGCIL	400	TIRUNELVELI-PG	KOCHI-PG	2	63	SWITCHABLE	3	CGL
216	PGCIL	400	TIRUNELVELI-PG	MYWADI	1	63	CONVERTIBLE	3	CGL
217	PGCIL	400	TIRUNELVELI-PG	MYWADI	2	63	CONVERTIBLE	3	CGL
218	PGCIL	400	TRICHUR-PG	PALAKKAD-PG	1	50	CONVERTIBLE	3	BHEL
219	PGCIL	400	TRICHUR-PG	PALAKKAD-PG	2	50	CONVERTIBLE	3	BHEL
220	PGCIL	400	TRICHY-PG	NAGAPATINAM-PS	1	50	SWITCHABLE	3	BHEL

Sno.	Owner	Voltage (kV)	Reactor Bus	Remote Bus	ID	MVAR	Type	Phase	Make
221	PGCIL	400	TRICHY-PG	NAGAPATINAM-PS	2	63	SWITCHABLE	3	BHEL
222	PGCIL	400	TRIVANDRUM-PG	BUS REACTOR	1	125	SWITCHABLE	3	CGL
223	PGCIL	400	TRIVANDRUM-PG	TIRUNELVELI-PG	1	63	SWITCHABLE	3	BHEL
224	PGCIL	400	TTGS	BUS REACTOR	1	125	SWITCHABLE	3	ALSTOM
225	PGCIL	400	TTGS	BUS REACTOR	2	125	SWITCHABLE	3	CGL
226	PGCIL	400	TUMKUR-PG	BUS REACTOR	1	63	SWITCHABLE	3	CGL
227	PGCIL	400	TUMKUR-PG	CUDDAPAH	1	50	CONVERTIBLE	3	TBEA
228	PGCIL	400	TUMKUR-PG	CUDDAPAH	2	50	CONVERTIBLE	3	TBEA
229	PGCIL	400	TUMKUR-PG	DHARAMAPURI	1	63	SWITCHABLE	3	BHEL
230	PGCIL	400	TUMKUR-PG	DHARAMAPURI	2	63	SWITCHABLE	3	BHEL
231	PGCIL	400	TUTICORIN-PS	BUS REACTOR	1	80	SWITCHABLE	3	BHEL
232	PGCIL	400	TUTICORIN-PS	DHARAMAPURI	1	80	SWITCHABLE	3	BHEL
233	PGCIL	400	TUTICORIN-PS	DHARAMAPURI	2	80	SWITCHABLE	3	BHEL
234	PGCIL	400	VEMAGIRI-PG	BUS REACTOR	1	80	SWITCHABLE	3	CGL
235	PGCIL	400	VEMAGIRI-PG	SIMHADRI	1	63	SWITCHABLE	3	CGL
236	PGCIL	400	VEMAGIRI-PG	SIMHADRI	2	63	SWITCHABLE	3	BHEL
237	PGCIL	400	VTPS	NELLORE-AP	2	63	NON SWITCHABLE	3	CGL
238	PGCIL	400	YELAHANKA-PG	BUS REACTOR	1	63	SWITCHABLE	3	ALSTOM
239	PGCIL	400	YELAHANKA-PG	BUS REACTOR	2	63	SWITCHABLE	3	BHEL
240	PGCIL	400	YELAHANKA-PG	BUS REACTOR	3	63	SWITCHABLE	3	BHEL
241	SEIL-P1	400	SEIL-P1	BUS REACTOR	1	125	SWITCHABLE	3	ALSTOM
242	SEIL-P2	400	SEIL-P2	BUS REACTOR	1	125	SWITCHABLE	3	ALSTOM
243	SEPL+MEPL	400	MEPL	BUS REACTOR	1	80	SWITCHABLE	3	SIEMENS
244	TANGEDCO	400	NCTPS STG2	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
245	TANGEDCO	400	NCTPS STG2	BUS REACTOR	2	63	SWITCHABLE	3	BHEL
246	TANTRANSCO	400	KALIVANTHAPATU	PUGALUR-PG	2	80	CONVERTIBLE	3	CGL
247	TANTRANSCO	400	KAYATHAR 400/230/110	KARAIKUDI-PG	1	63	SWITCHABLE	3	SIEMENS
248	TANTRANSCO	400	KAYATHAR 400/230/110	KARAIKUDI-PG	2	63	SWITCHABLE	3	SIEMENS

Sno.	Owner	Voltage (kV)	Reactor Bus	Remote Bus	ID	MVAR	Type	Phase	Make
249	TANTRANSCO	400	PALAVADI	BUS REACTOR	1	63	SWITCHABLE	3	CGL
250	TANTRANSCO	400	PUGALUR-PG	KALIVANTHAPATU	2	80		3	
251	TANTRANSCO	400	RASIPALAYAM	BUS REACTOR	1	63	SWITCHABLE	3	ALSTOM
252	TANTRANSCO	400	SEPC	BUS REACTOR	1	80	SWITCHABLE	3	GE
253	TANTRANSCO	400	THAPAKUNDU	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
254	TANTRANSCO	400	THIRUVALAM-TN 400/230	PALAVADI	1	63	SWITCHABLE	3	CGL
255	TANTRANSCO	400	THIRUVALAM-TN 400/230	PALAVADI	2	63	SWITCHABLE	3	CGL
256	TSGENCO	400	BHADRADRI TPS	BUS REACTOR	1	125	SWITCHABLE	3	BHEL
257	TSGENCO	400	KTPS-VII	BUS REACTOR	1	125	SWITCHABLE	3	BHEL
258	TSGENCO	400	SINGARENI	BUS REACTOR	1	63	SWITCHABLE	3	BHEL
259	TSTRANSCO	400	CHANDULAPUR	BUS REACTOR	1	125	SWITCHABLE	3	BHEL
260	TSTRANSCO	400	GAJWEL	BUS REACTOR	1	125	SWITCHABLE	3	T&R
261	TSTRANSCO	400	KALPAKKA	ASUPAKA	1	63	SWITCHABLE	3	BHEL
262	TSTRANSCO	400	KALPAKKA	KHAMMAM	2	63	SWITCHABLE	3	BHEL
263	TSTRANSCO	400	KHAMMAM	ASUPAKA	1	63	SWITCHABLE	3	BHEL
264	TSTRANSCO	400	KHAMMAM	KALPAKKA	2	63	SWITCHABLE	3	BHEL
265	TSTRANSCO	400	MALKARAM	BUS REACTOR	1	125	SWITCHABLE	3	T&R
266	TSTRANSCO	400	MAMIDIPALLI	BUS REACTOR	1	125	SWITCHABLE	3	BHEL
267	TSTRANSCO	400	MAMIDIPALLI	KHAMMAM	1	63	SWITCHABLE	3	BHEL
268	TSTRANSCO	400	SHANKARPALLI	BUS REACTOR	1	125	SWITCHABLE	3	T&R
269	TSTRANSCO	400	VELTOOR	BUS REACTOR	1	125	SWITCHABLE	3	T&R

HVDC and FACTS device Details

Sno.	Owner	Voltage (kV)	From Bus	To Bus	ID	Capacity	Conductor	Length (km)	Type
1	PGCIL	500	TALCHER	KOLAR-PG	1	1000	QUAD ACSR BERSIMIS	1369	LCC
2	PGCIL	500	TALCHER	KOLAR-PG	2	1000	QUAD ACSR BERSIMIS	1369	LCC
3	PGCIL	70	BHADRAWATI-WR	BHADRAWATI-SR	1	500	BTB	0	LCC
4	PGCIL	70	BHADRAWATI-WR	BHADRAWATI-SR	2	500	BTB	0	LCC
5	PGCIL	70	GAZUWAKA-ER	GAZUWAKA-SR	1	500	BTB	0	LCC
6	PGCIL	70	GAZUWAKA-ER	GAZUWAKA-SR	2	500	BTB	0	LCC
7	PGCIL	800	RAIGARH	PUGALUR HVDC	1	1500	HEXA ACSR LAPWING	1765	LCC
8	PGCIL	800	RAIGARH	PUGALUR HVDC	2	1500	HEXA ACSR LAPWING	1765	LCC
9	PGCIL	800	RAIGARH	PUGALUR HVDC	3	1500	HEXA ACSR LAPWING	1765	LCC
10	PGCIL	800	RAIGARH	PUGALUR HVDC	4	1500	HEXA ACSR LAPWING	1765	LCC
11	PGCIL	320	PUGALUR HVDC	TRICHUR HVDC	1	1000	TWIN ACSR LAPWING+UGC	165	VSC
12	PGCIL	320	PUGALUR HVDC	TRICHUR HVDC	2	1000	TWIN ACSR LAPWING+UGC	165	VSC

Sno.	Owner	Voltage (kV)	FSC Bus	Remote Bus	ID	%Compensation	Make	Capacitance Reactance (ohm)
1	PGCIL	400	GOOTY-PG	NELAMANGALA	1	40	SIEMENS	33.2
2	PGCIL	400	GOOTY-PG	SOMANAHALLI	1	40	SIEMENS	33.2
3	PGCIL	400	CUDDAPAH-PG	TALAPALLI	1	40	SIEMENS	36.9
4	PGCIL	400	CUDDAPAH-PG	TALAPALLI	2	40	SIEMENS	36.9
5	PGCIL	400	PAVAGADA-PG	TUMKUR-PG	1	40	SIEMENS	16.2
6	PGCIL	400	PAVAGADA-PG	TUMKUR-PG	2	40	SIEMENS	16.2

Sno.	Owner	Voltage (kV)	STATCOM Bus	Type	ID	MVAR	Make
1	PGCIL	20	NP KUNTA	MMC	1	50	HYOSUNG
2	PGCIL	20	NP KUNTA	MMC	2	50	HYOSUNG
3	PGCIL	37	UDUMALPET-PG	MMC	1	100	HYOSUNG
4	PGCIL	37	UDUMALPET-PG	MMC	2	100	HYOSUNG
5	PGCIL	37	UDUMALPET-PG	MSR	1	125	TRENCH
6	PGCIL	37	UDUMALPET-PG	MSR	2	125	TRENCH
7	PGCIL	37	UDUMALPET-PG	MSC	1	125	HERONG ELECTRIC
8	PGCIL	37	HYDERABAD-PG	MMC	1	100	HYOSUNG
9	PGCIL	37	HYDERABAD-PG	MMC	2	100	HYOSUNG
10	PGCIL	37	HYDERABAD-PG	MSR	1	125	SIEMENS
11	PGCIL	37	HYDERABAD-PG	MSR	2	125	SIEMENS
12	PGCIL	37	HYDERABAD-PG	MSC	1	125	SIEMENS
13	PGCIL	37	TRICHY-PG	MMC	1	100	HYOSUNG
14	PGCIL	37	TRICHY-PG	MMC	2	100	HYOSUNG
15	PGCIL	37	TRICHY-PG	MSR	1	125	TRENCH
16	PGCIL	37	TRICHY-PG	MSR	2	125	TRENCH
17	PGCIL	37	TRICHY-PG	MSC	1	125	HERONG ELECTRIC

Spare Inter-Connecting Transformers and Reactors

Sno.	Owner	Voltage (kV)	Bus	ID	MVA	Phase
1	PGCIL	765/400	CHILKALURIPETA	1	500	1
2	PGCIL	765/400	KURNOOL	1	500	1
3	PGCIL	765/400	MAHESWARAM	1	500	1
4	PGCIL	765/400	NELLORE-PS	1	500	1
5	PGCIL	765/400	NIZAMABAD	1	500	1
6	PGCIL	765/400	RAICHUR-PG	1	500	1
7	PGCIL	765/400	SRIKAKULAM	1	500	1
8	PGCIL	765/400	THIRUVALAM-PG	1	500	1
9	PGCIL	765/400	VEMAGIRI-PG	1	500	1
10	PGCIL	400/220	KOLAR-PG	1	167	1
11	PGCIL	400/220	TALLAPALLI	1	105	1

Sno.	Owner	Voltage (kV)	Bus	ID	MVAR	Phase
1	PGCIL	765	KURNOOL	1	80	1
2	PGCIL	765	KURNOOL	2	80	1
3	PGCIL	765	MAHESWARAM	1	80	1
4	PGCIL	765	NELLORE-PS	1	80	1
5	PGCIL	765	NIZAMABAD	1	80	1
6	PGCIL	765	NIZAMABAD	2	80	1
7	PGCIL	765	RAICHUR-PG	1	80	1
8	PGCIL	765	SRIKAKULAM	1	80	1
9	PGCIL	765	SRIKAKULAM	2	80	1
10	PGCIL	765	THIRUVALAM-PG	1	80	1
11	PGCIL	765	VEMAGIRI-PG	1	80	1

पावर सिस्टम ऑपरेशन कारपोरेशन लिमिटेड

(एक भारत सरकार का उद्यम)

POWER SYSTEM OPERATION CORPORATION LIMITED

(A Govt. of India Enterprise)

दक्षिण क्षेत्रीय लोड डिस्पेच केन्द्र /SOUTHERN REGIONAL LOAD DESPATCH CENTRE

29, रेस कोर्स क्रास रोड, बेंगलूर – 560 009. / 29, RACE COURSE CROSS ROAD, BANGALORE – 560 009.

Phone – 080 2225004, Fax – 080 22268725, E Mail – srldcos@posoco.in, Website – www.srldc.org, www.srldc.in